



US0D1014878S

(12)

United States Design Patent
Yamamoto et al.

(10)

Patent No.: US D1,014,878 S

(45)

Date of Patent: ** Feb. 13, 2024

(54) DRYER

(71) Applicant: Iris Ohyama Inc., Sendai (JP)

(72) Inventors: Yuki Yamamoto, Kakuda (JP); Kanako Tsutsumi, Kakuda (JP); Akihiko Okumura, Kakuda (JP)

(73) Assignee: Iris Ohyama Inc., Sendai (JP)

(**) Term: 15 Years

(21) Appl. No.: 29/778,431

(22) Filed: Apr. 13, 2021

(30) Foreign Application Priority Data

Oct. 14, 2020 (JP) 2020-022099 D

(51) LOC (14) Cl. 15-05

(52) U.S. Cl.
USPC D32/1; D32/8

(58) Field of Classification Search
USPC D32/1, 5-6, 8, 10, 15, 21, 25, 32, 35;
D8/29.1, 61, 70; D14/144, 199, 358;
D23/332, 383; D28/12-13
CPC A47L 23/205; A45D 20/08; A45D 20/10;
A45D 20/12; F26B 9/003; F26B 21/001;
F26B 9/006; D06F 60/00
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

2,511,497 A * 6/1950 Dauphinee A61L 9/00
55/467

4,556,782 A * 12/1985 Fujishima A45D 20/10
34/96

D314,839 S * 2/1991 Ho D28/12

D383,276 S * 9/1997 Janney D32/58

D446,349 S * 8/2001 Sasso D28/12

D640,022 S * 6/2011 Paterson D32/21

D687,195 S * 7/2013 Sell D32/21

D812,324 S * 3/2018 Fujigaya D32/8

D827,948 S * 9/2018 Miyawaki D32/1

D827,949 S * 9/2018 Miyawaki D32/1

D827,950 S * 9/2018 Miyawaki D32/1

(Continued)

FOREIGN PATENT DOCUMENTS

CN 301410591 S 12/2010

CN 301804706 S 1/2012

JP D1134760 * 2/2002

OTHER PUBLICATIONS

Iris Ohyama FK-D1-SO Futon Dryer, available in Amazon.co.jp, date first available Feb. 8, 2020 [online], [site visited Mar. 24, 2023], Available from the internet URL: <https://www.amazon.co.jp/-en/FK-D1-SO-Compatible-Extermination-Karalier-Reservation/dp/B08W2B1544> (Year: 2020).*

Primary Examiner — Jennifer Rivard

Assistant Examiner — Jennylou M Binas

(74) Attorney, Agent, or Firm — Studebaker & Brackett PC


(57) CLAIM

The ornamental design for a dryer, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right-side perspective view of a dryer showing our new design;
FIG. 2 is a rear, top and left-side perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a top view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a right-side view thereof;
FIG. 8 is a left-side view thereof; and,
FIG. 9 is a front, top and right-side perspective view, shown in a state of use.
The broken lines shown represent portions of the dryer that form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D881,489	S	*	4/2020	Miyawaki		D32/1
D881,490	S	*	4/2020	Miyawaki		D32/1
D884,857	S	*	5/2020	Haney		D23/332
D886,258	S	*	6/2020	Sakamoto		D23/332
D933,290	S	*	10/2021	Thomason		D28/12

* cited by examiner

FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9

