



US0D1015653S

(12)

United States Design Patent

Bloem

(10)

Patent No.:

US D1,015,653 S

(45)

Date of Patent:

** Feb. 20, 2024

(54) ULTRAVIOLET DISINFECTING APPARATUS

(71) Applicant: AEOLUS ROBOTICS SINGAPORE PTE. LTD., Singapore (SG)

(72) Inventor: Reinier Bloem, Taipei (TW)

(73) Assignee: AEOLUS ROBOTICS SINGAPORE PTE. LTD., Singapore (SG)

(**) Term: 15 Years

(21) Appl. No.: 29/815,803

(22) Filed: Nov. 16, 2021

(51) LOC (14) Cl. 24-02
(52) U.S. Cl.
USPC D24/217; D24/210; D26/72; D26/118; D32/1

(58) Field of Classification Search
USPC D32/1; D23/355, 364; D24/210, 217; D26/72, 74, 76, 93, 118; D15/199
CPC A61L 2209/12; A61L 9/205; A61L 9/20; A61L 9/00; A61L 2/10; A61L 2/0047; A61L 2/025; A61L 2202/11; A61L 12/063
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D106,614 S	*	10/1937	Waterbury		D26/91
D123,768 S	*	12/1940	Scribner		362/218
D128,026 S	*	7/1941	Furedy		D24/210
D200,213 S	*	2/1965	Lommel		D24/210
D240,082 S	*	5/1976	Garwood		D24/210
D259,738 S	*	6/1981	Boschetti		D26/128
D266,578 S	*	10/1982	Moshier		D23/328
D268,287 S	*	3/1983	Boschetti		D24/210
D383,560 S	*	9/1997	Palmer		D26/72
7,959,331 B2	*	6/2011	Ho		F21V 29/71 362/249.02
D731,701 S	*	6/2015	Hargreaves		D26/118
D732,235 S	*	6/2015	Reynolds		D26/118
D750,312 S	*	2/2016	Reynolds		D26/118

D751,244 S	*	3/2016	Reynolds		D26/118
D757,323 S	*	5/2016	Reynolds		D26/72
D862,764 S	*	10/2019	Deng		D26/72
(Continued)					

FOREIGN PATENT DOCUMENTS

JP 1106804 S 4/2001

OTHER PUBLICATIONS

Shinetoo Portable UVC Light for Disinfection and Sterilization, announced in YouTube on Jun. 9, 2020 [online], [site visited Oct. 26, 2023], Available from the internet URL: URL: <https://www.youtube.com/watch?v=OXd1NqS14As> (Year: 2020).*

Primary Examiner — Jennifer Rivard
Assistant Examiner — Jennylou M Binas
(74) Attorney, Agent, or Firm — Winston Hsu


(57) CLAIM

The ornamental design for an ultraviolet disinfecting apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, right side perspective view of an ultraviolet disinfecting apparatus, showing my new design; FIG. 2 is a top, rear, right side perspective view thereof; FIG. 3 is a front elevation view thereof; FIG. 4 is a rear elevation view thereof; FIG. 5 is a left side elevation view thereof; FIG. 6 is a right side elevation view thereof; FIG. 7 is a top plan view thereof; FIG. 8 is a bottom plan view thereof; and, FIG. 9 is a top, rear, right side perspective view thereof, showing the ultraviolet disinfecting apparatus in a disassembled configuration. The broken lines depict battery and portions of the ultraviolet disinfecting apparatus that form no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D883,559	S	*	5/2020	Wardenburg		D26/118
D897,554	S	*	9/2020	Winderlich		D24/217
D990,618	S	*	6/2023	Hickey		D24/217
2008/0205071	A1	*	8/2008	Townsley		F21V 29/67
						362/373
2008/0279733	A1	*	11/2008	Glazman		F24F 8/192
						422/243
2009/0323335	A1	*	12/2009	Yang		F21K 9/68
						362/296.07

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9