

US0D1018066S

(12)

United States Design Patent

Brought et al.

(10) Patent No.: US D1,018,066 S

(45) Date of Patent: ** Mar. 19, 2024

(54) MIXER BOTTLE DEVICE

(71) Applicant: Blee.LLC, Collierville, TN (US)

(72) Inventors: Amanda D. Braught, Collierville, TN (US); Liana Arden Pierce, Collierville, TN (US); Martin Wood, Collierville, TN (US); Travis Floyd, Collierville, TN (US); Charles C. Brandon, Collierville, TN (US)

(73) Assignee: Blee.LLC, Collierville, TN (US)

(**) Term: 15 Years

(21) Appl. No.: 29/830,036

(22) Filed: Mar. 9, 2022

(51) LOC (14) Cl. 04-01

(52) U.S. Cl. USPC D4/116; D9/559

(58) Field of Classification Search USPC D4/116, 130, 132, 135; D9/434–436, D9/503, 516, 559, 574, 715, 719, 723, D9/727

(Continued)

(56) References Cited

U.S. PATENT DOCUMENTS

D382,486 S * 8/1997 Heinz D9/546
D535,104 S * 1/2007 Chen D4/116
(Continued)

OTHER PUBLICATIONS

Amazon-Agidea; “Agidea . . . Nail Polish Bottles . . .”; [online] ‘https://www.amazon.com/dp/B09C324K7N’; dated Aug. 7, 2021; Accessed Nov. 21, 2023; 4Pgs. (Year: 2021).*

Primary Examiner — Keli L Hill
(74) Attorney, Agent, or Firm — Veritay Group IP, PLLC; Susan B. Fentress


(57) CLAIM

The ornamental design for mixer bottle device, as shown and described.

DESCRIPTION

FIG. 1 is an top, right, front isometric view of a first embodiment of a transparent mixer bottle device in the closed configuration.
FIG. 2 is a bottom, left, rear isometric view of FIG. 1.
FIG. 3 is a front view of FIG. 1.
FIG. 4 is a right side view of FIG. 1.
FIG. 5 is a rear view of FIG. 1.
FIG. 6 is a left side view of FIG. 1.
FIG. 7 is a top view of FIG. 1.
FIG. 8 is a bottom view of FIG. 1.
FIG. 9 is a top, right, front isometric view of a first embodiment of a transparent mixer bottle device in the open configuration.
FIG. 10 is a bottom, left, rear isometric view of FIG. 9.
FIG. 11 is a front view of FIG. 9.
FIG. 12 is a right side view of FIG. 9.
FIG. 13 is a rear view of FIG. 9.
FIG. 14 is a left side view of FIG. 9.
FIG. 15 is a top view of FIG. 9.
FIG. 16 is a bottom view of FIG. 9.
FIG. 17 is a top, right, front isometric view of a second embodiment of an opaque mixer bottle device in the closed configuration.
FIG. 18 is a bottom, leftrear isometric view of FIG. 17.
FIG. 19 is a front view of FIG. 17.
FIG. 20 is a right side view of FIG. 17.
FIG. 21 is a rear view of FIG. 17.
FIG. 22. is a left side view of FIG. 17.
FIG. 23 is a top view of FIG. 17.
FIG. 24 is a bottom view of FIG. 17.
FIG. 25 is a top, right, front isometric view of an opaque mixer bottle device in the open configuration.
FIG. 26 is a bottom, left, rear isometric view of FIG. 25.
FIG. 27 is a front view of FIG. 25.
FIG. 28 is a right side view of FIG. 25.
FIG. 29 is a rear view of FIG. 25.
FIG. 30 is a left side view of FIG. 25.
FIG. 31 is a top view of FIG. 25; and,
FIG. 32 is a bottom view of FIG. 25.

(Continued)



The broken lines are included for the purpose of illustration of portions of the mixer bottle device that form no part of the claimed design.

1 Claim, 16 Drawing Sheets

(58) Field of Classification Search

CPC B21D 51/26; B21D 51/383; B29C 66/71;
B65D 1/00; B65D 1/02; B65D 1/12;
B65D 1/14; B65D 1/40; B65D 1/44;
B65D 1/023; B65D 1/0223; B65D 1/165;
B65D 1/238; B65D 1/246; B65D 1/253;
B65D 7/04; B65D 21/0209; B65D
21/0233; B65D 25/00; B65D 25/28;
B65D 41/0457; B65D 41/17; B65D

(56)

References Cited

U.S. PATENT DOCUMENTS

D561,027	S	*	2/2008	Nguyen		D9/520
D803,691	S	*	11/2017	Staab		D9/566
D817,763	S	*	5/2018	Isaksen		D9/500
D852,048	S	*	6/2019	Flint		D9/558
D910,454	S	*	2/2021	Mitha		D9/454

* cited by examiner

53/06; B65D 75/56; B65D 79/005; B65D
2501/0036; B65D 2543/00064; B65D
2543/00074; B65D 2543/00083; B65D
2543/00092; B65D 2543/00101; B65D
2543/00111; Y10T 29/49826

See application file for complete search history.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10







FIG. 11

FIG. 12






FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26







FIG. 27

FIG. 28







FIG. 29

FIG. 30




FIG. 31




FIG. 32