US0D1019436S

(12) United States Design Patent

Zhao et al.

(10) Patent No.: US D1,019,436 S
(45) Date of Patent: ** Mar. 26, 2024

(54) **BATTERY TESTER**

(71) Applicant: **AUTOPHIX TECH CO., LTD**, Shenzhen (CN)

(72) Inventors: **Yutao Zhao**, Shenzhen (CN); **Qing Huang**, Shenzhen (CN); **Jian Hao**, Shenzhen (CN)

(73) Assignee: **AUTOPHIX TECH CO., LTD**, Shenzhen (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/844,138**

(22) Filed: **Jun. 27, 2022**

(30) **Foreign Application Priority Data**

May 30, 2022 (CN) 202230325035.8

(51) **LOC (14) Cl.** **10-05**

(52) **U.S. Cl.**
USPC **D10/77**

(58) **Field of Classification Search**
USPC D10/47, 74, 75–78, 80, 81; D14/203.7; D13/124
CPC G01R 31/385
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D333,992	S	*	3/1993	Anderson	D10/81
D472,483	S	*	4/2003	Disch	D10/80
D473,809	S	*	4/2003	Disch	D10/78
D625,634	S	*	10/2010	Chen	D10/78
D646,599	S	*	10/2011	Chen	D10/78
D675,947	S	*	2/2013	Janky	D10/78
D688,146	S	*	8/2013	Liu	D10/81
D692,329	S	*	10/2013	Burkandt	D10/70
D699,134	S	*	2/2014	Waaler	D10/78
D701,781	S	*	4/2014	Chen	D10/78
D718,161	S	*	11/2014	Derr	D10/78
D738,240	S	*	9/2015	Payne	D10/78
D813,063	S	*	3/2018	He	D10/70
D820,128	S	*	6/2018	Wong	D10/78
D834,432	S	*	11/2018	Wang	D10/78
D837,075	S	*	1/2019	Lu	D10/78
D838,195	S	*	1/2019	Wu	D10/78
D839,113	S	*	1/2019	Xie	D10/78
D852,073	S	*	6/2019	Zhao	D10/78
D903,515	S	*	12/2020	Zhao	D10/78
D918,074	S	*	5/2021	Zhao	D10/78

(Continued)

OTHER PUBLICATIONS

Car Battery Tester 12V 24V Autophix BAS100, Amazon, date first available Nov. 4, 2022, (online) URL: https://www.amazon.com/AUTOPHIX-BAS100-100-2000-Automotive-Motorcycles/dp/B0BLH6PTTZ/ref=sr_1_3_sspa?th=1 (Year: 2022).*

Primary Examiner — George D. Kirschbaum
Assistant Examiner — Antoinette Martine Suiter
(74) *Attorney, Agent, or Firm* — Westbridge IP LLC

(57) **CLAIM**

The ornamental design for a battery tester, as shown and described.

DESCRIPTION

FIG. **1** is a front perspective view of a battery tester showing our new design;
FIG. **2** is a rear perspective view thereof;
FIG. **3** is a front elevation view thereof;
FIG. **4** is a rear elevation view thereof;
FIG. **5** is a left side elevation view thereof;
FIG. **6** is a right side elevation view thereof;
FIG. **7** is a top plan view thereof; and,
FIG. **8** is a bottom plan view thereof.
The dash-dash broken lines in the drawings depict the portions of the battery tester which form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D918,748	S	*	5/2021	Zhao	D10/78
D930,491	S	*	9/2021	Xie	D10/78
D938,292	S	*	12/2021	Lu	D13/124
D946,430	S	*	3/2022	Rouillard	D10/76
D978,000	S	*	2/2023	Peng	D10/78
D983,057	S	*	4/2023	Lou	D10/78
D1,002,406	S	*	10/2023	Lou	D10/77

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8