



US0D1020166S

(12) **United States Design Patent**
Cai

(10) **Patent No.:** **US D1,020,166 S**

(45) **Date of Patent:** **** Apr. 2, 2024**

- (54) **BRA**
- (71) Applicant: **Yongguang Cai**, Shenzhen (CN)
- (72) Inventor: **Yongguang Cai**, Shenzhen (CN)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/896,651**
- (22) Filed: **Jul. 6, 2023**
- (51) **LOC (14) Cl.** **02-01**
- (52) **U.S. Cl.**
USPC **D2/706**
- (58) **Field of Classification Search**
USPC D2/706-709, 700, 703, 728, 736, 737
CPC A41C 3/00; A41C 3/0057
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D256,288 S *	8/1980	Stern	D2/708
D277,329 S *	1/1985	Taniyama	D2/708
D300,880 S *	5/1989	Mathis	D2/707
D300,980 S *	5/1989	Mathis	D2/707
D301,281 S *	5/1989	Convery	D2/708
D351,711 S *	10/1994	Mattson	D2/706
D491,339 S *	6/2004	Saviss	D2/706
D535,807 S *	1/2007	Macchi	D2/706
D570,576 S *	6/2008	Seraceno	D2/706
D579,627 S *	11/2008	Deal	D2/706
D587,878 S *	3/2009	Higo	D2/706
D623,828 S *	9/2010	Naughton	D2/706
D625,487 S *	10/2010	Hendrickson	D2/706
D625,488 S *	10/2010	Messman	D2/706
D678,659 S *	3/2013	Lopez	D2/708
D741,566 S *	10/2015	Perry	D2/706
D798,531 S *	10/2017	Dacumos	D2/706
D798,532 S *	10/2017	Dacumos	D2/706
D817,596 S *	5/2018	Hamm	D2/708
D844,931 S *	4/2019	LaGory et al.	
D860,582 S *	9/2019	Jameson	D2/706

D861,285 S *	10/2019	Jameson	D2/706
D861,286 S *	10/2019	Ye	
D883,611 S *	5/2020	Ross	D2/706
D913,631 S *	3/2021	Dudillieu	D2/706
D922,729 S *	6/2021	Glazier et al.	

(Continued)

Primary Examiner — Michelle E. Wilson

Assistant Examiner — Clese Moore, Jr.

(74) *Attorney, Agent, or Firm* — Jose Cherson Weissbrot


(57) **CLAIM**

The ornamental design for a bra, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a bra showing my new design in a first configuration of use;
 FIG. 2 is a rear view thereof;
 FIG. 3 is a perspective view of the bra, showing a second configuration of use on a mannequin bust, wherein the bra is worn using two straps;
 FIG. 4 is a perspective view of the bra, showing a third configuration of use on a mannequin bust, wherein the bra is worn using a single strap;
 FIG. 5 is a left side view of the bra in FIG. 3;
 FIG. 6 is a right side view of the bra in FIG. 3;
 FIG. 7 is a front view of the bra in FIG. 4;
 FIG. 8 is a front view of the bra in FIG. 3;
 FIG. 9 is a rear view of the bra in FIG. 4;
 FIG. 10 is a rear view of the bra in FIG. 3;
 FIG. 11 is a rear view of the bra, showing a fourth configuration of use on a mannequin bust, wherein the two straps are worn in a criss-cross manner; and,
 FIG. 12 is an exploded front view of the bra in FIG. 1.
 The short dashed broken lines in the drawings depict portions of the bra that form no part of the claimed design. The long dashed broken lines showing a mannequin bust illustrate environmental subject matter and form no part of the claimed design.

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D926,428 S	8/2021	Yaremenko et al.	
D951,590 S	5/2022	Epps	
D968,752 S	11/2022	Breitwieser	
D977,224 S *	2/2023	Cai	D2/706
D985,879 S *	5/2023	Cai	D2/706
2005/0112996 A1 *	5/2005	Buehler	A41F 1/006 450/58

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12