



US0D1021180S

(12)

United States Design Patent

Kosche

(10) Patent No.:

US D1,021,180 S

(45) Date of Patent:

** Apr. 2, 2024

(54) LIGHTING FIXTURE

(71) Applicant: ERCO GmbH, Lüdenscheid (DE)

(72) Inventor: Henk Kosche, Lüdenscheid (DE)

(73) Assignee: ERCO GMBH, Lüdenscheid (DE)

(**) Term: 15 Years

(21) Appl. No.: 29/839,811

(22) Filed: May 24, 2022

(30) Foreign Application Priority Data

Nov. 26, 2021 (EM) 008 778 310

(51) LOC (14) Cl. 26-05

(52) U.S. Cl.

USPC D26/63

(58) Field of Classification Search

USPC D26/44, 61, 63, 64, 66, 67, 72, 73, 81,

D26/83, 85, 92, 102, 118, 119, 124

CPC F21W 2131/10; F21W 2131/30; F21W

2131/40; F21W 2131/101; F21W

2131/107; F21W 2131/301; F21W

2131/1005; F21V 21/00; F21V 21/02;

F21V 21/03; F21V 21/10; F21V 21/26;

F21V 21/28; F21V 21/30; F21V 29/74;

F21V 29/75

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D597,237 S	*	7/2009	Kumthampinij		D26/39
D618,377 S	*	6/2010	Toft		D26/63
D637,751 S	*	5/2011	Chiu		D26/63
D639,983 S	*	6/2011	Quadri		D26/65
D738,555 S	*	9/2015	Kjaergaard		D26/63
D770,656 S	*	11/2016	Quadri		D26/63
D784,586 S	*	4/2017	Gebhard		D26/63
D821,012 S	*	6/2018	Gong		D26/63

D825,829 S	*	8/2018	Guo		D26/63
D835,319 S	*	12/2018	Lüke		D26/63
D836,232 S	*	12/2018	Yang		D26/63
D836,234 S	*	12/2018	Yang		D26/63
D857,270 S	*	8/2019	Recker		D26/63
D882,142 S	*	4/2020	Huang		D26/63
D892,378 S	*	8/2020	Windom		D26/63
D904,661 S	*	12/2020	Toft		D26/63
D910,219 S	*	2/2021	Frost		D26/63

(Continued)

OTHER PUBLICATIONS

UKing Stage Lights Moving Head Lights; Retrieved from Amazon.com at <https://www.amazon.com/U%60King-Channels-25W-Spotlight-Activated/dp/B0836CXMW6>; Retrieved on Jul. 28, 2023; First available on Nov. 15, 2019 (Year: 2019).*

(Continued)

Primary Examiner — Clint A Samuel
(74) Attorney, Agent, or Firm — LUCAS & MERCANTI, LLP; Klaus P. Stoffel


(57) CLAIM

The ornamental design for a lighting fixture, as shown and described.

DESCRIPTION

FIG. 1 is a side view of the lighting fixture showing the present design;
FIG. 2 is a front view thereof;
FIG. 3 is a bottom view thereof;
FIG. 4 is a front and side perspective view thereof;
FIG. 5 is a front and side perspective view thereof;
FIG. 6 is a side view of a second embodiment of the lighting fixture showing the present design;
FIG. 7 is a front view thereof;
FIG. 8 is a bottom view thereof;
FIG. 9 is a front and side perspective view thereof; and,
FIG. 10 is a front and side perspective view thereof.

1 Claim, 10 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D911,566 S *	2/2021	Lv	D26/63
D914,943 S *	3/2021	Wu	D26/63
D914,947 S *	3/2021	Zheng	D26/63
D915,652 S *	4/2021	Li	D26/63
D916,346 S *	4/2021	Sharp	F21V 23/06
			D26/63
D919,153 S *	5/2021	Huang	D26/63
D982,219 S *	3/2023	Jin	D26/93
D995,861 S *	8/2023	Sun	D26/63
D995,862 S *	8/2023	Sun	D26/63
D1,001,333 S *	10/2023	Zhang	D26/63
2014/0126226 A1 *	5/2014	Wang	F21V 31/005
			362/375

OTHER PUBLICATIONS

Shehds Moving Head Stage Lights; Retrieved from Amazon.com at <https://www.amazon.com/SHEHDS-Stage-275W-14Gobos-Spotlights/dp/B0BNSX8R59>; Retrieved on Jul. 28, 2023; First available on Sep. 8, 2022 (Year: 2022).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5

FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10