



US0D1021646S

(12)

United States Design Patent

Yongjie et al.

(10)

Patent No.:

US D1,021,646 S

(45)

Date of Patent:

** Apr. 9, 2024

(54) NAVIGATION DEVICE

(71) Applicant: TomTom International B.V.,
Amsterdam (NL)

(72) Inventors: You Yongjie, Henan (CN); Nicholas
Alexander Evans, Amsterdam (NL)

(73) Assignee: TomTom International B.V.,
Amsterdam (NL)

(**) Term: 15 Years

(21) Appl. No.: 29/747,998

(22) Filed: Aug. 26, 2020

(51) LOC (14) Cl. 10-04

(52) U.S. Cl.
USPC D10/65

(58) Field of Classification Search
USPC D10/50, 52, 15, 56, 60, 87, 70, 74, 78,
D10/57, 91, 77; D16/203; D14/238.1,
D14/159
CPC G06F 2212/60; G06F 2200/1633; G06F
16/29; G06F 3/0608; G06F 3/0653; G06F
2212/1016; G06F 11/3476; G06F
2201/86; G06F 21/85; G06F 17/40
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D444,086 S	*	6/2001	Wrisley	D10/78
D509,151 S	*	9/2005	Takach	D10/50
D581,818 S	*	12/2008	Gretton	D10/65
D589,383 S	*	3/2009	Gretton	D10/65
D591,184 S	*	4/2009	Gretton	D10/65
D594,356 S	*	6/2009	Riddiford	D10/65
D594,357 S	*	6/2009	Riddiford	D10/65
D595,598 S	*	7/2009	Stevens	D10/65
D608,669 S	*	1/2010	Stevens	D10/65
D622,169 S	*	8/2010	Lenz	D10/65

D625,306 S	*	10/2010	Miyawaki	D14/341
D641,263 S	*	7/2011	Chen	D10/10
D643,754 S	*	8/2011	Cheng	D10/10
D646,187 S	*	10/2011	Edgar	D10/50
D648,234 S	*	11/2011	Lenz	D10/65
D650,371 S	*	12/2011	Wibby	D14/238.1
D652,750 S	*	1/2012	Halford	D10/78
D659,567 S	*	5/2012	Stevens	D10/70
D659,568 S	*	5/2012	Stevens	D10/70
D668,650 S	*	10/2012	Han	D14/138 G
D692,326 S	*	10/2013	Roberts	D10/70
D720,244 S	*	12/2014	Dempsey	D10/70
D720,634 S	*	1/2015	Dempsey	D10/70
D729,643 S	*	5/2015	Browning	D10/65
D729,644 S	*	5/2015	Browning	D10/65
D733,087 S	*	6/2015	Park	D14/138 G
D734,179 S	*	7/2015	Golden	D10/50

(Continued)

Primary Examiner — George D. Kirschbaum

Assistant Examiner — Antoinette Martine Suiter

(74) Attorney, Agent, or Firm — Park, Vaughan, Fleming
& Dowler LLP


(57) CLAIM

The ornamental design for a navigation device, as shown
and described.

DESCRIPTION

FIG. 1 is a top view of a navigation device;
FIG. 2 is a left side view of the navigation device;
FIG. 3 is a front view of the navigation device;
FIG. 4 is a right side view of the navigation device;
FIG. 5 is a bottom view of the navigation device;
FIG. 6 is a rear view of the navigation device; and,
FIG. 7 is a rear left-side perspective view of the navigation
device.
The broken lines, which show elements of the navigation
device, are for the purpose of illustrating portions of the
article or environmental structure and form no part of the
claimed design.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D772,738	S	*	11/2016	Browning		D10/65
D789,905	S	*	6/2017	Liu		D14/159
D808,829	S	*	1/2018	Dempsey		D10/65
D808,830	S	*	1/2018	Dempsey		D10/65
D833,308	S	*	11/2018	Burke		D10/78
D894,844	S	*	9/2020	Boynton		D13/162
D920,142	S	*	5/2021	Xu		D10/65
D947,046	S	*	3/2022	Lenz		D10/65
D982,061	S	*	3/2023	Lin		D16/203
D993,206	S	*	7/2023	Han		D14/126
D993,207	S	*	7/2023	Han		D14/126
11,706,045	B2	*	7/2023	Raji		H04L 12/2803
						348/E5.022
2008/0231538	A1	*	9/2008	Inoue		H01Q 1/24
						343/872

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7