

(12)

United States Design Patent

Pohren et al.

(10)

Patent No.:

US D1,021,969 S

(45)

Date of Patent:

** Apr. 9, 2024

(54) **JOYSTICK FOR A WORK VEHICLE**

(71) Applicant: **Deere & Company**, Moline, IL (US)

(72) Inventors: **Kaitlin S. Pohren**, Peosta, IA (US);
Brian J. Zimmer, Dubuque, IA (US);
Giovanni A. Wuisan, Epworth, IA (US);
Stephen A. Lovas, Dubuque, IA (US);
Justin R. Klock, Dubuque, IA (US);
Thomas A. Knopp, Peosta, IA (US);
Gary Artingstall, Dubuque, IA (US)

(73) Assignee: **Deere & Company**, Moline, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/865,175**

(22) Filed: **Jul. 12, 2022**

(51) **LOC (14) Cl.** **15-03**

(52) **U.S. Cl.**
USPC **D15/28**

(58) **Field of Classification Search**
USPC D15/11, 21, 28, 17, 18, 142; D12/174,
D12/179, 172; D34/28, 34, 35;
D14/454, 203.3, 218, 426–431; D13/162,
D13/162.1, 163, 168–172
CPC A01D 2034/6843; E02F 9/2004; G05G
2009/04774; G05G 1/08; G05G 9/047;
B62D 11/006; B62D 1/12; B66F 9/20;
B66F 9/07568; A63F 13/00; A63F 13/02;
A63F 13/20; A63F 13/24; A63F 13/25;
A63F 13/90; A63F 13/98; G06F 3/014;
G06F 3/017
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D442,179 S * 5/2001 Alviar D14/412
D450,702 S * 11/2001 Sagawa D14/412

6,892,481 B2 * 5/2005 Yamamoto G05G 9/04792
345/161
D536,153 S * 1/2007 Niebuhr D14/415
D559,749 S * 1/2008 Barbieri D12/179
D575,924 S * 8/2008 Niebuhr D34/35
D595,744 S * 7/2009 Umeda D15/28
D598,023 S * 8/2009 Miller D12/174
D606,100 S * 12/2009 Kobayashi D15/28
D606,567 S * 12/2009 Kobayashi D15/28
D628,601 S * 12/2010 Muraoka D15/28
D633,111 S * 2/2011 Muraoka D15/28
D635,155 S * 3/2011 Blind D15/28
D661,712 S * 6/2012 Muraoka D15/28
D671,565 S * 11/2012 Kinoshita D15/28
D695,792 S * 12/2013 Jensen D15/28

(Continued)

Primary Examiner — Mark A Goodwin


(57) **CLAIM**

The ornamental design for a joystick for a work vehicle, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a joystick for a work vehicle showing our new design;
FIG. 2 is a right plane view of a joystick for a work vehicle;
FIG. 3 is a left plane view of a joystick for a work vehicle;
FIG. 4 is a front plane view of of a joystick for a work vehicle;
FIG. 5 is a rear plane view of a joystick for a work vehicle;
FIG. 6 is a top plan view of a joystick for a work vehicle;
and,
FIG. 7 is a bottom plan view of a joystick for a work vehicle.
The broken line representations in the figures show unclaimed environment or boundaries, and thus form no part of the claimed design.

1 Claim, 7 Drawing Sheets



References Cited

D720,350	S	*	12/2014	Haubrich	D14/415
D723,033	S	*	2/2015	Hoock	D14/412
D725,681	S	*	3/2015	Bonneau	D15/28
D727,904	S	*	4/2015	Jensen	D14/415
D741,863	S	*	10/2015	Hoock	D14/413
D744,544	S	*	12/2015	Wuisan	D15/28
D745,008	S	*	12/2015	Jensen	D14/415
D759,731	S	*	6/2016	Roemer	D15/28
D765,079	S	*	8/2016	Hoock	D14/412
D778,023	S	*	1/2017	Babel	D15/28
D800,183	S	*	10/2017	Wuisan	D15/28
D868,670	S	*	12/2019	Kruk	D14/416
D922,448	S	*	6/2021	Ritchie	D15/28
D934,305	S	*	10/2021	Roy	D15/28
D979,569	S	*	2/2023	Sundh	D14/413
2002/0178624	A1	*	12/2002	Yamamoto	G05G 9/04792 37/348
2014/0091181	A1	*	4/2014	Ouellette	G06F 3/0338 244/221
2020/0012309	A1	*	1/2020	Wuisan	G05G 9/047
2020/0173234	A1	*	6/2020	Glover	E21B 7/022

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7