



US0D1022259S

(12)

United States Design Patent

Ferrier

(10)

Patent No.:

US D1,022,259 S

(45)

Date of Patent:

** Apr. 9, 2024

(54) **ANCHOR**

(71) Applicant: **Illinois Tool Works Inc.**, Glenview, IL (US)

(72) Inventor: **Ian Ross Ferrier**, Glenview, IL (US)

(73) Assignee: **Illinois Tool Works Inc.**, Glenview, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/787,476**

(22) Filed: **Jun. 7, 2021**

(51) **LOC (14) Cl.** **25-01**

(52) **U.S. Cl.**
USPC **D25/133**

(58) **Field of Classification Search**
USPC D25/133; D8/349, 354, 382
CPC E04G 21/142; E04G 21/147; E04B 1/41;
E04C 5/12; B28B 23/005; B66C 1/666
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,702,045 A * 10/1987 Fricker E04G 21/142
52/125.4
5,596,846 A * 1/1997 Kelly E04G 21/142
D8/382
D422,894 S * 4/2000 Kubica D8/382
D521,159 S * 5/2006 Hansort D25/133
D540,657 S * 4/2007 Hansort D8/354
D686,486 S * 7/2013 Densmore D8/349
8,898,964 B1 * 12/2014 Francies, III E04G 21/142
52/125.4
10,240,356 B2 * 3/2019 Mackay Sim E04G 21/142
10,309,115 B2 6/2019 Barraclough
10,626,626 B2 4/2020 Barraclough
10,840,679 B2 * 11/2020 Vaccaro B66C 1/62
11,421,431 B1 * 8/2022 Jablonsky E04C 2/288

2003/0213206 A1 * 11/2003 Hansort E04B 1/41
52/715
2004/0159069 A1 * 8/2004 Hansort E04G 15/04
52/698
2004/0159070 A1 * 8/2004 Hansort E04G 21/142
52/698
2005/0044811 A1 * 3/2005 Hansort E04C 5/16
52/704

(Continued)

FOREIGN PATENT DOCUMENTS

EP 1712705 A2 10/2006
JP D1341167 * 10/2008

(Continued)

Primary Examiner — Sheryl Lane
Assistant Examiner — Ieisha N Price
(74) *Attorney, Agent, or Firm* — Neal, Gerber & Eisenberg LLP


(57) **CLAIM**

The ornamental design for an anchor, as shown and described.

DESCRIPTION

FIG. 1 is a front, right-side perspective view of an anchor showing my new design.
FIG. 2 is a rear, right-side perspective view of the anchor of FIG. 1.
FIG. 3 is a right-side view of the anchor of FIG. 1, the left-side view being a mirror image thereof.
FIG. 4 is a top view of the anchor of FIG. 1, the bottom view being a mirror image thereof.
FIG. 5 is a rear view of the anchor of FIG. 1.
FIG. 6 is a front view of the anchor of FIG. 1.
FIG. 7 is a partial cross-sectional view of the anchor of FIG. 1, taken along line 7-7 of FIG. 3; and,
FIG. 8 is a cross-sectional view of the anchor of FIG. 1, taken substantially along 8-8 of FIG. 3.

1 Claim, 3 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

2006/0248813 A1 * 11/2006 Fletcher E04G 21/142
52/125.4
2008/0196324 A1 8/2008 Mackay
2009/0205268 A1 * 8/2009 Fletcher E04G 21/142
52/125.4
2009/0320386 A1 * 12/2009 Mackay Sim E04B 1/4121
52/125.4
2012/0227335 A1 * 9/2012 Eklund E04G 21/142
52/125.4
2013/0091785 A1 * 4/2013 Sladojevic E04G 21/147
52/125.4
2013/0139451 A1 6/2013 Sladojevic
2015/0075090 A1 * 3/2015 Barraclough E04G 21/147
52/125.4
2015/0101266 A1 * 4/2015 Barraclough E04G 21/142
52/125.4
2017/0247892 A1 * 8/2017 Hansort E04G 15/04

FOREIGN PATENT DOCUMENTS

NZ 403324-0001 * 9/2003
NZ 421204-0001 * 2/2017
NZ 421205-0001 * 2/2017
NZ 421207-0001 * 2/2017
WO 2011006189 A1 1/2011

* cited by examiner




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8