



US0D1023062S

(12)

United States Design Patent

Marini

(10)

Patent No.:

US D1,023,062 S

(45)

Date of Patent:

** Apr. 16, 2024

(54) TIRE SEALING AND INFLATION DEVICE

(71) Applicant: TEK GLOBAL S.R.L., Pesaro (IT)

(72) Inventor: Maurizio Marini, Pesaro (IT)

(73) Assignee: TEK GLOBAL S.R.L., Pesaro (IT)

(**) Term: 15 Years

(21) Appl. No.: 29/739,553

(22) Filed: Jun. 26, 2020

Related U.S. Application Data

(62) Division of application No. 35/506,986, filed on Nov. 30, 2018 (U.S. filing date under 35 U.S.C. 384), and having an international filing date of Nov. 30, 2018, now Pat. No. Des. 914,769.

(51) LOC (14) Cl. 15-02

(52) U.S. Cl.
USPC D15/7

(58) Field of Classification Search
USPC D15/7, 9, 199; D8/31
CPC B29C 73/025; B29C 73/166; B60S 5/046
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D599,389	S	*	9/2009	Eckhardt	D15/199
D613,320	S	*	4/2010	Marini	D15/199
D631,494	S	*	1/2011	Marini	D15/199
D645,056	S	*	9/2011	Marini	D15/9
D652,512	S	*	1/2012	Sherwood	D24/133
D657,383	S	*	4/2012	Wang	D15/7
D684,723	S	*	6/2013	Tsai	D24/146
D776,810	S	*	1/2017	Tseng	D24/137
D842,354	S	*	3/2019	Marini	D15/199
D873,863	S	*	1/2020	Marini	D15/7
D902,960	S	*	11/2020	Marini	F02M 37/04
					D15/7
D914,769	S	*	3/2021	Marini	D15/7

D950,726	S	*	5/2022	Kang	D24/138
D956,824	S	*	7/2022	Richey	D15/7
D970,557	S	*	11/2022	Yang	D15/7
D973,104	S	*	12/2022	Solana	D15/7
2008/0029181	A1	*	2/2008	Marini	B29C 73/025
					141/38
2008/0277044	A1	*	11/2008	Marini	B29C 73/166
					156/97

(Continued)

Primary Examiner — Eliza Z Harvey

(74) Attorney, Agent, or Firm — Leason Ellis LLP

(57) CLAIM


The ornamental design for a tire sealing and inflation device, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a tire sealing and inflation device showing a first embodiment;
FIG. 2 is a right side elevation view thereof;
FIG. 3 is a left side elevation view thereof;
FIG. 4 is a front elevation view thereof;
FIG. 5 is a rear elevation view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a top perspective view of a tire sealing and inflation device showing a second embodiment;
FIG. 9 is a right side elevation view thereof;
FIG. 10 is a left side elevation view thereof;
FIG. 11 is a front elevation view thereof;
FIG. 12 is a rear elevation view thereof;
FIG. 13 is a top plan view thereof; and,
FIG. 14 is a bottom plan view thereof.

The present application relates to a tire sealing and inflation device in which the broken line shown is for the purpose of illustrating portions which forms no part of the claimed design.

1 Claim, 14 Drawing Sheets



References Cited

2009/0266440	A1 *	10/2009	Lolli	B60S 5/043 141/38
2011/0116941	A1 *	5/2011	Lolli	B29C 73/166 417/313
2011/0180180	A1 *	7/2011	Lolli	B29C 73/166 141/38
2016/0126765	A1 *	5/2016	Marini	H02J 7/007192 320/107

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14