

US0D1023753S

(12)

United States Design Patent

Gruzelier et al.

(10)

Patent No.:

US D1,023,753 S

(45)

Date of Patent:

** Apr. 23, 2024

(54) CONTAINER WITH SURFACE INDICIA

(71) Applicant: The Procter & Gamble Company,
Cincinnati, OH (US)

(72) Inventors: Julian Richard John Gruzelier, Vaud
(CH); Emily Green, London (GB);
Kristie Malivindi, London (GB)

(73) Assignee: The Procter & Gamble Company,
Cincinnati, OH (US)

(**) Term: 15 Years

(21) Appl. No.: 29/809,000

(22) Filed: Sep. 24, 2021

(51) LOC (14) Cl. 09-07

(52) U.S. Cl.
USPC D9/434; D9/658

(58) Field of Classification Search
USPC D9/414, 415, 419, 420, 424, 425, 426,
D9/427, 428, 429, 430, 431, 432, 434,
D9/444, 449, 456, 457, 499, 711, 713,
D9/737, 756, 757, 758, 761, 763, 764,
D9/766, 767, 772, 549, 550, 551, 553,
D9/554, 563, 564, 655, 658, 659;
D7/509, 550.1, 553.1, 553.2, 553.3,
D7/554.3, 555, 601, 602, 611, 701, 703,
D7/619.1; D20/10, 22, 26, 27, 28
CPC B65D 81/3294; B65D 81/133; B65D 1/36;
B65D 21/0233; B65D 2203/02
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D768,501 S	*	10/2016	Spenceman	D9/434
D783,397 S	*	4/2017	Riffe	D9/434
D818,374 S		5/2018	Wilson	
D862,219 S	*	10/2019	Newkirk	D9/600
D885,196 S		5/2020	Matsuishi	
D891,935 S		8/2020	Lee et al.	
D917,301 S		4/2021	Park	
D922,880 S		6/2021	Markoulis et al.	

D950,392 S	5/2022	Tsuruta	
D952,469 S	5/2022	Marotti et al.	
D953,170 S	5/2022	Marotti et al.	
D962,780 S	9/2022	Davis	
D965,439 S	10/2022	Kim	
D968,966 S	11/2022	Marotti et al.	
D974,919 S	1/2023	Shiota	
D984,276 S	* 4/2023	Gruzelier	D9/697
D993,037 S	* 7/2023	Gruzelier	D9/697
D993,038 S	* 7/2023	Gruzelier	D9/697
D993,039 S	* 7/2023	Gruzelier	D9/707
D993,040 S	* 7/2023	Gruzelier	D9/707
D993,778 S	* 8/2023	Gruzelier	D9/697
D996,225 S	* 8/2023	Gruzelier	D9/697

FOREIGN PATENT DOCUMENTS

CA	198201	* 2/2023
JP	D1746188	* 6/2023

OTHER PUBLICATIONS

Head & Shoulders Drop Protection With Caffeine, posted date not available [retrieved Jul. 13, 2023]. Retrieved from internet, <https://lac2b.com/products/head-shoulders-drop-protection-with-caffeine-180-ml/> (Year: 2023).*

Head Shoulders Classic Clean, posted Jul. 13, 2022 [retrieved Jul. 13, 2023]. Retrieved from internet, <https://www.officedepot.com/a/products/7463283/Head-Shoulders-Classic-Clean-Anti-Dandruff/> (Year: 2022).*

Head & Shoulders Itchy Scalp Care, posted Jul. 13, 2021 [retrieved Jul. 13, 2023]. Retrieved from internet, <https://www.target.com/p/head-38-shoulders-dandruff-shampoo-anti-dandruff-treatment-itchy-scalp-care-for-daily-use-paraben-free-20-7-fl-oz/-/A-80120245?> (Year: 2021).*


Head and Shoulders Dandruff Shampoo, Itchy Scalp Care, posted Nov. 15, 2022 [retrieved Jul. 13, 2023]. Retrieved from internet, <https://www.walmart.com/ip/Head-and-Shoulders-Dandruff-Shampoo-Itchy-Scalp-Care-20-7-oz/1630842592> (Year: 2022).*

Head & Shoulders Itchy Scalp Care Dandruff Shampoo, posted date not available [retrieved Jul. 13, 2023]. Retrieved from internet, <https://www.amazon.com/Head-Shoulders-Anti-Dandruff-Treatment-Eucalyptus/dp/B0C4Z8FLS5/> (Year: 2023).*

U.S. Appl. No. 29/808,990, filed Sep. 24, 2021, Julian Richard John Gruzelier et al.

U.S. Appl. No. 29/808,994, filed Sep. 24, 2021, Julian Richard John Gruzelier e al.

U.S. Appl. No. 29/808,996, filed Sep. 24, 2021, Julian Richard John Gruzelier e al.



U.S. Appl. No. 29/808,999, filed Sep. 24, 2021, Julian Richard John Gruzelier e al.
 U.S. Appl. No. 29/809,003, filed Sep. 24, 2021, Julian Richard John Gruzelier e al.
 U.S. Appl. No. 29/809,006, filed Sep. 24, 2021, Julian Richard John Gruzelier e al.
 U.S. Appl. No. 29/809,008, filed Sep. 24, 2021, Julian Richard John Gruzelier e al.
 U.S. Appl. No. 29/809,011, filed Sep. 24, 2021, Julian Richard John Gruzelier e al.
 U.S. Appl. No. 29/809,013, filed Sep. 24, 2021, Julian Richard John Gruzelier e al.
 U.S. Appl. No. 29/809,014, filed Sep. 24, 2021, Julian Richard John Gruzelier e al.
 U.S. Appl. No. 29/809,017, filed Sep. 24, 2021, Julian Richard John Gruzelier e al.
 U.S. Appl. No. 29/793,031, filed Sep. 24, 2021, Julian Richard John Gruzelier e al.
 U.S. Appl. No. 29/809,022, filed Sep. 24, 2021, Julian Richard John Gruzelier e al.
 U.S. Appl. No. 29/809,026, filed Sep. 24, 2021, Julian Richard John Gruzelier e al.
 U.S. Appl. No. 29/809,028, filed Sep. 24, 2021, Julian Richard John Gruzelier e al.
 U.S. Appl. No. 29/809,030, filed Sep. 24, 2021, Julian Richard John Gruzelier e al.
 U.S. Appl. No. 29/809,033, filed Sep. 24, 2021, Julian Richard John Gruzelier e al.
 U.S. Appl. No. 29/809,035, filed Sep. 24, 2021, Julian Richard John Gruzelier e al.
 U.S. Appl. No. 29/809,057, filed Sep. 24, 2021, Julian Richard John Gruzelier e al.
 U.S. Appl. No. 29/809,061, filed Sep. 24, 2021, Julian Richard John Gruzelier e al.
 U.S. Appl. No. 29/880,239, filed Jul. 19, 2023, Julian Richard John Gruzelier et al.
 U.S. Appl. No. 29/880,242, filed Jul. 19, 2023, Julian Richard John Gruzelier e al.
 U.S. Appl. No. 29/880,243, filed Jul. 19, 2023, Julian Richard John Gruzelier e al.
 Notice of Allowance; U.S. Appl. No. 29/808,990 dated Mar. 9, 2023.
 Notice of Allowance; U.S. Appl. No. 29/808,994 dated Feb. 24, 2023.
 Notice of Allowance; U.S. Appl. No. 29/808,994 dated Jun. 2, 2023.
 Notice of Allowance; U.S. Appl. No. 29/808,996 dated Feb. 24, 2023.
 Notice of Allowance; U.S. Appl. No. 29/808,996 dated Jun. 5, 2023.
 Notice of Allowance; U.S. Appl. No. 29/808,999 dated Feb. 24, 2023.
 Notice of Allowance; U.S. Appl. No. 29/808,999 dated Jun. 9, 2023.
 Notice of Allowance; U.S. Appl. No. 29/809,035 dated Feb. 24, 2023.
 Notice of Allowance; U.S. Appl. No. 29/809,035 dated Jun. 5, 2023.
 Notice of Allowance; U.S. Appl. No. 29/809,057 dated Feb. 24, 2023.
 Notice of Allowance; U.S. Appl. No. 29/809,057 dated Jun. 9, 2023.
 Notice of Allowance; U.S. Appl. No. 29/809,061 dated Jul. 6, 2023.

* cited by examiner

Primary Examiner — Darcey E Gottschalk

Assistant Examiner — Haley K Schnebele

(74) *Attorney, Agent, or Firm* — Linda M. Sivik

(57)

CLAIM

The ornamental design for a container with surface indicia, as shown and described.

DESCRIPTION

The patent or application file contains at least one drawing executed in color. Copies of this patent or patent application

publication with color drawing(s) will be provided by the Office upon request and payment of the necessary fee.

FIG. 1 is a front perspective view of a container with surface indicia, embodying our new design;

FIG. 2 is a front view of the container with surface indicia of FIG. 1;

FIG. 3 is a first side view of the container with surface indicia of FIG. 1;

FIG. 4 is a back view of the container with surface indicia of FIG. 1;

FIG. 5 is a second side view of the container with surface indicia of FIG. 1;

FIG. 6 is a top view side of the container with surface indicia of FIG. 1; and

FIG. 7 is a bottom view of the container with surface indicia of FIG. 1;

FIG. 8 is a front perspective view of a container with surface indicia, embodying an embodiment of our new design;

FIG. 9 is a front view of the container with surface indicia of FIG. 8;

FIG. 10 is a first side view of the container with surface indicia of FIG. 8;

FIG. 11 is a back view of the container with surface indicia of FIG. 8;

FIG. 12 is a second side view of the container with surface indicia of FIG. 8;

FIG. 13 is a top view of the container with surface indicia of FIG. 8; and

FIG. 14 is a bottom view of the container with surface indicia of FIG. 8;

FIG. 15 is a front perspective view of a container with surface indicia, embodying an embodiment of our new design;

FIG. 16 is a front view of the container with surface indicia of FIG. 15;

FIG. 17 is a first side view of the container with surface indicia of FIG. 15;

FIG. 18 is a back view of the container with surface indicia of FIG. 15;

FIG. 19 is a second side view of the container with surface indicia of FIG. 15;

FIG. 20 is a top view of the container with surface indicia of FIG. 15; and

FIG. 21 is a bottom view of the container with surface indicia of FIG. 15;

FIG. 22 is a front perspective view of a container with surface indicia, embodying an embodiment of our new design;

FIG. 23 is a front view of the container with surface indicia of FIG. 22;

FIG. 24 is a first side view of the container with surface indicia of FIG. 22;

FIG. 25 is a back view of the container with surface indicia of FIG. 22;

FIG. 26 is a second side view of the container with surface indicia of FIG. 22;

FIG. 27 is a top view of the container with surface indicia of FIG. 22; and

FIG. 28 is a bottom view of the container with surface indicia of FIG. 22;

FIG. 29 is a front perspective view of a container with surface indicia, embodying an embodiment of our new design;

FIG. 30 is a front view of the container with surface indicia of FIG. 29;

FIG. 31 is a first side view of the container with surface indicia of FIG. 29;

FIG. 32 is a back view of the container with surface indicia of FIG. 29;

FIG. 33 is a second side view of the container with surface indicia of FIG. 29;

FIG. 34 is a top view of the container with surface indicia of FIG. 29; and

FIG. 35 is a bottom view of the container with surface indicia of FIG. 29;

FIG. 36 is a front perspective view of a container with surface indicia, embodying an embodiment of our new design;

FIG. 37 is a front view of the container with surface indicia of FIG. 36;

FIG. 38 is a first side view of the container with surface indicia of FIG. 36;

FIG. 39 is a back view of the container with surface indicia of FIG. 36;

FIG. 40 is a second side view of the container with surface indicia of FIG. 36;

FIG. 41 is a top view of the container with surface indicia of FIG. 36; and,

FIG. 42 is a bottom view of the container with surface indicia of FIG. 36.

In the drawings, the broken lines show portions of a container with surface indicia that form no part of the claim.

1 Claim, 24 Drawing Sheets
(9 of 24 Drawing Sheet(s) Filed in Color)




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42