



US0D1023899S

(12)

United States Design Patent

Jang et al.

(10)

Patent No.:

US D1,023,899 S

(45)

Date of Patent:

** Apr. 23, 2024

(54)

TIRE

(71)

Applicant:

HANKOOK TIRE & TECHNOLOGY CO., LTD.,
Seongnam-si (KR)

(72)

Inventors:

Hee Sung Jang, Seoul (KR); Sung Hee Youn, Seoul (KR)

(73)

Assignee:

Hankook Tire & Technology Co., Ltd., Gyeonggi-do (KR)

(**) Term:

15 Years

2011/133; B60C 2011/1338; B60C 2200/10; B60C 2200/12; B60C 3/04; B60C 1/00; B60C 11/00; B60C 11/005; B60C 11/0058; B60C 11/0075; B60C 11/01; B60C 11/0311; B60C 11/0316; B60C 11/14; B60C 13/04; B60C 15/0213; B60C 19/08; B60C 19/082; B60C 2011/0313; B60C 2011/036; B60C 2011/0362; B60C 2011/0365; B60C 2011/0367; B60C 2011/0372; B60C 2011/0376; B60C

(Continued)

(21)

Appl. No.:

29/846,574

(22)

Filed:

Jul. 18, 2022

(30)

Foreign Application Priority Data

Jan. 25, 2022 (KR) 30-2022-0003448

(51)

LOC (14) Cl.

..... 12-15

(52)

U.S. Cl.

USPC D12/545; D12/563

(58)

Field of Classification Search

USPC D12/545, 563, 564, 565

CPC ... B60C 11/033; B60C 11/11; B60C 11/0304; B60C 11/0302; B60C 11/0306; B60C 2011/0341; B60C 2011/1213; B60C 11/0332; B60C 2011/0374; B60C 11/1323; B60C 11/1384; B60C 2011/0348; B60C 2011/0355; B60C 2011/0358; B60C 11/03; B60C 11/0309; B60C 11/04; B60C 11/12; B60C 11/1204; B60C 11/1236; B60C 11/1263; B60C 11/1315; B60C 11/1369; B60C 2011/0383; B60C 2011/1254; B60C 11/042; B60C 11/1218; B60C 11/1272; B60C 11/1281; B60C 11/13; B60C 11/1376; B60C 11/1392; B60C 11/18; B60C 19/001; B60C 2011/0334; B60C 2011/0339; B60C 2011/0353; B60C 2011/0369; B60C 2011/0381; B60C 2011/0388; B60C 2011/1209; B60C

(56)

References Cited

U.S. PATENT DOCUMENTS

D832,195 S * 10/2018 de Briey-Terlinden D12/564

D854,491 S * 7/2019 Sareen D12/563

(Continued)

Primary Examiner — George D. Kirschbaum

(74)

Attorney, Agent, or Firm — HSML P.C.

(57)

CLAIM

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing the new design.

FIG. 2 is a front view thereof. The top and bottom views thereof are identical to the front view.


FIG. 3 is a rear view thereof.

FIG. 4 is a left side view thereof. The right side view thereof is a mirror image of the left side view; and,

FIG. 5 is a detail view from upper 5-5 to lower 5-5 of FIG. 2.

The broken lines illustrate environmental subject matter only and form no part of the claimed design. The dot-dash-dot line illustrates a boundary of the claim and itself forms no part thereof.

1 Claim, 5 Drawing Sheets



(58) **Field of Classification Search**

CPC 2011/0379; B60C 2011/1231; B60C
2011/1245; B60C 2200/06; B60C
2200/065; B60C 27/06; B60C 27/08;
B60C 27/086; B60C 7/12

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D860,127	S	*	9/2019	Tae		D12/545
D860,922	S	*	9/2019	Montarras		D12/563
D862,371	S	*	10/2019	Tikka		D12/563
D868,677	S	*	12/2019	Kossi		D12/563
D895,534	S	*	9/2020	Sparacino		D12/564
D896,161	S	*	9/2020	Koetter		D12/563
D904,970	S	*	12/2020	Tikka		D12/564
D958,726	S	*	7/2022	Tikka		D12/563
D960,080	S	*	8/2022	Zuilekom		D12/563
D960,081	S	*	8/2022	Aelberts		D12/563
D980,791	S	*	3/2023	Sano		D12/564
D999,719	S	*	9/2023	Tikka		D12/563
D1,002,504	S	*	10/2023	Tikka		D12/533
D1,004,532	S	*	11/2023	Nho		D12/564

* cited by examiner

Fig. 1




Fig. 2




Fig. 3





Fig. 4






Fig. 5