



US0D1024145S

(12)

United States Design Patent

Koury et al.

(10)

Patent No.:

US D1,024,145 S

(45)

Date of Patent:

** Apr. 23, 2024

(54) ICE TRAY HAVING ANNULAR RECESSES

(71) Applicant: Milkmen Design, LLC, Richfield, OH (US)

(72) Inventors: Michael Koury, Medina, OH (US); William Moujaes, Akron, OH (US); Tony Lahood, Hinckley, OH (US); Cory Prescott, Sagamore Hills, OH (US)

(73) Assignee: MILKMEN DESIGN, LLC, Richfield, OH (US)

(**) Term: 15 Years

(21) Appl. No.: 29/870,916

(22) Filed: Feb. 8, 2023

(51) LOC (14) Cl. 15-07

(52) U.S. Cl. D15/90

(58) Field of Classification Search

USPC D15/89, 90

CPC .. F25D 17/065; F25D 11/02; F25D 2317/061; F25D 23/04; F25D 23/126; F25D 23/028; F25D 11/022; F25D 29/00; F25D 2317/062; F25D 2323/021; F25D 23/12; F25D 2323/122; F25D 3/08; F25D 21/14; F25D 2317/063; F25D 2400/04; F25D 2317/0666; F25D 2400/06; F25D 2500/02; F25D 2317/067; F25D 2400/02; F25D 2400/30; F25D 11/027; F25D 2317/0682; F25D 23/006; F25D 23/02; F25D 23/025; F25D 2317/0683; F25D 11/00; F25D 11/025; F25D 17/062; F25D 2303/081; F25D 29/005; F25D 17/067; F25D 2323/121; F25D 2331/803; F25D 25/025; F25D 21/08; F25D 2700/10; F25D 31/007; F25D 17/045; F25D 2400/361; F25D 2323/023; F25D 17/04; F25D 2400/40; F25D 2700/122; F25D 17/08; F25D 2317/0681; F25D 17/06; F25D 3/04; F25D 2331/804; F25D 25/02;

F25D 2317/0665; F25D 2323/024; F25D 23/067; F25D 23/087; F25D 2317/0651; F25D 21/04; F25D 2700/02; F25D 31/002; F25D 2400/10; F25D 25/021; F25D 17/02; F25D 2303/082; F25D 2317/0661; F25D 2400/28; (Continued)

(56) References Cited

U.S. PATENT DOCUMENTS

D960,668 S * 8/2022 Seo D7/672

D998,418 S * 9/2023 Su D7/672

(Continued)

Primary Examiner — Khawaja Anwar

(74) Attorney, Agent, or Firm — Sand, Sebolt & Wernow Co., LPA


(57) CLAIM

The ornamental design for an ice tray having annular recesses, as shown.

DESCRIPTION

FIG. 1 is a front perspective view of an ice tray having annular recesses in accordance with our design; FIG. 2 is a front elevation view of ice tray having annular recesses as shown in FIG. 1; FIG. 3 is a rear elevation view of ice tray having annular recesses as shown in FIG. 1; FIG. 4 is a right side elevation view of ice tray having annular recesses as shown in FIG. 1; FIG. 5 is a left side elevation view of ice tray having annular recesses as shown in FIG. 1; FIG. 6 is a top plan view of ice tray having annular recesses as shown in FIG. 1; FIG. 7 is a bottom plan view of ice tray having annular recesses as shown in FIG. 1; and, FIG. 8 is a cross-sectional view shown in the direction line 8-8 as shown in FIG. 6.

1 Claim, 6 Drawing Sheets



(58) Field of Classification Search

CPC F25D 3/06; F25D 11/006; F25D 17/042;
F25D 23/066; F25D 2303/0841; F25D
19/02; F25D 2331/805; F25D 23/003;
F25D 2400/12; F25D 2700/12; F25D
2331/81; F25D 23/062; F25D 25/00;
F25D 2317/0672; F25D 2331/812; F25D
3/02; F25D 19/00; F25D 23/061; F25D
23/069; F25D 2331/808; F25D 11/003;
F25D 2325/021; F25D 25/024; F25D
29/001; F25D 29/008; F25D 21/002;
F25D 2317/0654; F25D 2700/121; F25D
3/107; F25D 31/006; F25D 2303/0843;
F25D 2317/0653; F25D 2331/809; F25D
2400/36; F25D 25/005; F25D 25/027;
F25D 25/04; F25D 2600/02; F25D 3/12;
F25D 23/00; F25D 23/068; F25D
2303/0844; F25D 2317/0671; F25D
2321/1441; F25D 2400/08; F25D
2400/16; F25D 25/028; F25D 21/008;
F25D 3/10; F25D 2303/0845; F25D
2317/068; F25D 2321/146; F25D
2325/022; F25D 2325/023; F25D
2400/14; F25D 2700/14; F25D 2700/16;
F25D 21/06; F25D 2303/08; F25D
2317/0664; F25D 2331/811; F25D
25/022; F25D 3/122; F25D 21/004; F25D
2303/085; F25D 2317/0655; F25D
2331/801; F25D 2400/22; F25D 2400/38;
F25D 2600/04; F25D 2700/123; F25D
29/003; F25D 29/006; F25D 3/14; F25D
31/001; F25D 16/00; F25D 21/065; F25D
2201/10; F25D 23/021; F25D 23/06;
F25D 2303/08222; F25D 2303/0842;
F25D 2317/04131; F25D 2600/00; F25D
27/00; F25D 2700/06; F25D 21/006;
F25D 2201/14; F25D 23/063; F25D
2303/0822; F25D 2303/0831; F25D
2317/0667; F25D 2321/1412; F25D
2331/807; F25D 19/003; F25D 21/00;
F25D 21/10; F25D 21/12; F25D

2201/126; F25D 23/023; F25D 23/026;
F25D 23/08; F25D 23/085; F25D 23/10;
F25D 2303/08221; F25D 2303/08223;
F25D 2317/0413; F25D 2317/066; F25D
2321/141; F25D 2321/1442; F25D
2321/145; F25D 2323/0021; F25D
2323/0026; F25D 2323/00264; F25D
2323/00265; F25D 2323/00268; F25D
2323/00271; F25D 2331/806; F25D
2400/34; F25D 2700/00; F25D 3/005;
F25D 3/045; F25D 3/11; F25D 3/125;
F25D 31/00; F25D 31/003; F25D 31/005;
F25D 5/00; F25D 1/02; F25D 11/04;
F25D 15/00; F25D 19/006; F25D 21/02;
F25D 21/125; F25D 2201/12; F25D
2201/124; F25D 2201/128; F25D 23/065;
F25D 2303/0821; F25D 2303/0832; F25D
2303/0846; F25D 2317/041; F25D
2317/04111; F25D 2317/0415; F25D
2317/0416; F25D 2317/06; F25D
2317/065; F25D 2317/0662; F25D
2317/0684; F25D 2321/1413; F25D
2321/142; F25D 2321/143; F25D
2323/00262; F25D 2323/00272; F25D
2323/00275; F25D 2323/00281; F25D
2323/00282; F25D 2331/802; F25D
2331/8051; F25D 2400/26; F25D
2700/04; F25D 3/102; F25D 3/105; F25D
5/02; F25D 7/00

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D1,000,489	S	*	10/2023	Xie		D15/90
D1,001,850	S	*	10/2023	Xiong		D15/90
D1,001,851	S	*	10/2023	Xiong		D15/90
D1,002,678	S	*	10/2023	Xiang		D15/90
D1,002,679	S	*	10/2023	Xiang		D15/90
D1,006,070	S	*	11/2023	Yan		D15/90
D1,011,392	S	*	1/2024	Yan		D15/90

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4





FIG. 5






FIG. 7




FIG. 8