

US0D1024723S

(12)

United States Design Patent

Liu et al.

(10)

Patent No.:

US D1,024,723 S

(45)

Date of Patent:

** Apr. 30, 2024

(54) HANDLE

(71) Applicant: TAIWAN FU HSING INDUSTRIAL CO., LTD., Kaohsiung (TW)

(72) Inventors: Ting-Yu Liu, Kaohsiung (TW); Jun-Kai Ko, Kaohsiung (TW)

(73) Assignee: TAIWAN FU HSING INDUSTRIAL CO., LTD., Kaohsiung (TW)

(**) Term: 15 Years

(21) Appl. No.: 29/858,976

(22) Filed: Nov. 6, 2022

(30) Foreign Application Priority Data

Jun. 23, 2022 (TW) 111303071

(51) LOC (14) Cl. 08-06

(52) U.S. Cl.
USPC D8/308

(58) Field of Classification Search
USPC D8/300–302, 307–309; D23/250, 252
CPC Y10T 292/57; Y10T 16/458; Y10T 137/6977; Y10T 70/5832; Y10T 16/44; Y10T 70/5757; E05B 1/003; E05B 85/10; B25G 1/102; B25G 1/01; B25G 1/10; B25G 3/20; B25G 3/26; B25G 1/00
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D305,724 S	*	1/1990	Mosch		D8/308
D357,525 S	*	4/1995	Fabian		D23/252
D364,217 S	*	11/1995	Dubin		D23/252
D404,470 S	*	1/1999	Pitsch		D23/252
D419,220 S	*	1/2000	Warshawsky		D23/252
D433,103 S	*	10/2000	Spangler		D23/250

D438,775 S	*	3/2001	Magnusson		D8/308
D458,347 S	*	6/2002	Mullenmeister		D23/250
D458,989 S	*	6/2002	Mullenmeister		D23/250
D482,758 S	*	11/2003	Bates		D23/252
D517,661 S	*	3/2006	Wolf		D23/252
D527,804 S	*	9/2006	Chu		D23/252
D528,898 S	*	9/2006	Hu		D8/308
D534,248 S	*	12/2006	Chu		D23/252
D547,830 S	*	7/2007	Veltz		D23/252
D579,748 S	*	11/2008	Schneider		D8/308
D870,855 S	*	12/2019	Eads		D23/252
D962,396 S	*	8/2022	Chen		D23/252
D966,865 S	*	10/2022	Chu		D8/308

(Continued)

FOREIGN PATENT DOCUMENTS

CN	302999193 S	11/2014
CN	305139493 S	5/2019
CN	306031617 S	9/2020

(Continued)

Primary Examiner — Lauren R Calve

(74) Attorney, Agent, or Firm — Winston Hsu


(57) CLAIM

The ornamental design for a handle, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, right side perspective view of a handle showing our new design;
FIG. 2 is a bottom, rear, left side perspective view thereof;
FIG. 3 is a front elevation view thereof;
FIG. 4 is a rear elevation view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a right side elevation view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.
The dashed broken lines in the figures show portions of the handle that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



References Cited

2005/0082849 A1* 4/2005 Ebert E05B 1/00
292/347

CN	306172909	S	11/2020
CN	306509270	S	5/2021
CN	306727958	S	8/2021
CN	306868048	S	10/2021
CN	306868079	S	10/2021
CN	306889977	S	10/2021
TW	D165882	S	2/2015
TW	D180209	S	12/2016
TW	D181373	S	2/2017
TW	I645099	B	12/2018
TW	201934858	A	9/2019

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8