



US0D1025411S

(12)

United States Design Patent

Lei

(10)

Patent No.:

US D1,025,411 S

(45)

Date of Patent:

** Apr. 30, 2024

(54) DYNAMIC LIGHT

(71) Applicants: Dongguan Yicheng Lighting Tech Co., Ltd, Guangdong (CN); Dongguan Miray E-Tech Co., Ltd, Guangdong (CN)

(72) Inventor: Jianwen Lei, Guangdong (CN)

(**) Term: 15 Years

(21) Appl. No.: 29/845,136

(22) Filed: Jul. 5, 2022

(51) LOC (14) Cl. 26-04

(52) U.S. Cl. USPC D26/25; D26/2

(58) Field of Classification Search USPC D26/1–4, 24, 25, 40, 49, 50, 60, 78, 113, D26/138 CPC F21K 9/232; F21K 9/278; F21S 4/00; F21S 4/10; F21V 17/04; F21V 23/002; H01R 29/00; Y10S 362/806 See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

5,738,435 A * 4/1998 Lin H01R 33/9651 362/267 D748,297 S * 1/2016 Ma D13/133 (Continued)

FOREIGN PATENT DOCUMENTS

CN 304059831 * 2/2017 CN 304224420 * 7/2017 CN 306827413 * 9/2021

OTHER PUBLICATIONS

“1Pack A19 Starry Edison Style Vintage LED Decorative Firework Light ”, available in Amazon.com, first available online Apr. 24, 2016, site visited Oct. 26, 2023, Internet URL: https://www.amazon.

com/dp/B08HVC6H6F?ref=cm_sw_r_cp_ud_dp_HXAX5PP8YF73FX62E8Z3&th=1 (Year: 2016).*

(Continued)

Primary Examiner — Angela J Lee

Assistant Examiner — Anthony Vincent Rotolo


(57) CLAIM

The ornamental design for a dynamic light, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a dynamic light showing my new design, but showing the LED lamp holder portion separately for clarity of illustration; FIG. 2 is a rear elevation view of FIG. 1; FIG. 3 is a left side elevation view of FIG. 1; FIG. 4 is a right side elevation view of FIG. 1; FIG. 5 is a top plan view of FIG. 1; FIG. 6 is a bottom plan view of FIG. 1; FIG. 7 is a perspective view of FIG. 1; FIG. 8 is a front elevation view of a dynamic light showing my new design, but showing the bulb containing decoration portion separately for clarity of illustration; FIG. 9 is a rear elevation view of FIG. 8; FIG. 10 is a left side elevation view of FIG. 8; FIG. 11 is a right side elevation view of FIG. 8; FIG. 12 is a top plan view of FIG. 8; FIG. 13 is a bottom plan view of FIG. 8; FIG. 14 is a perspective view of FIG. 8; FIG. 15 is a front elevation view of the dynamic light showing both portions together. FIG. 16 is a rear elevation view of FIG. 15; FIG. 17 is a left side elevation view of FIG. 15; FIG. 18 is a right side elevation view of FIG. 15; FIG. 19 is a top plan view of FIG. 15; FIG. 20 is a bottom plan view of FIG. 15; and, FIG. 21 is a perspective view of FIG. 15. The broken lines illustrate portions of the dynamic light that form no part of the claimed design.

1 Claim, 14 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D824,051 S * 7/2018 Jiang D26/2
D829,941 S * 10/2018 Wang D26/2
D829,943 S * 10/2018 Wu D26/2
D869,012 S * 12/2019 Zhu D26/25
D905,298 S * 12/2020 Wang D26/2
10,962,219 B2 * 3/2021 Sawalski F21V 23/001
D916,333 S * 4/2021 Liang D26/25
D950,112 S * 4/2022 Zheng D26/25
D987,126 S * 5/2023 Cai D26/1
11,802,676 B1 * 10/2023 Lei F21V 3/00
2019/0140413 A1 * 5/2019 Hendricks F21K 9/20
2020/0032986 A1 * 1/2020 Zhang F21V 23/001

OTHER PUBLICATIONS

“Vintage Incandescent Edison Light Bulbs 60W”, available in Amazon.com, first available online Aug. 6, 2015, site visited Oct. 26, 2023, Internet URL: https://www.amazon.com/dp/B013HIF66O?ref_=cm_sw_r_cp_ud_dp_8JSM62JDJAWAA0VWVAJP&th=1 (Year: 2015).*

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig.21