

US0D1026075S

(12)

United States Design Patent

Zhang

(10)

Patent No.:

US D1,026,075 S

(45)

Date of Patent:

** May 7, 2024

(54) PHOTOGRAPHY LIGHT STAND

(71) Applicant: Shaoxing Shangyu Miyi Photographic Equipment Co., Ltd., Shaoxing (CN)

(72) Inventor: Yin Zhang, Shaoxing (CN)

(73) Assignee: Shaoxing Shangyu Miyi Photographic Equipment Co., Ltd.

(**) Term: 15 Years

(21) Appl. No.: 29/894,884

(22) Filed: Jun. 15, 2023

(51) LOC (14) Cl. 16-01

(52) U.S. Cl. D16/244

(58) Field of Classification Search

USPC D16/214, 237, 242, 244; D8/354, 355, D8/363, 373, 382, 387, 396; D14/224,

(Continued)

(56) References Cited

U.S. PATENT DOCUMENTS

4,039,263 A * 8/1977 Bassler F16B 7/0486 D8/394

D279,959 S * 8/1985 Nimmo D8/382

(Continued)

FOREIGN PATENT DOCUMENTS

CN 301598369 * 6/2011

GB 6261026 * 2/2023

OTHER PUBLICATIONS

“Kupo 20in Master C-Stand with Turtle Base—Black (KS704211)” from Amazon.com, first available Jun. 27, 2014 from the internet <<https://www.amazon.com/Kupo-20in-Master-C-Stand-Turtle/dp/B00LP3H28Y?th=1>> (Year: 2014).*

(Continued)

Primary Examiner — Elizabeth J Oswecki

Assistant Examiner — Lacey Chey Bowman

(74) Attorney, Agent, or Firm — Jose Cherson Weissbrot

(57) CLAIM

The ornamental design for a photography light stand, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a photography light stand, showing my new design;
FIG. 2 is a rear perspective view thereof;
FIG. 3 is a front elevation view thereof;
FIG. 4 is a rear elevation view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a right side elevation view thereof;
FIG. 7 is a top plan view thereof;
FIG. 8 is a bottom plan view thereof;
FIG. 9 is an enlarged portion view taken from encircled portion labeled “9”, in FIG. 1;
FIG. 10 is an enlarged portion view taken from encircled portion labeled “10”, in FIG. 1;
FIG. 11 is an enlarged portion view taken from encircled portion labeled “11”, in FIG. 1;
FIG. 12 is an enlarged portion view taken from encircled portion labeled “12”, in FIG. 1;
FIG. 13 is an enlarged portion view taken from encircled portion labeled “13”, in FIG. 2;
FIG. 14 is an enlarged portion view taken from encircled portion labeled “14”, in FIG. 2;
FIG. 15 is an enlarged portion view taken from encircled portion labeled “15”, in FIG. 2;
FIG. 16 is an enlarged portion view taken from encircled portion labeled “16”, in FIG. 2;
FIG. 17 is an enlarged portion view taken from encircled portion labeled “17”, in FIG. 3;
FIG. 18 is an enlarged portion view taken from encircled portion labeled “18”, in FIG. 3;
FIG. 19 is an enlarged portion view taken from encircled portion labeled “19”, in FIG. 3;

(Continued)




FIG. 20 is an enlarged portion view taken from encircled portion labeled “20”, in FIG. 3;
FIG. 21 is an enlarged portion view taken from encircled portion labeled “21”, in FIG. 4;
FIG. 22 is an enlarged portion view taken from encircled portion labeled “22”, in FIG. 4;
FIG. 23 is an enlarged portion view taken from encircled portion labeled “23”, in FIG. 4;
FIG. 24 is an enlarged portion view taken from encircled portion labeled “24”, in FIG. 5;
FIG. 25 is an enlarged portion view taken from encircled portion labeled “25”, in FIG. 5;
FIG. 26 is an enlarged portion view taken from encircled portion labeled “26”, in FIG. 5;
FIG. 27 is an enlarged portion view taken from encircled portion labeled “27”, in FIG. 6;
FIG. 28 is an enlarged portion view taken from encircled portion labeled “28”, in FIG. 6;
FIG. 29 is an enlarged portion view taken from encircled portion labeled “29”, in FIG. 6;
FIG. 30 is an enlarged portion view taken from encircled portion labeled “30”, in FIG. 7; and,
FIG. 31 is an enlarged portion view taken from encircled portion labeled “31”, in FIG. 8.
The dashed-dot lines form the boundary of the enlarged portion view of FIGS. 9-12, 13-16, 17-20, 21-23, 24-26, 27-29, 30, and 31 in the drawing view of FIGS. 1-8 and form no part of the claimed design. The even dashed broken lines shown in the drawings are included for the purpose of illustrating portions of the photography light stand that form no part of the claimed design.

1 Claim, 22 Drawing Sheets

(58) **Field of Classification Search**
USPC D14/228, 229, 238, 251, 253, 447, 451, D14/457
CPC G03B 17/56; G03B 17/561; G03B 17/563; G03B 17/565; G03B 17/566
See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D327,083	S	*	6/1992	Hayakawa		D16/244
6,089,217	A	*	7/2000	Paulson		F41B 4/00
						124/78
D579,928	S	*	11/2008	Murata		D14/229
D670,752	S	*	11/2012	Barber		D16/244
D712,730	S	*	9/2014	Gridley		D8/396
D720,384	S		12/2014	Holmen		
D821,483	S		6/2018	Vitale		
D857,085	S		8/2019	Yamaguchi		
D860,298	S		9/2019	Balmer		
D870,800	S		12/2019	Xu		
D874,380	S	*	2/2020	Harrah		D8/382
D899,492	S	*	10/2020	Hao		D16/244
D907,106	S	*	1/2021	Li		D16/244
D909,456	S	*	2/2021	Xiao		D16/244
D915,495	S		4/2021	Zeng		
D916,173	S	*	4/2021	Zeng		D16/244
D917,604	S		4/2021	Zeng		
D924,311	S	*	7/2021	Ke		D16/242
D946,644	S	*	3/2022	Lin		D16/244
D949,952	S	*	4/2022	Luo		D16/244
D950,634	S	*	5/2022	Fan		D16/244
D951,332	S	*	5/2022	Ni		D16/237
D956,303	S	*	6/2022	Feng		D16/244
D962,329	S	*	8/2022	Feng		D16/244
D967,243	S	*	10/2022	Wang		D16/244
D969,902	S	*	11/2022	Chen		D16/244
D970,264	S	*	11/2022	Chen		D16/244
D971,993	S	*	12/2022	Su		D16/244
D971,996	S	*	12/2022	Xia		D16/244
2017/0009802	A1	*	1/2017	Uke		G03B 17/563
2022/0091486	A1	*	3/2022	He		G03B 37/00

OTHER PUBLICATIONS

“Soonpho Heavy Duty C-Stand Kit,Stainless Steel Photography Light Stand,Adjustable 5-10.8 feet Sturdy Tripod for Studio Softbox, Monolights,LED Light,Reflector, Umbrella” from Amazon.com, first available Apr. 21, 2022 from the internet <<https://www.amazon.com/Stainless-Photography-Adjustable-Monolights-Reflector/dp/B09YHFKDKG/>>. (Year: 2022).*

* cited by examiner




FIG. 1




FIG. 2




FIG.3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31