



US0D1026144S

(12)

United States Design Patent

Guidetti, III

(10)

Patent No.:

US D1,026,144 S

(45)

Date of Patent:

** May 7, 2024

(54) **SWING DEVICE**

(71) Applicant: **Implus Footcare, LLC**, Durham, NC (US)

(72) Inventor: **Giovanni Erick Guidetti, III**, Rancho Santa Margarita, CA (US)

(73) Assignee: **Implus Footcare, LLC**, Durham, NC (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/826,977**

(22) Filed: **Feb. 16, 2022**

(51) **LOC (14) Cl.** **21-02**

(52) **U.S. Cl.**
USPC **D21/753; D21/725**

(58) **Field of Classification Search**
USPC D21/725, 753
CPC A63B 59/00; A63B 59/50–59/58; A63B 59/80; A63B 60/00; A63B 60/46; A63B 2102/00; A63B 2102/10; A63B 2102/12; A63B 2102/26; A63B 2102/28; A63B 2102/30; A63B 2102/38
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS			
3,469,839	A *	9/1969	Pietronuto A63B 60/00 473/564
3,521,883	A *	7/1970	Hamilton A63B 60/00 473/437
6,234,924	B1 *	5/2001	Washburn, Jr. A63B 59/50 473/568
6,443,860	B1 *	9/2002	Byrne A63B 59/50 473/568
6,869,373	B1 *	3/2005	Byrne A63B 60/54 473/568
D523,105	S *	6/2006	Bernacchi D21/753

7,128,667	B2 *	10/2006	Nolan A63B 21/06 473/422
D590,902	S *	4/2009	De La Cruz D21/756
D655,771	S *	3/2012	Thompson D21/753
D659,212	S *	5/2012	Smith D21/753
D665,471	S *	8/2012	Fossum D21/753
D670,776	S *	11/2012	Fossum D21/753
D678,967	S *	3/2013	Fossum D21/753
D682,964	S *	5/2013	Smith D21/753
D694,842	S *	12/2013	Bentley D21/753
D697,153	S *	1/2014	Fossum D21/753

(Continued)

OTHER PUBLICATIONS

Swing device for bat google search; google.com; Aug. 3, 2023.*

Primary Examiner — Mitchell I. Siegel

(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend & Stockton LLP


(57) **CLAIM**

The ornamental design for a swing device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the swing device. FIG. 2 is a front elevation view of the swing device of FIG. 1. The undisclosed rear elevation is identical. FIG. 3 is a side elevation view of the swing device of FIG. 1. FIG. 4 is a top plan view of the swing device of FIG. 1. FIG. 5 is a bottom plan view of the swing device of FIG. 1. FIG. 6 is a cross sectional view taken on line 6-6 of FIG. 3; and, FIG. 7 is a reduced in scale perspective view of the swing device of FIG. 1 shown in use on a broken line disclosure of a baseball bat. The evenly dotted broken lines in the drawings illustrate unclaimed features of the swing device and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D715,879	S	*	10/2014	Goodwin		D21/753
8,944,943	B2	*	2/2015	Heiberg		A63B 60/28
						473/568
D733,235	S	*	6/2015	Smith		D21/753
D767,697	S	*	9/2016	Deggs		D21/753
9,468,823	B2	*	10/2016	Mitton		A63B 60/22
9,550,100	B2	*	1/2017	Grady, Jr.		A63B 60/50
D832,382	S	*	10/2018	Van Nguyen		D21/753
D871,530	S	*	12/2019	Hamilton		D21/753
D936,776	S	*	11/2021	Means		D21/791

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7