



US0D1026603S

(12)

United States Design Patent

Sweitzer et al.

(10)

Patent No.:

US D1,026,603 S

(45)

Date of Patent:

** May 14, 2024

- (54) STRIPPED SCREW EXTRACTOR
- (71) Applicant: Shukla Medical, St. Petersburg, FL (US)
- (72) Inventors: Zachary Robert Sweitzer, Keyport, NJ (US); Adam Gosik-Wolfe, Tampa, FL (US)
- (73) Assignee: Shukla Medical, St. Petersburg, FL (US)
- (**) Term: 15 Years
- (21) Appl. No.: 29/836,634
- (22) Filed: Apr. 28, 2022

Related U.S. Application Data

- (63) Continuation of application No. 29/753,595, filed on Oct. 1, 2020, now Pat. No. Des. 950,344.
- (51) LOC (14) Cl. 08-04
- (52) U.S. Cl. D8/86
- (58) Field of Classification Search
- USPC D8/70, 82, 85, 86; D15/139; D24/145
- CPC B25B 27/18; B25B 15/00; B25B 15/001; B25B 15/005; B25B 15/007; B25B 15/02; B23K 20/1255; A61B 17/92; A61B 17/888; A61B 17/8615
- See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

- 3,945,069 A * 3/1976 Cecil B23G 5/06 408/229
- D363,294 S * 10/1995 Ellis D15/139
- 6,761,089 B2 * 7/2004 Bergamo B25B 27/18 81/53.2
- D606,834 S * 12/2009 Robinson D8/86

- D658,465 S * 5/2012 Hsu D8/86
- D663,186 S * 7/2012 Hsu D8/86
- D725,984 S * 4/2015 Moss D8/86
- D753,979 S * 4/2016 Liu D8/86
- D761,071 S * 7/2016 Po Tsang D8/86
- D789,761 S * 6/2017 Moss D8/86
- D867,846 S * 11/2019 Taguchi D8/86
- 10,730,124 B2 * 8/2020 Nakajima B23G 1/52
- 11,148,212 B2 * 10/2021 Heath B23B 51/0473
- D950,344 S * 5/2022 Sweitzer D8/86
- 2005/0092141 A1 * 5/2005 Cho B25B 15/001 81/438
- 2010/0326249 A1 * 12/2010 Super B25B 15/001 81/177.85

(Continued)

Primary Examiner — Philip S Hyder

(74) Attorney, Agent, or Firm — Kim IP Law Group LLC

(57) CLAIM

The ornamental design for a stripped screw extractor, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a stripped screw extractor in accordance with the new design;

FIG. 2 is a front view of the grip enhancing formation of a tool body stripped screw extractor of FIG. 1;

FIG. 3 is a rear view of the stripped screw extractor of FIG. 1;

FIG. 4 is a left side view of the stripped screw extractor of FIG. 1;


FIG. 5 is a right side view of the stripped screw extractor of FIG. 1;

FIG. 6 is a top view of the stripped screw extractor of FIG. 1; and,

FIG. 7 is a bottom view of the stripped screw extractor of FIG. 1.

In the drawings, the even length broken lines and the dot-dash boundary lines illustrate portions of the stripped screw extractor that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

2011/0179915	A1 *	7/2011	Peng	B25B 15/001
				81/177.75
2011/0229255	A1 *	9/2011	Su	B25B 13/48
				403/122
2011/0256938	A1 *	10/2011	Chen	F16D 3/221
				464/141
2014/0238202	A1 *	8/2014	Roscosky	B25B 27/18
				81/53.2

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7