

US0D1027408S

(12)

United States Design Patent

Lang

(10)

Patent No.:

US D1,027,408 S

(45)

Date of Patent:

** May 21, 2024

(54) SOLE FOR FOOTWEAR

(71) Applicant: Qiyang Lang, Taizhou (CN)

(72) Inventor: Qiyang Lang, Taizhou (CN)

(**) Term: 15 Years

(21) Appl. No.: 29/919,649

(22) Filed: Dec. 5, 2023

(51) LOC (14) Cl. 02-04

(52) U.S. Cl. USPC D2/960; D2/947; D2/948; D2/951

(58) Field of Classification Search USPC D2/902, 906, 908, 916, 918, 925, D2/946-962, 977; 36/3 B, 22 R, 24.5, 36/25 R, 28, 32 R, 34 R, 59 C, 67 A, 103 CPC A43B 13/00; A43B 13/02; A43B 13/023; A43B 13/026; A43B 13/04; A43B 13/08; A43B 13/10; A43B 13/12; A43B 13/14; A43B 13/141; A43B 13/143; A43B 13/16; A43B 13/18; A43B 13/181; A43B 13/187; A43B 13/189; A43B 13/20; A43B 13/22; A43B 13/223; A43B 13/24; A43B 13/28; A43B 13/30; A43B 13/32; A43B 13/34; A43B 13/36 See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

299,840 A * 6/1884 Norman A43B 7/125 36/31

306,561 A * 10/1884 Vaughan A43B 13/223 D2/960

1,517,610 A * 12/1924 Bayless A43B 17/08 36/43

D100,140 S * 6/1936 Wernmark D2/977

2,162,912 A * 6/1939 Craver A43B 13/223 D2/960

2,236,278 A * 3/1941 Tousley A43B 13/223 D2/960

D137,764 S * 4/1944 Goldstein D2/918

D138,153 S * 6/1944 Goldstein D2/918

D138,154 S * 6/1944 Goldstein D2/918

D138,155 S * 6/1944 Goldstein D2/918

D138,156 S * 6/1944 Meltzer D2/918

D138,169 S * 6/1944 Goldstein D2/947

2,377,144 A * 5/1945 Goldstein A43B 13/00 36/25 R

2,421,932 A * 6/1947 Goldstein A43B 13/12 36/25 R

2,746,176 A * 5/1956 Maccarone A43B 9/14 36/76 R

3,138,881 A * 6/1964 Bingham, Jr. A43B 13/04 D2/951

D276,190 S * 11/1984 Hess D2/908

D292,344 S * 10/1987 Austin D2/960

D295,459 S * 5/1988 Zuidema D2/954

(Continued)

Primary Examiner — T Chase Nelson

(74) Attorney, Agent, or Firm — Daniel M. Cohn; Howard M. Cohn


(57) CLAIM

The ornamental design for a sole for footwear, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a sole for footwear showing my new design;
FIG. 2 is another perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof;
FIG. 7 is a top view thereof; and,
FIG. 8 is a bottom view thereof.
The dash-dash broken lines in the drawings depict portions of the sole for footwear that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D297,185 S * 8/1988 Berzak D2/960
D299,787 S * 2/1989 Bates D2/960
D317,974 S * 7/1991 Austin D2/960
D322,509 S * 12/1991 Issler D2/960
D330,629 S * 11/1992 Bramani D2/960
D331,490 S * 12/1992 Bramani D2/960
D337,880 S * 8/1993 Foster D2/960
D350,642 S * 9/1994 Novy D2/960
5,483,760 A * 1/1996 Kataoka A43C 15/02
36/129
D369,236 S * 4/1996 Maltby D2/951
D377,264 S * 1/1997 Wunsch D2/977
D395,541 S * 6/1998 Bray, Jr. D2/960
D400,346 S * 11/1998 Singer D2/954
D420,496 S * 2/2000 Singer D2/954
D449,429 S * 10/2001 McClaskie D2/951
D459,066 S * 6/2002 Merceron D2/951
D461,299 S * 8/2002 McClaskie D2/959
D497,243 S * 10/2004 McClaskie D2/947
D501,706 S * 2/2005 McClaskie D2/954
D514,287 S * 2/2006 Cockrell D2/947

D529,695 S * 10/2006 Cockrell D2/951
D530,067 S * 10/2006 Cockrell D2/951
D530,895 S * 10/2006 Cockrell D2/951
D558,435 S * 1/2008 Masoodifar D2/960
D685,162 S * 7/2013 Kampff D2/896
D787,165 S * 5/2017 Sassi D2/896
D864,537 S * 10/2019 Mokos D2/947
D874,102 S * 2/2020 Sullivan D2/960
D874,813 S * 2/2020 Jenkins D2/977
D984,108 S 4/2023 Hardy
D998,303 S 9/2023 Prochazka
2007/0033837 A1 * 2/2007 Fulton A43B 13/223
36/59 C
2008/0196272 A1 * 8/2008 Hay A43B 13/18
36/77 R
2009/0229146 A1 * 9/2009 Yanke A43B 5/14
12/146 B
2023/0248112 A1 * 8/2023 Sandborn A43B 13/16
36/42
2023/0270203 A1 * 8/2023 Bartel A43B 5/02
36/28
2023/0380541 A1 * 11/2023 Cafaro A43B 1/0009

* cited by examiner



FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8