

US0D1028744S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,028,744 S**
Dolezel et al. (45) **Date of Patent:** **** May 28, 2024**

(54) **SENSOR HOUSING**

(71) Applicant: **The Raymond Corporation**, Greene,
NY (US)

(72) Inventors: **Keith F. Dolezel**, Franklin, NY (US);
Gregory W. Smiley, Greene, NY (US)

(73) Assignee: **The Raymond Corporation**, Greene,
NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/726,975**

(22) Filed: **Mar. 6, 2020**

(51) **LOC (14) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/46**; D10/114.1; D10/114.4;
D10/70; D12/412

(58) **Field of Classification Search**

USPC ... D10/114.1–114.8, 96–103, 46, 65, 66, 70;
D24/186, 187; D26/109, 108, 106, 93;
D15/70, 199; D12/412, 190
CPC ... A61B 5/4571; A61B 5/0538; A61B 5/4566;
A61B 5/4576; A61B 5/6878; A61B
5/4585; A61B 5/4595; A61B 5/1036;
A61B 5/6843; G01L 1/205; G01L 1/20;
A61F 2/4657; A61F 2/38; A61F
2002/4666; G01G 23/3735; G01G 3/14;
H05K 7/14; G01S 13/931; G01S 7/4813;
G01S 17/931; G01S 7/02; G01S 17/87;
G01S 13/867; G01S 13/865; G01S
2013/93273; G01S 7/027; B60R 11/04
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D355,142 S * 2/1995 Wagner D10/114.4
D363,675 S * 10/1995 Sasaki D10/109.2
D587,155 S * 2/2009 Lyons D10/114.1

D638,732 S * 5/2011 Burke D10/114.1
D832,729 S * 11/2018 Kay D10/114.1
D985,876 S * 5/2023 Smiley D34/34
(Continued)

FOREIGN PATENT DOCUMENTS

CN 303206387 * 10/2014
CN 307087869 * 2/2020
(Continued)

OTHER PUBLICATIONS

Raymond Advance, In-Aisle Remote Controlled Travel for Enhanced
Picking Efficiency Date first available Dec. 7, 2021, [online]retrieved
Oct. 4, 2023,available from (Year: 2021).*
(Continued)

Primary Examiner — Keli L Hill
Assistant Examiner — Sara S Sahneh
(74) *Attorney, Agent, or Firm* — Quarles & Brady LLP


(57) **CLAIM**

The ornamental design for a sensor housing, as shown and
described.

DESCRIPTION

FIG. 1 is an isometric view of a top, front, and right side of
an ornamental design for a sensor housing;
FIG. 2 is a front elevational view of the sensor housing of
FIG. 1;
FIG. 3 is a rear elevational view of the sensor housing of
FIG. 1;
FIG. 4 is a right side elevational view of the sensor housing
of FIG. 1;
FIG. 5 is a left side elevational view of the sensor housing
of FIG. 1; and,
FIG. 6 is a top plan view of the sensor housing of FIG. 1.
The dash-dash-dash lines are included for the purpose of
illustrating portions that form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D987,611 S * 5/2023 Dolezel D14/230
D988,882 S * 6/2023 Chapman D24/169
D1,001,654 S * 10/2023 Ahn D10/70
D1,003,745 S * 11/2023 Jose D10/70
11,840,436 B2 * 12/2023 Richards B66F 9/08
D1,009,737 S * 1/2024 Siddall D12/190
2014/0183017 A1 * 7/2014 Warner H01H 11/00
29/622
2014/0262592 A1 * 9/2014 Warner B60N 2/24
180/315
2017/0270786 A1 * 9/2017 Swaminathan H04W 4/80
2020/0393838 A1 * 12/2020 Agarwal G05D 1/0238
2022/0396188 A1 * 12/2022 Miller B60N 3/026
2023/0406282 A1 * 12/2023 Kumar B60R 11/04

FOREIGN PATENT DOCUMENTS

CN 301128486.0000 * 8/2020
CN 307871127 * 10/2022
JP D1746926 * 10/2022

OTHER PUBLICATIONS

Iwarehouse, Fieldsense Proximity Notification System, Date first available Oct. 14, 2022, [online]retrieved Oct. 4, 2023, available from file:///C:/Users/ssahneh/Downloads/iWFieldSense_Brochure.pdf (Year: 2022).*

* cited by examiner




FIG. 1




FIG. 2






FIG. 3






FIG. 6