

US0D1029615S

(12) **United States Design Patent** (10) **Patent No.: US D1,029,615 S**
Jolley et al. (45) **Date of Patent: ** Jun. 4, 2024**

(54) **BLENDED TURN BUTTON SET**

(71) Applicant: **B/E Aerospace, Inc.**, Winston-Salem, NC (US)

(72) Inventors: **Richard H. Jolley**, Addington (GB);
Hsin-I Tsai, Newport Pagnell (GB)

(73) Assignee: **B/E Aerospace, Inc.**, Winston-Salem, NC (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/858,622**

(22) Filed: **Nov. 2, 2022**

Related U.S. Application Data

(62) Division of application No. 29/692,392, filed on May 24, 2019, now Pat. No. Des. 980,043.

(51) **LOC (14) Cl.** **08-07**

(52) **U.S. Cl.**

USPC **D8/338**; D8/331

(58) **Field of Classification Search**

USPC D8/330–333, 336, 338, 343–346,
D8/300–302, 306–329; D14/392, 396,
D14/399, 455, 456; D6/702, 706, 641,
D6/329, 653

CPC E06B 9/68; E06B 2009/6818; E06B 9/60;
E06B 9/56; E06B 9/82; E06B 9/80; E06B
9/174; E06B 3/5009; E06B 3/921; E05F
15/43; E05F 15/77; E05F 5/02; E05F
17/00; E05Y 2201/244; E05Y 2400/612;
E05Y 2900/00; E05Y 2800/22; E05Y
2800/176; E05Y 2800/205; E05Y
2800/72; E05Y 2201/686; E05Y 2201/21;
E05Y 2600/46; E05Y 2800/122; E05D
13/1261; E05D 15/264; B25B 13/5016;
H02K 7/116; H02K 5/26; Y10T
74/19684; Y10T 74/19633; E05B 65/44;
E05B 65/46; E05B 65/462; E05B 65/463;
E05B 65/461; E05B 65/464; E05B 51/00;

E05B 35/00; E05B 39/00; E05B 47/0001;
E05B 2047/0069; B64D 11/04; B64D
11/00; B64D 11/02; B64F 5/00; B60N
3/10; A47B 77/14

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

465,550 A 12/1891 Zander
D74,626 S 3/1928 Russ
D77,462 S 1/1929 Bartlett
(Continued)

Primary Examiner — Lauren R Calve

(74) *Attorney, Agent, or Firm* — Suiter Swantz IP



(57) **CLAIM**

The ornamental design for a blended turn button set, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a blended turn button set in an unlatched position;
FIG. 2 is a perspective view of the blended turn button set of FIG. 1 in a latched position;
FIG. 3 is a top plan view of the blended turn button set of FIG. 1 in the unlatched position;
FIG. 4 is a front elevation view of the blended turn button set of FIG. 1 in the unlatched position;
FIG. 5 is a left side elevation view of the blended turn button set of FIG. 1 in the unlatched position;
FIG. 6 is a rear elevation view of the blended turn button set of FIG. 1 in the unlatched position;
FIG. 7 is a right side elevation view of the blended turn button set of FIG. 1 in the unlatched position; and,
FIG. 8 is a bottom plan view of the blended turn button set of FIG. 1 in the unlatched position.
The broken lines shown represent environmental structure and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

2,912,844 A * 11/1959 Atkinson E05B 65/50
16/255
3,020,742 A 2/1962 Gehrie
D210,159 S 2/1968 Stolarz
D337,508 S 7/1993 Shaanan
D482,593 S 11/2003 Wolf
D540,651 S * 4/2007 Wolf, V D8/331
D544,336 S 6/2007 Kuramochi
D694,048 S 11/2013 Eckert et al.
D889,933 S * 7/2020 Marsden D8/339
D899,891 S * 10/2020 Xie D8/330
11,199,027 B2 * 12/2021 Rampen E05C 19/06
D945,855 S * 3/2022 Jolley D8/331
D946,377 S * 3/2022 Jolley D8/331
D980,043 S * 3/2023 Jolley D8/338
D991,007 S * 7/2023 Marsden D8/331
2017/0058580 A1 * 3/2017 Marsden E05B 65/0014
2018/0016008 A1 1/2018 Payne et al.
2020/0314620 A1 10/2020 Reed et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8