

(12)

United States Design Patent

Olsson et al.

(10) Patent No.: US D1,030,720 S

(45) Date of Patent: ** Jun. 11, 2024

(54)

EARBUD

(71)

Applicant: Google LLC, Mountain View, CA (US)

(72)

Inventors: Maj Isabelle Olsson, Sunnyvale, CA (US); Luke David Mastrangelo, San Mateo, CA (US); Dustin Lee, San Francisco, CA (US); Gina Reimann, Los Gatos, CA (US); Fred Simon, San Francisco, CA (US)

(73)

Assignee: GOOGLE LLC, Mountain View, CA (US)

(**)

Term: 15 Years

(21)

Appl. No.: 29/829,437

(22)

Filed: Mar. 4, 2022

(51)

LOC (14) Cl. 14-01

(52)

U.S. Cl. USPC D14/223

(58)

Field of Classification Search USPC D14/205, 207, 217, 221, 223, 225; D24/106, 173, 174; D29/112 CPC . H04R 1/08; H04R 1/10; H04R 1/105; H04R 1/1016; H04R 1/1033; H04R 1/1066; H04R 5/033; H04R 5/0335; H04R 25/00 See application file for complete search history.

D846,532 S *

4/2019

Xiao

D14/223

D856,523 S

8/2019

Green et al.

D867,326 S

11/2019

Sweet et al.

D870,707 S *

12/2019

Yang

D14/223

D870,710 S

12/2019

Cai

D871,376 S

12/2019

Zhou

D872,065 S

1/2020

Cai

D875,071 S

2/2020

Wei et al.

D876,398 S

2/2020

Cai

D889,441 S *

7/2020

Lin

D14/223

D892,085 S

8/2020

Kim

D894,158 S

8/2020

Gu

D897,321 S

9/2020

Wei

D900,064 S

10/2020

Mazieres

D902,186 S

11/2020

Sun et al.

D902,892 S

11/2020

Liu

D904,349 S

12/2020

Saxton et al.

D909,998 S

2/2021

Du

D916,054 S

4/2021

Sretovic

D922,358 S

6/2021

Li

D922,985 S *

6/2021

Kataoka

D14/223

D924,850 S

7/2021

Takubo et al.

D926,159 S *

7/2021

Miyata

D14/223

D942,423 S

2/2022

Reimann et al.

D945,405 S *

3/2022

Rose

D14/223

D956,018 S

6/2022

Reimann et al.

D956,019 S

6/2022

Reimann et al.

D956,020 S

6/2022

Reimann et al.

D961,556 S *

8/2022

Hong

D14/223

D975,065 S *

1/2023

Laffon de Mazieres

D14/223

D986,858 S *

5/2023

Reimann

D14/223

2014/0064548 A1 *

3/2014

Chu

H04R 1/1091 381/380

2014/0226832 A1 *

8/2014

Shimizu

H04R 1/1083 381/74

(56)

References Cited

U.S. PATENT DOCUMENTS

D436,402 S *

1/2001

Borowsky

D24/174

D550,657 S *

9/2007

Gan

D14/223

D587,681 S *

3/2009

Yanai

D14/205

D616,874 S *

6/2010

Matsuoka

D14/223

D764,445 S *

8/2016

Czaniecki

D14/223

D777,149 S

1/2017

Bonahoom et al.

9,827,249 B2

11/2017

Ratilainen et al.

D805,060 S

12/2017

Loermann et al.

D810,725 S *

2/2018

Zhang

D14/223

D812,042 S *

3/2018

Xiao

D14/223

D826,211 S

8/2018

Kim

D838,259 S

1/2019

Samrelius

D843,353 S

3/2019

Zhang

FOREIGN PATENT DOCUMENTS

CN

305089686

4/2019

CN

306128884

10/2020

CN

306140836 S

10/2020

CN

306203563 S

12/2020

CN

306210306 S

12/2020

CN

306503009

4/2021

EM

009163983-0001

* 9/2022

GB

6226884

* 9/2022

JP

1557844

9/2016

JP

1805118

5/2018

JP

1670157

10/2020

JP

D1674098

11/2020

KR

300978623

10/2018

KR


3011069960001

4/2021

TW

226548-0001

* 7/2023



OTHER PUBLICATIONS

Google Pixel Buds, first available Jul. 21, 2022 [online], [retrieved Aug. 31, 2023]. Available from the Internet, URL:<<https://a.co/d/guWSIQJ>>. (Year: 2022).*

1More ComfoBuds, first available Jan. 7, 2022 [online], [retrieved Aug. 31, 2023]. Available from the Internet, URL:<<https://a.co/d/cLFkEu9>>. (Year: 2022).*

Sennheiser Momentum, first available Apr. 26, 2022 [online], [retrieved Aug. 31, 2023]. Available from the Internet, URL:<<https://a.co/d/ihgKPpo>>. (Year: 2022).*

Edifier TWS1, first available Mar. 4, 2021 [online], [retrieved Aug. 31, 2023]. Available from the Internet, URL:<<https://a.co/d/1eNvchV>>. (Year: 2021).*

“Google Pixel Buds Pro” Jul. 21, 2022, Amazon, site visited Jan. 25, 2024: <https://www.amazon.com/Google-Pixel-Buds-Pro-Headphones/dp/B0B1NGPY94> (Year: 2022).*

“Samsung Galaxy Buds 2 True Wireless Bluetooth Earbuds” Aug. 11, 2021, Amazon, site visited Jan. 25, 2024: <https://www.amazon.com/Wireless-Cancelling-Bluetooth-Lightweight-Graphite/dp/B094242FV1> (Year: 2021).*

Nikkei Trendy. Jan. 2018, No. 425, Dec. 4, 2017, p. 26. 2022.

Wego Co., Ltd. From Website for Japanese Online Clothing Retail Store. 2019. 6 pages. 2022.

Roy, Jacqueline et al. “Apple reveals new AirPods Pro, available Oct. 30,” Newsroom, Oct. 28, 2019, 9 pages, Apple Inc. 2022.

Google Pixel Buds 2020 vs Microsoft Surface Earbuds, announced Jul. 13, 2020 [online], retrieved Jul. 14, 2021, retrieved from internet, <https://www.itworldcanada.com/article/google-pixel-buds-2020-vs-microsoft-surface-earbuds-which-one-should-you-buy/433015> 2022.

U.S. Appl. No. 29/779,369, filed Apr. 19, 2021, applicant Google LLC. Per MPEP 609.07.

U.S. Appl. No. 29/779,375, filed Apr. 19, 2021, applicant Google LLC. Per MPEP 609.07.

Meet the new Google Pixel Buds, announced Oct. 15, 2019 [online], retrieved Jul. 14, 2021, retrieved from internet, <https://blog.google/products/pixel/new-pixel-buds/> 2022.

Galaxy Buds Pro, announced © 1995-2021 [online], retrieved Jul. 14, 2021, retrieved from internet, <https://www.samsung.com/us/mobile/audio/headphones/galaxy-buds-pro-phantom-violet-sm-r190nzbvaxar/> 2022.

Sony WF-1000XM4 review: All-round audio excellence, announced Jul. 7, 2021 [online], retrieved Jul. 14, 2021, retrieved from internet, <https://www.expertreviews.co.uk/sony/1413933/sony-wf-1000xm4-review> 2022.

Buttons Air Hex True Wireless Earbuds With Charging Case, announced © 2021 [online], retrieved Jul. 14, 2021, retrieved from internet, <https://www.headphones.sg/buttons-air-hex-truewireless-earbuds-with-charging-case-black/> 2022.

Tokusengai. New Products Mar. 2017, No. 3, vol. 39, Feb. 3, 2017, p. 109. 2022.

Nego Co., Ltd. From Website for Japanese Online Clothing Retail Store. 2019. 6 pages 2022.

Roy, Jacqueline et al. “Apple reveals new AirPods Pro, available Oct. 30.” Oct. 28, 2019. 9 pages. Retrieved from the Internet: <<https://www.apple.com/newsroom/2019/10/apple-reveals-new-airpods-pro-available--october-30/>>. 2022.

Design U.S. Appl. No. 29/611,494, filed Jul. 21, 2017. 45 pages. 2022.

Design U.S. Appl. No. 29/709,192, filed Oct. 11, 2019. 58 pages. 2022.

Design U.S. Appl. No. 29/730,550, filed Apr. 6, 2020. 88 pages. 2022.

Taiwan Office Action and Search Report, TW Application No. 110305588, dated Aug. 4, 2022, 12 pages, with translation.

* cited by examiner

Primary Examiner — Jack Reickel

Assistant Examiner — Russell Carnell Smith, Jr.

(74) Attorney, Agent, or Firm — LEASON ELLIS LLP

(57)

CLAIM

The ornamental design for an earbud, as shown and described.

DESCRIPTION

The patent or application file contains at least one drawing executed in color. Copies of this patent or patent application publication with color drawing(s) will be provided by the Office upon request and payment of the necessary fee.

FIG. 1 is a front perspective view of an earbud, for a right ear which can be one of a set, according to a first embodiment of our new design;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a bottom perspective view thereof;

FIG. 4 is a top perspective view thereof;

FIG. 5 is a front view thereof;

FIG. 6 is a rear view thereof;

FIG. 7 is a left side view thereof;

FIG. 8 is a right side view thereof;

FIG. 9 is a top view thereof;

FIG. 10 is a bottom view thereof;

FIG. 11 is a front perspective view of an earbud, for a left ear which can be one of a set, according to a second embodiment of our new design;

FIG. 12 is a rear perspective view thereof;

FIG. 13 is a bottom perspective view thereof;

FIG. 14 is a top perspective view thereof;

FIG. 15 is a front view thereof;

FIG. 16 is a rear view thereof;

FIG. 17 is a right side view thereof;

FIG. 18 is a left side view thereof;

FIG. 19 is a top view thereof;

FIG. 20 is a bottom view thereof;

FIG. 21 is a front perspective view of an earbud, for a right ear which can be one of a set, according to a third embodiment of our new design, in which color is applied to the same shape and features shown in the line drawings corresponding to the first embodiment;

FIG. 22 is a rear perspective view thereof;

FIG. 23 is a bottom perspective view thereof;

FIG. 24 is a top perspective view thereof;

FIG. 25 is a front view thereof;

FIG. 26 is a rear view thereof;

FIG. 27 is a left side view thereof;

FIG. 28 is a right side view thereof;

FIG. 29 is a top view thereof;

FIG. 30 is a bottom view thereof;

FIG. 31 is a front perspective view of an earbud, for a left ear which can be one of a set, according to a fourth embodiment of our new design, in which color is applied to the same shape and features shown in the line drawings corresponding to the second embodiment;

FIG. 32 is a rear perspective view thereof;

FIG. 33 is a bottom perspective view thereof;

FIG. 34 is a top perspective view thereof;

FIG. 35 is a front view thereof;

FIG. 36 is a rear view thereof;

FIG. 37 is a right side view thereof;

FIG. 38 is a left side view thereof;

FIG. 39 is a top view thereof;

FIG. 40 is a bottom view thereof;

FIG. 41 is a front perspective view of an earbud, for a right ear which can be one of a set, according to a fifth embodiment of our new design, in which color is applied to the same shape and features shown in the line drawings corresponding to the first embodiment;

FIG. 42 is a rear perspective view thereof;

FIG. 43 is a bottom perspective view thereof;

FIG. 44 is a top perspective view thereof;

FIG. 45 is a front view thereof;

FIG. 46 is a rear view thereof;

FIG. 47 is a left side view thereof;

FIG. 48 is a right side view thereof;

FIG. 49 is a top view thereof;

FIG. 50 is a bottom view thereof;

FIG. 51 is a front perspective view of an earbud, for a left ear which can be one of a set, according to an sixth embodiment of our new design, in which color is applied to the same shape and features shown in the line drawings corresponding to the second embodiment;

FIG. 52 is a rear perspective view thereof;

FIG. 53 is a bottom perspective view thereof;

FIG. 54 is a top perspective view thereof;

FIG. 55 is a front view thereof;

FIG. 56 is a rear view thereof;

FIG. 57 is a right side view thereof;

FIG. 58 is a left side view thereof;

FIG. 59 is a top view thereof;

FIG. 60 is a bottom view thereof;

FIG. 61 is a front perspective view of an earbud, for a right ear which can be one of a set, according to a seventh

embodiment of our new design, in which color is applied to the same shape and features shown in the line drawings corresponding to the first embodiment;

FIG. 62 is a rear perspective view thereof;

FIG. 63 is a bottom perspective view thereof;

FIG. 64 is a top perspective view thereof;

FIG. 65 is a front view thereof;

FIG. 66 is a rear view thereof;

FIG. 67 is a left side view thereof;

FIG. 68 is a right side view thereof;

FIG. 69 is a top view thereof;

FIG. 70 is a bottom view thereof;

FIG. 71 is a front perspective view of an earbud, for a left ear which can be one of a set, according to an eighth embodiment of our new design, in which color is applied to the same shape and features shown in the line drawings corresponding to the second embodiment;

FIG. 72 is a rear perspective view thereof;

FIG. 73 is a bottom perspective view thereof;

FIG. 74 is a top perspective view thereof;

FIG. 75 is a front view thereof;

FIG. 76 is a rear view thereof;

FIG. 77 is a right side view thereof;

FIG. 78 is a left side view thereof;

FIG. 79 is a top view thereof; and,

FIG. 80 is a bottom view thereof.

The broken lines illustrate portions of the earbud and form no part of the claimed design.

**1 Claim, 40 Drawing Sheets
(20 of 40 Drawing Sheet(s) Filed in Color)**




FIG. 2




FIG. 1




FIG. 4




FIG. 3




FIG. 6




FIG. 5




FIG. 8




FIG. 7




FIG. 10




FIG. 9




FIG. 12




FIG. 11




FIG. 14




FIG. 13




FIG. 16




FIG. 15




FIG. 18




FIG. 17




FIG. 20




FIG. 19




FIG. 22




FIG. 21




FIG. 24




FIG. 23




FIG. 26




FIG. 25




FIG. 28




FIG. 27




FIG. 30




FIG. 29




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 40




FIG. 39




FIG. 42




FIG. 41




FIG. 44




FIG. 43




FIG. 46




FIG. 45




FIG. 48




FIG. 47




FIG. 50




FIG. 49




FIG. 52




FIG. 51




FIG. 54




FIG. 53




FIG. 55




FIG. 56




FIG. 57




FIG. 58




FIG. 60




FIG. 59




FIG. 62




FIG. 61




FIG. 64




FIG. 63




FIG. 66




FIG. 65




FIG. 68




FIG. 67




FIG. 69




FIG. 70




FIG. 72




FIG. 71




FIG. 74




FIG. 73




FIG. 76




FIG. 75




FIG. 77




FIG. 78




FIG. 80




FIG. 79