



US0D1031363S

(12)

United States Design Patent

Hazelton et al.

(10) Patent No.: US D1,031,363 S

(45) Date of Patent: ** Jun. 18, 2024

(54) CONTAINER

(71) Applicant: Helen of Troy Limited, St. Michael (BB)

(72) Inventors: Lance E. Hazelton, Maplewood, NJ (US); Mathieu Zastawny, Jersey City, NJ (US); Carolyn Brown, Dumont, NJ (US); Dio Climaco Cavero, North Merrick, NY (US)

(73) Assignee: Helen of Troy Limited, St. Michael (BB)

(**) Term: 15 Years

(21) Appl. No.: 29/851,013

(22) Filed: Aug. 25, 2022

(51) LOC (14) Cl. 07-01

(52) U.S. Cl. USPC D7/391; D9/454

(58) Field of Classification Search
USPC D7/213, 300, 305, 310, 312, 314, 317, D7/321, 322, 354, 356, 358, 360, 361, D7/366, 378, 387, 391, 392, 392.1, 396.2, D7/402, 412, 413, 415, 601, 602, 603, D7/605, 607, 608, 612, 615, 619.1, 619.2, D7/622, 629, 703, 709, 630, 510, 511, D7/300.1, 533; D9/414, 434, 435, 436, D9/443, 445, 452, 453, 454, 502, 503, D9/504, 516, 523, 528, 529, 530, 531, D9/535, 549, 569, 574, 575, 738, 761, D9/425, 449, 450; D3/202
CPC A47J 27/08; A47J 27/0811; A47J 27/0815; A47J 27/21; A47J 27/21008; A47J 27/21175; A47J 31/4407; A47J 36/00; A47J 36/027; A47J 36/06; A47J 36/062; A47J 36/064; A47J 36/066; A47J 36/08; A47J 36/10; A47J 37/01; A47J 37/10; A47J 37/101; A47J 37/103; A47J 37/128; A47J 47/02; A47J 47/04; A47J 47/06; A47J 47/08; A47J 47/10; A47J 47/14;

A47J 27/21058; A45C 11/20; B65D 43/0218; B65D 43/0212; B65D 81/383; B65D 81/3869; B65D 47/0895; B65D 51/20; B65D 43/0222; G01F 11/18
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

3,860,135 A 1/1975 Yung et al.
3,924,768 A 12/1975 Lemons
4,022,352 A 5/1977 Pehr
(Continued)

FOREIGN PATENT DOCUMENTS

JP D1716789 * 6/2022
KR 10-2112137 6/2020
(Continued)

Primary Examiner — Vy N Koenig
Assistant Examiner — Yen Le Southwood
(74) Attorney, Agent, or Firm — Rankin, Hill & Clark LLP


(57) CLAIM

The ornamental design for a container, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a container showing our new design;
FIG. 2 is a front elevation view of FIG. 1;
FIG. 3 is a rear elevation view of FIG. 1;
FIG. 4 is a left side elevation view of FIG. 1;
FIG. 5 is a right side elevation view of FIG. 1;
FIG. 6 is a top plan view of FIG. 1; and,
FIG. 7 is a bottom plan view of FIG. 1.
The broken lines in the drawings depict portions of the container that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

4,408,703 A * 10/1983 Libit G01F 11/18
222/336
4,535,903 A 8/1985 Franchi
5,647,501 A * 7/1997 Helms B65D 43/0222
229/5.5
5,887,736 A 3/1999 Mar
D458,082 S * 6/2002 Gluck D7/533
6,702,137 B1 3/2004 Kowa et al.
7,131,550 B2 11/2006 Vilalta et al.
D609,092 S * 2/2010 Laib D9/449
8,251,251 B2 8/2012 Arvidsson et al.
D679,960 S * 4/2013 Hopkins D7/629
8,695,830 B2 4/2014 Meyers et al.
D717,115 S * 11/2014 Lane D7/511
8,936,170 B2 1/2015 Dyer et al.
D789,737 S * 6/2017 Eyal D7/300.1
D816,399 S * 5/2018 Burns D9/450
D828,114 S * 9/2018 Murosky D7/615

D836,974 S * 1/2019 Seiders D7/392.1
D871,134 S * 12/2019 Silsby D9/449
D872,536 S * 1/2020 Lane D9/523
D899,874 S * 10/2020 Lane D9/569
D902,646 S * 11/2020 Seiders D7/392.1
10,899,514 B2 * 1/2021 Lane A45C 11/20
D918,038 S * 5/2021 Yi D9/453
D934,028 S * 10/2021 Haskins D7/510
D968,217 S * 11/2022 Bartlett D9/449
D986,009 S * 5/2023 Ames D7/510
2009/0026199 A1 1/2009 Jeor
2010/0282768 A1 11/2010 Rapparini
2010/0307521 A1 12/2010 Pires et al.
2012/0285845 A1 11/2012 Jackson

FOREIGN PATENT DOCUMENTS

NZ 410062-0001 * 3/2008
WO 2021/107807 6/2021

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7