



US0D1031820S

(12)

United States Design Patent

Burns et al.

(10)

Patent No.:

US D1,031,820 S

(45)

Date of Patent:

** Jun. 18, 2024

(54) CAMERA MOUNT

(71) Applicant: Amazon Technologies, Inc., Seattle, WA (US)

(72) Inventors: Thomas Burns, Patchogue, NY (US); Jonathan Howard Biddle, San Francisco, CA (US); Michael O'Connor, Charlestown, MA (US)

(73) Assignee: Amazon Technologies, Inc., Seattle, WA (US)

D557,260 S 12/2007 Westerling et al.
D610,577 S 2/2010 Jenkins
D659,177 S 5/2012 Chan
D666,662 S 9/2012 Runnals
D694,305 S 11/2013 Katori et al.
D694,306 S 11/2013 Katori et al.
D695,725 S 12/2013 Taeger
9,169,963 B1 10/2015 Chen et al.
D744,986 S 12/2015 Huerta et al.
D757,835 S 5/2016 Tabuchi
D761,343 S 7/2016 Schmidt et al.
D772,163 S 11/2016 Kambayashi

(Continued)

(**) Term: 15 Years

(21) Appl. No.: 29/918,516

(22) Filed: Nov. 28, 2023

Related U.S. Application Data

(62) Division of application No. 29/811,054, filed on Oct. 11, 2021, now Pat. No. Des. 1,012,160, which is a division of application No. 29/722,139, filed on Jan. 27, 2020, now Pat. No. Des. 933,118.

(51) LOC (14) Cl. 16-05

(52) U.S. Cl. D16/242

(58) Field of Classification Search

USPC D8/354, 355, 363, 373, 382, 383, 394, D8/396; D14/224, 229, 238, 251, 253, D14/447, 451, 457; D16/136, 219, 235, D16/237, 242, 244, 245, 250

CPC .. G03B 15/03; A45F 5/00; A45F 5/10; F16M 11/06–10; F16M 11/14; G02B 7/00–002

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D387,791 S 12/1997 Wen
5,734,356 A 3/1998 Chang
D512,372 S 12/2005 Sakai

OTHER PUBLICATIONS

Blink Mini—Compact indoor plug-in smart security camera, 1080 H 0 video, night vision, motion detection, two-way audio, Works with Alexa—1 camera. [online] Retrieved Jun. 16, 2021 from URL: <https://www.amazon.com/Blink-Mini-plug-security-detection/dp/B07X6C9RMF>.

Primary Examiner — Michael C Stout
Assistant Examiner — Benjamin M Weeks
(74) Attorney, Agent, or Firm — Lee & Hayes, P.C.


(57) CLAIM

The ornamental design for a camera mount, as shown and described.

DESCRIPTION

FIG. 1 is a top, front perspective view of a camera mount; FIG. 2 is a bottom, back perspective view thereof; FIG. 3 is a front view thereof; FIG. 4 is a back view thereof; FIG. 5 is a left-side view thereof; FIG. 6 is a right-side view thereof; FIG. 7 is a top view thereof; and, FIG. 8 is a bottom view thereof. The dashed broken lines depict portions of the camera mount that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D779,929	S	2/2017	Matus, Jr.	
D780,558	S	3/2017	Mouthaan	
D784,438	S	4/2017	Rondinelli et al.	
D817,125	S	5/2018	Gurwicz et al.	
D873,897	S	1/2020	Wengreen	
D902,289	S	11/2020	Burns et al.	
D935,448	S	11/2021	Lee	
D988,394	S	6/2023	Burns et al.	
D1,008,338	S *	12/2023	Lei	D16/242
D1,010,759	S *	1/2024	Gearing	D14/251
D1,012,160	S *	1/2024	Burns	D16/242
2010/0252700	A1	10/2010	Wang	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8