



US0D1036367S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,036,367 S**
Collins et al. (45) **Date of Patent:** **** Jul. 23, 2024**

(54) **MODEL VEHICLE TIRE**
(71) Applicant: **TRAXXAS, L.P.**, McKinney, TX (US)
(72) Inventors: **Trent Collins**, McKinney, TX (US);
Otto Karl Allmendinger, Rowlett, TX (US)

D310,985 S 10/1990 Covert et al.
D313,582 S 1/1991 Tsutsumi et al.
D316,689 S 5/1991 Fujiki
D316,695 S 5/1991 Fujiki
5,135,427 A 8/1992 Suto et al.
D329,413 S 9/1992 Chandler

(Continued)

(73) Assignee: **TRAXXAS, L.P.**, McKinney, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/852,586**

(22) Filed: **Sep. 8, 2022**

(51) **LOC (14) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/536**

(58) **Field of Classification Search**
USPC D12/536, 563, 535, 537
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D115,835 S 7/1939 Lombard
D208,685 S 9/1967 Evans, Jr.
3,427,746 A 2/1969 Jacobs
4,093,033 A 6/1978 Rosch
D260,012 S 7/1981 Candiliotis
D261,257 S 10/1981 Guidry
D266,919 S 11/1982 Bennett
D268,663 S 4/1983 Bennett
4,448,273 A 5/1984 Barbieri
4,483,407 A 11/1984 Iwamoto et al.
4,522,606 A 6/1985 Goldfarb et al.
4,706,769 A 11/1987 Latourelle et al.
D296,200 S 6/1988 Elsesser
D296,544 S 7/1988 Matsushita et al.
D301,859 S 6/1989 Igarashi
D301,999 S 7/1989 Fujiki
D309,442 S 7/1990 Okada

OTHER PUBLICATIONS

“Goodyear Tires, “Wrangler MT/R” web page; http://www.goodyear tires.com/goodyear tireselector/display_tire.jsp?prodline=Wrangler+MT%2FR&mrktarea=Light+Truck&treadwidth=&aspectratio=&rimdiameter=&sidewall”.

(Continued)

Primary Examiner — George D. Kirschbaum

(74) *Attorney, Agent, or Firm* — Daryl R. Wright; Greg Carr

(57) **CLAIM**


We claim the ornamental design for a model vehicle tire, as shown and described.

DESCRIPTION

FIG. 1 is an upper, right, front perspective view of a model vehicle tire showing our new design; FIG. 2 is a front elevation view thereof; FIG. 3 is a rear elevation view thereof; FIG. 4 is a right side elevation view thereof; FIG. 5 is a left side elevation view thereof; FIG. 6 is an upper plan view thereof; FIG. 7 is a lower plan view thereof; and, FIG. 8 is a lower, left, rear perspective view of the model vehicle tire.

In the drawings, the broken lines defining the sidewall and inner bead represent unclaimed subject matter that forms no part of the claimed design. The dash-dot-dash broken line represents the peripheral boundary between the claimed design and unclaimed subject matter.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D329,885 S	9/1992	Maarschalkeweerd et al.	D612,797 S	3/2010	Lo
5,259,429 A	11/1993	Harms	D612,799 S	3/2010	Wallet et al.
5,261,853 A	11/1993	Suto	D618,160 S	6/2010	Jacobs
5,273,126 A	12/1993	Reed et al.	D619,529 S	7/2010	Georges et al.
5,340,205 A	8/1994	Nagorcka	D621,342 S	8/2010	Osaka
D376,996 S	12/1996	Soucy et al.	D627,709 S	11/2010	Harvey et al.
5,607,210 A	3/1997	Brazier	D632,244 S	2/2011	Green
D379,442 S	5/1997	Ratliff, Jr.	D634,265 S	3/2011	Shan et al.
D384,013 S	9/1997	Thomas	D636,793 S	4/2011	Vladimirovich
D389,432 S	1/1998	Dandurand	D639,313 S	6/2011	Vladimirovich
D389,433 S	1/1998	Dandurand	D653,195 S	1/2012	Sareen
D389,435 S	1/1998	Dandurand	D653,196 S	1/2012	Buchinger-Barnstorf
D390,178 S	2/1998	Maxwell	D653,198 S	1/2012	Buchinger-Barnstorf
D391,211 S	2/1998	Maxwell	D653,681 S	2/2012	Degtyarev
D394,615 S	5/1998	Dandurand	D668,204 S	10/2012	Leendertse et al.
D395,627 S	6/1998	Ball et al.	D671,486 S	11/2012	Rooney et al.
D400,141 S	10/1998	Maxwell	D673,895 S	1/2013	Smith et al.
D408,326 S	4/1999	Dandurand	D676,799 S	2/2013	Sanae
D408,327 S	4/1999	Dandurand	D691,943 S	10/2013	Ma
D425,526 S	5/2000	Juncker et al.	8,632,138 B2	1/2014	Besette
D428,587 S	7/2000	Maxwell	D706,707 S	6/2014	Jacobs
6,116,362 A	9/2000	Schubert et al.	D707,620 S	6/2014	Barajas et al.
6,142,200 A	11/2000	Feider et al.	D709,435 S	7/2014	Jacobs
6,176,334 B1	1/2001	Lorenzen	D709,436 S	7/2014	Ikeki
D440,913 S	4/2001	McMannis	D711,928 S	8/2014	Brazier
D441,697 S	5/2001	Allison	D713,328 S	9/2014	Umstot et al.
D445,379 S	7/2001	Guspodin et al.	D719,083 S	12/2014	Hayashi
D445,381 S	7/2001	Guspodin et al.	D720,683 S	1/2015	Boore et al.
6,264,283 B1	7/2001	Rehkemper et al.	D730,272 S	5/2015	Fleckner
D456,344 S	4/2002	Rooney	D732,463 S	6/2015	Petr et al.
6,401,847 B1	6/2002	Lykken	D736,145 S	8/2015	Jacobs et al.
D468,370 S	1/2003	Hattori	D743,874 S	11/2015	Philipot et al.
6,557,953 B1	5/2003	Kahle et al.	D744,412 S	12/2015	Schimmoeller
D483,718 S	12/2003	Hutz	D746,763 S	1/2016	Kubo
D487,057 S	2/2004	Rooney et al.	D751,030 S	3/2016	Chen
D488,171 S	4/2004	Juncker et al.	D753,055 S	4/2016	Sato et al.
D488,430 S	4/2004	Maxwell	D753,056 S	4/2016	Kuwano
D492,644 S	7/2004	Maxwell	D756,898 S	5/2016	Kristen
D492,931 S	7/2004	Maxwell et al.	D762,561 S	8/2016	Petr
D496,328 S	9/2004	Shondel et al.	D762,562 S	8/2016	Bonifas
D497,621 S	10/2004	Inaoka et al.	D767,474 S	9/2016	Reim et al.
D500,010 S	12/2004	Maziarka et al.	9,452,796 B2	9/2016	Franck et al.
D504,656 S	5/2005	Green et al.	D768,033 S	10/2016	Degtyarev
D505,136 S	5/2005	Brazier	D768,034 S	10/2016	Degtyarev
D505,382 S	5/2005	Green et al.	D770,970 S	11/2016	Kuwano et al.
D505,385 S	5/2005	Green et al.	D773,385 S	12/2016	Kuwano
6,920,906 B2	7/2005	Allison et al.	D775,061 S	12/2016	Ishiguro et al.
D508,674 S	8/2005	Dumigan et al.	D780,674 S	3/2017	Chen
D511,738 S	11/2005	Maxwell	D781,777 S	3/2017	Hayashi
D512,369 S	12/2005	Lo	D783,510 S	4/2017	Thornburg
D512,959 S	12/2005	Fukunaga	D785,548 S	5/2017	Fukunaga et al.
D514,501 S	2/2006	Nishimori	D788,687 S	6/2017	Williams et al.
D522,450 S	6/2006	Gerasimczuk	D791,687 S	7/2017	Sueyoshi
D524,725 S	7/2006	Gerasimczuk	D795,796 S	8/2017	Johnson
D528,133 S	9/2006	Brazier	D796,426 S	9/2017	Liu
D534,485 S	1/2007	Nakamura	D798,912 S	10/2017	Doyle
D534,487 S	1/2007	Dumigan et al.	D806,640 S	1/2018	Petr
D535,248 S	1/2007	Ashton et al.	D810,002 S	2/2018	Sprowl et al.
D535,610 S	1/2007	Morito et al.	D810,663 S	2/2018	Chen D12/536
D535,611 S	1/2007	Sundkvist et al.	D810,669 S	2/2018	Johnson
D544,830 S	6/2007	Umstot et al.	D813,791 S	3/2018	Wang et al.
D555,076 S	11/2007	Sakakibara et al.	D816,018 S	4/2018	Chiang et al.
D555,077 S	11/2007	Lo	D816,590 S	5/2018	Gandillet D12/536
D556,673 S	12/2007	Missik-Gaffney et al.	D816,596 S	5/2018	Schimmoeller et al.
D556,674 S	12/2007	Missik-Gaffney et al.	D818,424 S	5/2018	Podlovits
D560,596 S	1/2008	Sakakibara et al.	D824,458 S	7/2018	Vaarsi
D568,233 S	5/2008	Dixon et al.	D832,368 S	10/2018	Barajas et al.
D577,658 S	9/2008	Murata	D838,662 S	1/2019	Tikka et al.
D578,956 S	10/2008	Dixon et al.	D840,478 S	2/2019	Sprowl et al.
D580,347 S	11/2008	Lo	D844,547 S	4/2019	Sakamoto et al.
D593,135 S	5/2009	Hansen	D845,224 S	4/2019	Kochanek
D594,401 S	6/2009	Guidry	D847,729 S	5/2019	Kujime
D601,487 S	10/2009	Ebel et al.	D849,677 S	5/2019	Sakamoto et al.
D603,880 S	11/2009	Brazier	D856,268 S	8/2019	Sprowl et al.
D604,689 S	11/2009	Frappart et al.	D858,426 S	9/2019	Geng et al.
			D859,294 S	9/2019	Taylor
			D859,298 S	9/2019	Geng et al.
			D860,125 S	9/2019	Geng D12/536
			D876,327 S	2/2020	Jens Christensen et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

D877,055	S	3/2020	Jens Christensen et al.
D879,020	S	3/2020	Sato et al.
D888,651	S	6/2020	Zhang
D892,715	S	8/2020	Sato
D902,840	S	11/2020	Zhao
D902,963	S	11/2020	Wood et al.
D904,530	S	12/2020	Sprowl et al.
D962,153	S	8/2022	Choi et al.
D972,491	S	12/2022	Wang et al.
D972,656	S	12/2022	Chen
D973,576	S	12/2022	Kreitzman et al.
D988,237	S	6/2023	Geng et al.
2013/0078888	A1	3/2013	Mayer et al.
2015/0291235	A1	10/2015	Zuchoski et al.
2017/0036714	A1	2/2017	Lunkenbein
2019/0143757	A1	5/2019	Fredenburg et al.
2019/0144054	A1	5/2019	Bliss
2020/0114801	A1	4/2020	Bering et al.
2020/0324837	A1	10/2020	Weyer et al.

OTHER PUBLICATIONS

Interco Tire, "TM Appl'n No. 74279000" Interco Tire Corporation, Rayne LA USA, May 27, 1992.

Traxxas, www.traxxas.com archive web page Jul. 10, 2004, Traxxas LP, Plano TX USA, Jul. 10, 2004.
 Traxxas, "Revo Owners Manual", Traxxas LP, Plano TX USA; Jul. 2004.
 Traxxas, "Revo Service and Support Guide / Parts List", Traxxas LP, Plano TX USA; Jul. 2004.
 Traxxas, "Revo Power.Precision.Balance" product announcement web pages, traxxas.com; Traxxas LP, Plano, TX USA, Apr. 8, 2004.
 Kumho Tire; <http://www.kumhousa.com/tire/category/truck-suv/F8656BD8-0A87-4166-82B5-0DF52D4AC17E>; Sep. 2016.
 Traxxas; Tires, Maxx AT; Sep. 2016.
 Traxxas [online] found Jan. 2, 2018 from URL <https://traxxas.com/products/parts/8369B1=overview>.
 Screenshot and detail from Traxxas.com: Tires and wheels, assembled, glued (2.6" black, satin chrome-plated Mercedes-Benz G 500 4x42 wheels, 2.6" tires(2)/center caps (2) (requires #8255A extended stub axle). Undated; one page. Found online Nov. 6, 2019 at <https://traxxas.com/products/parts/8872> (Year: 2019).
 Traxxas TRX-4 1/10 Scale Trail Rock Crawler (Orange) w/All-Terrain Traxx [Nov. 5, 2019] found online [Nov. 5, 2019]—Traxxas TRX-4 1/10 Scale Trail Rock Crawler (Orange) w/All-Terrain Traxx. Traxxas TRX-4 1/10 Scale Trail Rock Crawler w/All-Terrain Traxx [Jun. 22, 2020]. Found online Jun. 22, 2020 at <https://redlinehobby.ca/shop/traxxas-traxx-trx-4-4-complete-set-front-rear-order-on-demand> (Year: 2020).

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8