



US0D1036451S

(12)

United States Design Patent

Perry et al.

(10)

Patent No.: US D1,036,451 S

(45)

Date of Patent: ** Jul. 23, 2024

(54)

DISPLAY STAND

A47B 88/044; A47B 2021/0335; H02G 3/126; F16B 47/00; F16B 47/006; A47G 1/17; A47K 2201/00

(71)

Applicant: Elo Touch Solutions, Inc., Knoxville, TN (US)

See application file for complete search history.

(72)

Inventors: Brian Perry, Knoxville, TN (US); Jeffrey Haller, Redwood City, CA (US); Kenneth North, San Carlos, CA (US); Fareed Uddin, San Jose, CA (US)

(56)References Cited

(73)

Assignee: Elo Touch Solutions, Inc., Knoxville, TN (US)

U.S. PATENT DOCUMENTS

(**) Term: 15 Years

D744,479 S 12/2015 Haller et al.

D778,277 S 2/2017 Haller et al.

D816,662 S 5/2018 Haller et al.

D817,323 S * 5/2018 Eun D14/336

D835,096 S * 12/2018 Woo D14/371

D837,800 S 1/2019 Haller

D920,324 S * 5/2021 Warren D14/336

D928,228 S * 8/2021 Fredette D14/336

D947,823 S * 4/2022 Lee D14/126

D948,502 S * 4/2022 Li D14/336

(21)

Appl. No.: 29/881,846

(Continued)

(22)

Filed: Jan. 6, 2023

Primary Examiner — Katie Jane Stofko

(51)

LOC (14) Cl. 14-02

(74) Attorney, Agent, or Firm — Sterne, Kessler, Goldstein & Fox P.L.L.C.

(52)

U.S. Cl. USPC D14/451

(57)CLAIM

(58)

Field of Classification Search

The ornamental design for a display stand, as shown and described.

USPC D14/371–382, 125–129, 336, 337, D14/447–452, 492, 335, 376–382, 239, D14/457, 439–441, 432, 251–253; D8/349, 354, 363, 373, 376, 380; D21/333; D12/415; D3/218; 348/180, 348/184, 325, 739, 825

DESCRIPTION

CPC G06F 3/0412; G06F 3/016; G06F 3/0488; G06F 3/011; G06F 3/038; G06F 3/03543; G06F 3/0338; G06F 3/0202; G06F 3/0219; G06F 3/0213; G06F 1/1616; G06F 3/023; G06F 3/04883; G02F 1/13338; G02F 1/1313; G02F 1/1333; G02F 1/135; G02F 1/132; G02F 1/133308; G02F 1/134309; G02F 1/13718; G09G 3/3648; G06K 15/1252; B41J 2/465; G03F 7/70291; G02B 27/0172; G02B 5/30; G02B 2027/0118; G02B 27/0101; F16M 13/02; F16M 13/00; F16M 11/10; F16M 11/04; F16M 2200/08; F16M 11/2021; A47B 21/0314;

FIG. 1 is a top front isometric view of a display stand showing the claimed design;

FIG. 2 is a top rear isometric view thereof;

FIG. 3 is a front elevation view thereof;

FIG. 4 is a rear elevation view thereof;

FIG. 5 is a right side elevation view thereof;


FIG. 6 is a left side elevation view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

The broken lines in the figures show environment and portions of the display stand that form no part of the claimed design.

1 Claim, 7 Drawing Sheets





(56) **References Cited**

U.S. PATENT DOCUMENTS

11,514,452	B2 *	11/2022	Sanchez-Llorens		G07G 1/14
11,652,689	B2 *	5/2023	Power		H04L 41/0809
					709/220
D993,242	S *	7/2023	Pollmann		D14/375
D1,014,502	S *	2/2024	Hong		D14/374
D1,014,509	S *	2/2024	Hong		D14/451
D1,016,140	S *	2/2024	Oles		D18/4.6
11,921,661	B2 *	3/2024	Ekanayake		G06F 13/4282

* cited by examiner








FIG. 3




FIG. 4




FIG. 6




FIG. 5




FIG. 7




FIG. 8