



US0D1037441S

(12)

United States Design Patent

Brayman et al.

(10)

Patent No.:

US D1,037,441 S

(45)

Date of Patent:

** Jul. 30, 2024

(54) TUBE SECURING DEVICE BASE

(71) Applicant: **Avent, Inc.**, Alpharetta, GA (US)

(72) Inventors: **Emily Brayman**, Atlanta, GA (US);
Preston A. Moeller, Alpharetta, GA (US)

(73) Assignee: **Avent, Inc.**, Alpharetta, GA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/833,518**

(22) Filed: **Apr. 5, 2022**

(51) **LOC (14) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/127**

(58) **Field of Classification Search**
USPC D24/127, 128, 130, 188–190, 200, 206;
D29/100, 108, 120.1, 121.1, 121.2;
D30/146
CPC A61F 13/00; A61F 13/023; A61F 15/008;
A61F 15/004; A61M 2025/0246; A61M
25/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D267,510	S	*	1/1983	Golub		D24/189
4,557,723	A	*	12/1985	Sibalis		A61M 37/00 604/20
D352,782	S	*	11/1994	Kirk, III		D24/189
D384,745	S	*	10/1997	Lattin		D24/189
D399,965	S	*	10/1998	Laughlin		D24/189
D403,774	S	*	1/1999	Laughlin		D24/189
D409,754	S	*	5/1999	Dunshee		D24/189
D557,424	S	*	12/2007	Knight		D24/189
D570,488	S	*	6/2008	Kirksey		D24/189
D573,260	S	*	7/2008	Dunshee		D24/189
D574,962	S	*	8/2008	Atkins		D24/189
D578,651	S	*	10/2008	Dunshee		D24/189

D582,560	S	*	12/2008	Sachi		D24/189
D588,274	S	*	3/2009	Dent		D24/189
D604,423	S	*	11/2009	Dunshee		D24/189
D612,504	S	*	3/2010	Ha		D24/189
8,608,705	B2	*	12/2013	Peters		A61M 25/02 604/177
D746,480	S	*	12/2015	Usui		D24/206
9,717,885	B1	*	8/2017	Narciso Martinez		A61M 25/02
D854,170	S	*	7/2019	Bergström		D24/189
D898,924	S	*	10/2020	Hinds		D24/189
10,799,679	B2	*	10/2020	Roberts		A61M 25/02

(Continued)

Primary Examiner — Nathan M Johnston
(74) Attorney, Agent, or Firm — Dority & Manning, P.A.


(57) **CLAIM**

The ornamental design for a tube securing device base, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a tube securing device base according to the present design;
FIG. 2 is a bottom perspective view of the tube securing device base of FIG. 1;
FIG. 3 is a right side view of the tube securing device base of FIG. 1;
FIG. 4 is a front view of the tube securing device base of FIG. 1;
FIG. 5 is a left side view of the tube securing device base of FIG. 1;
FIG. 6 is a rear view of the tube securing device base of FIG. 1;
FIG. 7 is a top view of the tube securing device base of FIG. 1; and,
FIG. 8 is a bottom view of the tube securing device base of FIG. 1.
The broken lines depicted in FIGS. 1-8 represent unclaimed environmental subject matter and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D904,629	S	*	12/2020	deBock		D24/200
D979,766	S	*	2/2023	Stafford		A61B 5/1451
						D24/186
2009/0182283	A1	*	7/2009	Sloan		A61M 25/02
						604/180
2015/0038912	A1	*	2/2015	Karim		A61M 5/1418
						604/178

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7




FIG. 8