



US0D1038006S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,038,006 S**
Di Benedetto et al. (45) **Date of Patent:** **** Aug. 6, 2024**

(54) **BATTERY COVER**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **U.S. Government as Represented by the Secretary of the Army**, Dover, NJ (US)

IN 250140 * 8/2013

(72) Inventors: **Giuseppe Di Benedetto**, Nutley, NJ (US); **Lauren Morris**, Midland Park, NJ (US); **Daniel Schmidt**, Ambler, PA (US); **Peggy Sanchez**, Sparta, NJ (US); **Aaron Stern**, Piscataway, NJ (US); **Donald Skelton**, Bridgewater, NJ (US)

OTHER PUBLICATIONS

Repair Box—Amazon, Announced on Aug. 31, 2018 [online], retrieved on Mar. 18, 2024, retrieved from internet, <https://www.amazon.com/RepairBox-Battery-Cover-Game-1-Set-sega/dp/B07H1BMF2M> (Year: 2018).*

(73) Assignee: **The United States of America as Represented by the Secretary of the Army**, Washington, DC (US)

Primary Examiner — Mark A Goodwin

Assistant Examiner — Noah Perez

(74) *Attorney, Agent, or Firm* — John P. DiScala

(**) Term: **15 Years**

(57) **CLAIM**

(21) Appl. No.: **29/866,666**

The ornamental design for a battery cover, as shown and described.

(22) Filed: **Sep. 22, 2022**

(51) **LOC (14) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/103**

(58) **Field of Classification Search**
USPC D13/102–106, 110, 118, 119, 184, 199;
D14/253, 432, 434
CPC H01M 6/00; H01M 6/14; H01M 6/10;
H01M 10/52
See application file for complete search history.

DESCRIPTION

(56) **References Cited**


U.S. PATENT DOCUMENTS

D479,192 S *	9/2003	Fujihara	D13/103
D485,530 S *	1/2004	Ogasawara	D13/103
D524,241 S *	7/2006	Takeshita	D13/103
D550,613 S *	9/2007	Hamasaki	D13/103
D685,731 S *	7/2013	Brown	D13/103
D716,224 S *	10/2014	Blumin	D13/108
D765,625 S *	9/2016	Akana	D14/248
D783,525 S *	4/2017	Gupta	D13/108
D823,239 S *	7/2018	Gupta	D13/103
D929,317 S *	8/2021	Dinh	D13/103

(Continued)

FIG. 1 shows a top perspective view of a battery cover in an unassembled configuration.
FIG. 2 shows a top plan view of the battery cover in the unassembled configuration.
FIG. 3 shows a bottom plan view of the battery cover in the unassembled configuration.
FIG. 4 shows a front elevation view of the battery cover in the unassembled configuration.
FIG. 5 shows a back elevation view of the battery cover in the unassembled configuration.
FIG. 6 shows a right elevation view of the battery cover in the unassembled configuration.
FIG. 7 shows a left elevation view of the battery cover in the unassembled configuration.
FIG. 8 shows a top perspective view of the battery cover in an assembled configuration; and,
FIG. 9 shows a bottom perspective view of the battery cover in the assembled configuration.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D929,318 S *	8/2021	Browning	D13/103
D929,319 S *	8/2021	Dinh	D13/103
D938,905 S *	12/2021	Jarvis	D13/103
D949,780 S *	4/2022	Diebel	D13/103
D961,594 S *	8/2022	Hill	D14/432
D971,822 S *	12/2022	Shen	D13/103
D974,284 S *	1/2023	Kim	D13/103
D986,165 S *	5/2023	Kinas	D13/108
D999,046 S *	9/2023	Ringwald	D8/343
D1,003,235 S *	10/2023	Lim	D13/103
D1,010,471 S *	1/2024	Nagashima	D9/415
2002/0195992 A1 *	12/2002	Lee	H02J 7/0042 320/112
2023/0029518 A1 *	2/2023	Burke	H01M 50/103

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6



FIG. 7




FIG. 8




FIG. 9