



US0D1040178S

(12) **United States Design Patent**
Stott et al.

(10) **Patent No.: US D1,040,178 S**

(45) **Date of Patent: ** Aug. 27, 2024**

(54) **DISPLAY SCREEN OR PORTION THEREOF WITH GRAPHICAL USER INTERFACE**

D861,714 S * 10/2019 Chen D14/486
D866,581 S * 11/2019 Young D14/491
D894,924 S * 9/2020 Gil-Arias D14/492
D896,252 S * 9/2020 Zhu D14/486

(Continued)

(71) Applicant: **Caterpillar Inc.**, Peoria, IL (US)

(72) Inventors: **Russell Loring Stott**, Chapin, SC (US);
Keith R. Folken, West Peoria, IL (US);
Christopher White, Houston, TX (US);
Ramya Gangishetty, Dunlap, IL (US);
Varun K. Yellichetty, Irving, TX (US);
Patrick Cozad, Canton, IL (US);
Jennifer Heine, Mannheim (DE);
Rajendra Behara, Bangalore (IN)

FOREIGN PATENT DOCUMENTS

EM 015033859-0001 * 9/2023
EM 015033859-0002 * 9/2023

(73) Assignee: **Caterpillar Inc.**, Peoria, IL (US)

(**) Term: **15 Years**

OTHER PUBLICATIONS

Microgrid Controller (Small), posted date unavailable [online], [retrieved Mar. 29, 2024]. Retrieved from internet, <https://s7d2.scene7.com/is/content/Caterpillar/CM20230517-2eb13-303da>. (Year: 2024).*

(Continued)

(21) Appl. No.: **29/852,284**

Primary Examiner — Cary M Robinson
Assistant Examiner — Michelle Devlin

(22) Filed: **Sep. 6, 2022**

(51) **LOC (14) Cl.** **14-04**

(52) **U.S. Cl.**

USPC **D14/486**; D14/492

(58) **Field of Classification Search**

USPC D14/485–495

CPC G06F 3/048; G06Q 30/00; G06Q 30/02;

H03J 1/00; H04N 5/00; H04N 5/08;

H04N 5/14; H04N 5/222; H04N 5/232;

H04N 5/445; H04N 5/45; H04N 5/602;

H04N 21/00; H04N 21/234; H04N

21/431; H04N 21/4532; H04N 21/4622;

H04N 21/47; H04N 21/482; H04N

21/485; H04N 21/488; H04N 21/6547

See application file for complete search history.

(57) **CLAIM**

The ornamental design for a display screen or portion thereof with graphical user interface, as shown and described.

DESCRIPTION

The file of this patent contains at least one drawing/photograph executed in color. Copies of this patent with color drawing(s)/photograph(s) will be provided by the Office upon request and payment of the necessary fee.

The sole FIGURE is a front view of a display screen or portion thereof with graphical user interface showing our new design.

The peripheral dashed broken lines depict a display screen or portion thereof, and form no part of the claimed design. The interior broken lines depict portions of the graphical user interface which form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D608,368 S * 1/2010 Bamford D14/486
D844,640 S * 4/2019 Cipriano D14/485
D851,127 S * 6/2019 Tauban D14/492

1 Claim, 1 Drawing Sheet

(1 of 1 Drawing Sheet(s) Filed in Color)



(56)

References Cited

U.S. PATENT DOCUMENTS

D910,693	S	*	2/2021	Folken	D14/487
D917,510	S	*	4/2021	Lu	D14/485
D928,807	S	*	8/2021	Ramkumar	D14/485
D931,318	S	*	9/2021	Folken	D14/486
D955,416	S	*	6/2022	Prasad	D14/486
D969,852	S	*	11/2022	Folken	D14/486

OTHER PUBLICATIONS

EMCP 4.4 Master Control Panel, posted date unavailable [online], [retrieved Mar. 29, 2024]. Retrieved from internet, <https://s7d2.scene7.com/is/content/Caterpillar/CM20181004-42747-20892>. (Year: 2024).*

Microgrid Controller (Medium), posted date unavailable [online], [retrieved Mar. 29, 2024]. Retrieved from internet, <https://s7d2.scene7.com/is/content/Caterpillar/CM20230517-7147f-42fc8>. (Year: 2024).*

* cited by examiner

	Description	
A1: Breaker Close to Dead Bus Input Configuration		XXXX
A2: Dead Bus Voltage Percentage Threshold		XXXX
A3: Breaker Close to Dead Bus Maximum Time(s)		XXXX
A4: Dead Bus Inconsistent Sensing Warning IEC		XXXX
A5: Generator Ready to Load Threshold Percentage		XXXX
A6: Generator Ready to Load Delay Time(s)		XXXX