



US0D1040342S

(12)

United States Design Patent

Smith et al.

(10)

Patent No.:

US D1,040,342 S

(45)

Date of Patent:

** Aug. 27, 2024

(54) MATERIAL PROPERTY MEASUREMENT DEVICE

(71) Applicant: Innogized Technologies, Inc.,
Cleveland, OH (US)

(72) Inventors: Oliver Smith, Chesterland, OH (US);
Sarah Smith, Chesterland, OH (US)

(73) Assignee: Innogized Technologies, Inc.,
Cleveland, OH (US)

(**) Term: 15 Years

(21) Appl. No.: 29/871,816

(22) Filed: Feb. 28, 2023

(51) LOC (14) Cl. 10-04

(52) U.S. Cl. D10/52
USPC

(58) Field of Classification Search
USPC D10/52, 57
CPC G01N 21/00; G01N 15/08; G01N 25/22;
G01N 25/18; G01N 29/04; G01B 7/06
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

509,169 A * 11/1893 Ireland G01W 1/00
73/29.02

D535,574 S * 1/2007 Miller D10/52

D739,280 S * 9/2015 Petrucelli D10/52

D837,670 S * 1/2019 Wurts D10/80

D876,247 S * 2/2020 Hernandez D10/52

D915,226 S * 4/2021 Matthes D10/52

D960,015 S * 8/2022 McManigal D10/106.6

2021/0396694 A1 * 12/2021 Smith G01N 21/00

FOREIGN PATENT DOCUMENTS

WO 2020092713 A1 5/2020

OTHER PUBLICATIONS

National Science Foundation. "SBIR Phase I: Advanced in-home technologies for infant thermoneutrality" Published on Jul. 17, 2020.

Instagram.com. "Neutsleep" Published on Aug. 7, 2020.

Neutsleep.com "Neutsleep Website" Published Jun. 2020.

Instagram.com. "New Prototype Coming Soon" Published on Feb. 2, 2022.

* cited by examiner

Primary Examiner — Eliza Z Harvey

(74) Attorney, Agent, or Firm — Eschweiler & Potashnik, LLC

(57) CLAIM

The ornamental design for a material property measurement device, as shown and described.

DESCRIPTION

This invention was made with Government support under Award Number 19134080 and Award Number 2051808 awarded by the National Science Foundation. The Government has certain rights to this invention.

FIG. 1 illustrates a rear, top, and right side perspective view of a material property measurement device according to the present invention.

FIG. 2 illustrates a front, bottom, and left side perspective view of the material property measurement device.

FIG. 3 illustrates a top elevation view of the material property measurement device.

FIG. 4 illustrates a bottom elevation view of the material property measurement device.


FIG. 5 illustrates a right side elevation view of the material property measurement device.

FIG. 6 illustrates a left side elevation view of the material property measurement device.

FIG. 7 illustrates a rear elevation view of the material property measurement device; and,

FIG. 8 illustrates a front elevation view of the material property measurement device.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8