



US0D1040361S

(12) **United States Design Patent**  
**Igaue et al.**

(10) **Patent No.:** **US D1,040,361 S**

(45) **Date of Patent:** **\*\* Aug. 27, 2024**

- (54) **WARMER**
- (71) Applicant: **Kobayashi Pharmaceutical Co., Ltd.**,  
Osaka (JP)
- (72) Inventors: **Tsuyoshi Igaue**, Osaka (JP); **Daisaku Nagaike**, Dalton, GA (US)
- (73) Assignee: **Kobayashi Pharmaceutical Co., Ltd.**,  
Osaka (JP)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/887,487**
- (22) Filed: **Mar. 21, 2023**

- 2,602,302 A \* 7/1952 Poux ..... A61F 7/02  
62/530
- 3,075,529 A 1/1963 Young, Jr.
- 4,886,063 A \* 12/1989 Crews ..... A61F 7/02  
62/530
- D321,761 S \* 11/1991 Shimizu ..... D24/187
- D357,742 S \* 4/1995 Peery ..... D24/189
- D380,051 S \* 6/1997 Davis ..... D24/206
- D417,007 S \* 11/1999 Davis ..... D24/206
- D420,746 S \* 2/2000 Cardy ..... D24/224
- D577,607 S \* 9/2008 Friedland ..... D9/707
- D582,047 S 12/2008 Yim
- D583,479 S 12/2008 Yim
- D583,959 S 12/2008 Yim
- D628,705 S \* 12/2010 Usui ..... D24/206
- D670,395 S 11/2012 Wakamatsu et al.
- D728,971 S 5/2015 Harris

(Continued)

**Related U.S. Application Data**

- (62) Division of application No. 29/740,606, filed on Jul. 6, 2020, now Pat. No. Des. 989,330.
- (51) **LOC (14) Cl.** ..... **24-01**
- (52) **U.S. Cl.**  
USPC ..... **D24/206**
- (58) **Field of Classification Search**  
USPC ..... D24/206, 207, 208, 187, 189, 200, 224,  
D24/225; D6/583, 585, 588, 592, 582;  
D9/707, 709, 702  
CPC ..... A61F 2007/0001; A61F 2007/0003; A61F  
2007/0268; A61F 2007/0024; A61F  
2007/0029; A61F 2007/0039; A61F  
2007/0271; A61F 2007/036; A61F  
2007/003; A61F 7/02; A61F 7/03; A61F  
7/034  
See application file for complete search history.

*Primary Examiner* — Wan Laymon

(74) *Attorney, Agent, or Firm* — Sterne, Kessler,  
Goldstein & Fox P.L.L.C.

(57) **CLAIM**

The ornamental design for a warmer, as shown and described.


**DESCRIPTION**

FIG. 1 is a top perspective view of a warmer showing the claimed design;  
 FIG. 2 is a bottom perspective view thereof;  
 FIG. 3 is a top view thereof;  
 FIG. 4 is a bottom view thereof;  
 FIG. 5 is a left side view thereof;  
 FIG. 6 is a right side view thereof;  
 FIG. 7 is a front view thereof; and,  
 FIG. 8 is a rear view thereof.

The dashed broken lines in the figures show portions of the warmer that form no part of the claimed design.  
 The dot-dash broken lines in the figures show boundaries that form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**

- (56) **References Cited**  
U.S. PATENT DOCUMENTS  
1,317,659 A 9/1919 Charles  
2,566,533 A \* 9/1951 Poux ..... A61F 7/02  
156/146



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D762,869	S	8/2016	Beckman et al.
D799,712	S	10/2017	Sundström et al.
D838,375	S	1/2019	Cashin
D906,527	S	12/2020	Igaue et al.
D925,747	S	7/2021	Igaue et al.
2004/0015220	A1	1/2004	Um et al.
2006/0173519	A1	8/2006	Matsuo et al.
2007/0055330	A1*	3/2007	Rutherford ..... A61F 7/007 607/114
2007/0284356	A1	12/2007	Findlay
2008/0141437	A1	6/2008	Braunecker et al.
2010/0191314	A1	7/2010	Young
2020/0030138	A1	1/2020	Samson
2022/0142815	A1	5/2022	Nagaike et al.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8