



US0D1041069S

(12)

United States Design Patent

Sandell et al.

(10)

Patent No.:

US D1,041,069 S

(45)

Date of Patent:

** Sep. 3, 2024

(54) LAMP HEAD

(71) Applicant: ABL IP Holding LLC, Atlanta, GA (US)

(72) Inventors: Donald Robert Sandell, San Jose, CA (US); Timothy Edward Monroe, Lincoln, CA (US)

(73) Assignee: ABL IP Holding LLC, Atlanta, GA (US)

(**) Term: 15 Years

(21) Appl. No.: 29/810,270

(22) Filed: Oct. 4, 2021

(51) LOC (14) Cl. 26-05

(52) U.S. Cl. D26/118; D26/85

(58) Field of Classification Search USPC D26/63, 85, 120, 122, 61, 65, 67-69, 87, D26/113, 118, 138

(Continued)

(56) References Cited

U.S. PATENT DOCUMENTS

5,649,761 A 7/1997 Sandell et al.

D410,863 S * 6/1999 Hasegawa D10/114.2

(Continued)

FOREIGN PATENT DOCUMENTS

CN 304302664 * 9/2017

OTHER PUBLICATIONS

Lithonia Lighting HGX LED 2SH ALO SWW2 120 PE DDB M2 HomeGuard LED Outdoor Security Floodlight, Adjustable Light Output, Switchable CCT, Photocell, 2-Lights, Bronze, available in Amazon.com, date first available Oct. 29, 2021 [online], [site visited Sep. 11, 2023], Available from the internet URL: https://www.

amazon.com/Lithonia-Lighting-HGX-LED-SWW2/dp/B09KNRRMWP/?th=1 (Year: 2021).*

(Continued)

Primary Examiner — Sharon S Oum

Assistant Examiner — Raylen E Worthington

(74) Attorney, Agent, or Firm — Kilpatrick Townsend & Stockton LLP

(57) CLAIM

The ornamental design for a lamp head, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a lamp head.

FIG. 2 is a front view of the lamp head of FIG. 1.

FIG. 3 is a rear view of the lamp head of FIG. 1.

FIG. 4 is a left side view of the lamp head of FIG. 1.

FIG. 5 is a right side view of the lamp head of FIG. 1.

FIG. 6 is a top view of the lamp head of FIG. 1.

FIG. 7 is a bottom view of the lamp head of FIG. 1.

FIG. 8 is a perspective view of the lamp head of FIG. 1 shown in the environment of a light fixture.

FIG. 9 is a front perspective view of a lamp head, showing an alternate embodiment.

FIG. 10 is a mirror image of a front view of the lamp head of FIG. 9.

FIG. 11 is a rear view of the lamp head of FIG. 9.

FIG. 12 is a right side view of the lamp head of 9.

FIG. 13 is a left side view of the lamp head of 9.


FIG. 14 is a top view of the lamp head of 9.

FIG. 15 is a bottom view of the lamp head of FIG. 9; and,

FIG. 16 is a perspective view of the lamp head of FIG. 9 shown in the environment of a light fixture.

The details shown in evenly spaced broken lines illustrate portions of the lamp head and environment and form no part of the claimed design. The dash-dot-dash broken lines represent boundaries of the claimed design and form no part of the claimed design.

1 Claim, 16 Drawing Sheets



(58) **Field of Classification Search**
CPC .. F21S 8/036; F21S 8/043; F21S 8/046; F21S
8/00; F21S 8/033; F21L 4/027; F21L
4/04; F21Y 2101/00; F21V 21/30; F21V
21/26; F21V 21/116; F21V 21/108; F21V
23/0442; F21W 2131/10
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D465,050 S * 10/2002 Crelin D26/85
6,781,129 B2 8/2004 Leen
D553,783 S * 10/2007 Loftus D26/85
D561,369 S * 2/2008 Sandell D26/63
7,543,958 B2 6/2009 Chi et al.
D764,700 S * 8/2016 Chen D26/118
D773,100 S * 11/2016 Guercio D26/85
9,681,516 B2 6/2017 Clark et al.
9,820,350 B2 11/2017 Pyschos et al.
9,892,693 B1 2/2018 Kumar et al.
D823,521 S * 7/2018 Lehman D26/85
D827,184 S * 8/2018 Brennenstuhl D26/85
10,117,300 B2 10/2018 Doheny et al.
D835,834 S * 12/2018 Paredes F21S 8/036
D26/120
D836,230 S * 12/2018 Guercio D26/63
10,163,405 B2 12/2018 Kumar et al.
D840,577 S * 2/2019 Lehman D26/85
D847,404 S * 4/2019 Paredes D26/118
10,299,321 B1 5/2019 Trask et al.
D872,343 S * 1/2020 Lehman D26/85
D875,990 S * 2/2020 Zeng D13/102
D897,587 S * 9/2020 Liu D13/102
D900,379 S * 10/2020 McLaughlin D26/118

D914,944 S * 3/2021 Gowing D26/63
11,170,955 B2 11/2021 Cho et al.
11,346,514 B2 5/2022 Paredes et al.
D956,337 S * 6/2022 McLaughlin D26/118
D995,860 S * 8/2023 Dahan D26/118
2018/0116029 A1 4/2018 Pyschos et al.
2018/0166026 A1 6/2018 Kumar et al.
2018/0310381 A1 10/2018 Bowen et al.
2018/0368232 A1 12/2018 Doheny et al.
2019/0027099 A1 1/2019 Kumar et al.
2019/0088213 A1 3/2019 Kumar et al.

OTHER PUBLICATIONS

Lepower 3000LM LED Flood Light Outdoor, Switch Controlled
LED Security Light, 28W Exterior Lights with 2 Adjustable Heads,
5500K, IP65 Waterproof for Garage, Yard, Patio, available in
Amazon.com, date first available Jan. 1, 2020 [online], [site visited
Sep. 11, 2023], Available from the internet URL: <https://www.amazon.com/LEPOWER-Controlled-Security-Adjustable-Waterproof/dp/B083DDLYCR/> (Year: 2020).
Good Earth Lighting, Available online at <https://www.lowes.com/pd/Good-Earth-Lighting-180-Degree-400-Lumen-Bronze-Integrated-LED-Motion-Activated-Flood-Light-with-Timer/1000940366>, 2020,
5 pages.
OVFL 2RH Floodlight, 2-Head LED Security Floodlight, Lithonia
Lighting, Available online at <https://www.acuitybrands.com/products/detail/802563/lithonia-lighting/ovfl-2rh-floodlight/2-head-led-security-floodlight>, 2016, 2 pages.
U.S. Appl. No. 17/492,922, “Non-Final Office Action,” Mar. 3,
2023, 8 pages.
U.S. Appl. No. 17/492,922, “Non-Final Office Action”, Jan. 23,
2024, 10 pages.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16