

US0D1041976S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,041,976 S**
Cruver, IV et al. (45) **Date of Patent:** **** Sep. 17, 2024**

(54) **SHELF NOSE**

(71) Applicant: **Sub-Zero Group, Inc.**, Madison, WI (US)

(72) Inventors: **Curtis Leroy Cruver, IV**, Elmhurst, IL (US); **Stephen Andrew Derfiny**, Park Ridge, IL (US)

(73) Assignee: **Sub-Zero Group, Inc.**, Madison, WI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/765,149**

(22) Filed: **Jan. 6, 2021**

(51) **LOC (14) Cl.** **06-06**

(52) **U.S. Cl.**
USPC **D6/705**

(58) **Field of Classification Search**
USPC ... D6/320, 553–555, 574, 675, 675.1, 675.2, D6/675.5, 700, 702, 705, 705.4, 705.5; D25/119, 125–126; D8/349, 354, 373
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D230,115 S * 1/1974 Beams D8/394
D273,649 S * 5/1984 Spamer D25/119
(Continued)

Primary Examiner — Kelley A Donnelly

(74) *Attorney, Agent, or Firm* — Bell & Manning, LLC

(57) **CLAIM**

We claim the ornamental design for a shelf nose, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, right perspective view of a shelf nose showing our new design in its environment;

FIG. 2 is a top, front, right perspective view of a first embodiment of the shelf nose of FIG. 1, where a non-transparent material, as indicated by the pattern in the legend, is different from a remainder of the shelf nose;

FIG. 3 is a front elevation view of the shelf nose of FIG. 2; FIG. 4 is a back elevation view of the shelf nose of FIG. 2; FIG. 5 is a left elevation view of the shelf nose of FIG. 2; FIG. 6 is a right elevation view of the shelf nose of FIG. 2; FIG. 7 is a top plan view of the shelf nose of FIG. 2; FIG. 8 is a bottom elevation view of the shelf nose of FIG. 2;

FIG. 9 is a top, front, right perspective view of a second embodiment of the shelf nose of FIG. 1, where a metallic material, as indicated by the pattern in the legend, is different from a remainder of the shelf nose;

FIG. 10 is a front elevation view of the shelf nose of FIG. 9;

FIG. 11 is a back elevation view of the shelf nose of FIG. 9; FIG. 12 is a left elevation view of the shelf nose of FIG. 9; FIG. 13 is a right elevation view of the shelf nose of FIG. 9; FIG. 14 is a top plan view of the shelf nose of FIG. 9; FIG. 15 is a bottom elevation view of the shelf nose of FIG. 9;


FIG. 16 is a top, front, right perspective view of a third embodiment of the shelf nose of FIG. 1, where a metallic material and a white material, as indicated by the pattern in the legend, are used;

FIG. 17 is a front elevation view of the shelf nose of FIG. 16;

FIG. 18 is a back elevation view of the shelf nose of FIG. 16; FIG. 19 is a left elevation view of the shelf nose of FIG. 16; FIG. 20 is a right elevation view of the shelf nose of FIG. 16; FIG. 21 is a top plan view of the shelf nose of FIG. 16; and, FIG. 22 is a bottom elevation view of the shelf nose of FIG. 16.

The broken lines in FIGS. 1-22 are included for the purpose of illustrating portions of the shelf nose that form no part of the claimed design. The shelf nose is shown broken in one place along the length direction in FIGS. 2-4, 7-11, 14-18, and 21-22 to indicate indeterminate length, with the understanding that the “indeterminate” length portion of the shelf

(Continued)



nose not shown forms no part of the claimed design.
Patentability is based only on those portions of the article
that are shown in solid lines.

1 Claim, 19 Drawing Sheets

(58) Field of Classification Search

CPC A47B 96/021; A47B 96/06; A47B 96/066;
A47B 96/14; A47B 47/00; A47B
47/0041; A47B 47/0083; A47B 47/027;
A47F 5/0043; A47F 5/08; A47F 5/0807;
H05K 7/183; H05K 7/14; H05K 7/18;
B63B 32/77; B63B 32/83

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D306,878 S * 3/1990 Crowley D20/43
D324,575 S * 3/1992 Davis D25/119
D328,139 S * 7/1992 Boer D25/119

D336,525 S * 6/1993 Clemons D25/119
D341,508 S * 11/1993 Cooper D6/702
D344,423 S * 2/1994 Pate D6/705
D593,783 S * 6/2009 Golias, Jr. D6/705
D595,069 S * 6/2009 Berry D25/119
D597,742 S * 8/2009 Skinner D25/119
D597,743 S * 8/2009 Skinner D25/119
D674,221 S * 1/2013 Kim D6/702
D711,022 S * 8/2014 Singh D25/119
D718,876 S * 12/2014 Smedberg D25/136
D728,979 S * 5/2015 K’Nell D6/675.3
D735,355 S * 7/2015 Bodwell D25/119
D742,545 S * 11/2015 Singh D25/119
D747,120 S * 1/2016 Ng D6/580
D794,833 S * 8/2017 Singh D25/119
D809,675 S * 2/2018 Singh D25/119
D814,060 S * 3/2018 Singh D25/119
D822,228 S * 7/2018 Wang D25/119
D824,045 S * 7/2018 Singh D25/119
D831,855 S * 10/2018 Hynek D25/119
D982,365 S * 4/2023 Tisbo D6/705
D984,835 S * 5/2023 Hanlon D6/702
D1,008,490 S * 12/2023 Mumford, Sr. D25/119
D1,018,423 S * 3/2024 Tyrer D12/400

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 13




FIG. 12




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22