



US0D1044390S

(12)

United States Design Patent

Dean

(10)

Patent No.:

US D1,044,390 S

(45)

Date of Patent:

** Oct. 1, 2024

(54) LID FOR BEVERAGE CONTAINER

(71) Applicant: The Coleman Company, Inc., Wichita, KS (US)

(72) Inventor: Matthew Dean, Parchment, MI (US)

(73) Assignee: The Coleman Company, Inc., Wichita, KS (US)

(**) Term: 15 Years

(21) Appl. No.: 29/818,479

(22) Filed: Dec. 9, 2021

(51) LOC (14) Cl. 07-02

(52) U.S. Cl. D7/392.1

(58) Field of Classification Search

USPC D7/392, 387, 396.1, 396.2, 397, 509, D7/510, 511, 543, 300.1, 608, 523, 591, D7/597, 598, 605; D9/516, 529, 541, D9/544, 545, 546, 549, 559, 772, 777, D9/778, 780, 434, 435

CPC .. A47G 19/22; A47G 19/228; A47G 19/2216; A47G 19/2222; A47G 19/2205; A47G 19/2266; A47G 19/2272; A47G

(Continued)

(56) References Cited

U.S. PATENT DOCUMENTS

D730,694 S * 6/2015 Elsaden D7/511

D739,174 S * 9/2015 Elsaden D7/392.1

(Continued)

OTHER PUBLICATIONS

PowerMax Fitness PSB-7, available in navafresh.com, announced Year unknown, site visited May 4, 2023, Internet URL: <https://www.navafresh.com/products/powermax-fitness-psb7-plastic-leak-proof-class-portable-protein-shaker-bottle-with-measurement-line-black-700ml> (Year: 2023).*

(Continued)

Primary Examiner — Andrew Kerr

Assistant Examiner — Courtney Clark-Rasheed

(57) CLAIM

The ornamental design for the lid for beverage container, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the lid for beverage container showing my new design.

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a rear perspective view thereof shown in a condition of use;

FIG. 9 is a rear perspective view thereof shown in another condition of use;

FIG. 10 is a front perspective view thereof shown in another condition of use;

FIG. 11 is a front view thereof;

FIG. 12 is a rear view thereof;

FIG. 13 is left side view thereof;

FIG. 14 is a right side view thereof;

FIG. 15 is a top view thereof;

FIG. 16 is a bottom view thereof;

FIG. 17 is a rear elevation view thereof shown in another condition of use;

FIG. 18 is a left view thereof;

FIG. 19 is a rear elevation view thereof shown in another condition of use;


FIG. 20 is a left view thereof;

FIG. 21 is a bottom perspective view thereof shown in another condition of use; and,

FIG. 22 is a rear view thereof.

The broken lines depict portions of the lid for beverage container that form no part of the claimed design.

1 Claim, 22 Drawing Sheets



(58) **Field of Classification Search**
CPC 23/0241; A45F 3/16; A45F 3/18; A47J
43/02; A47J 43/27; B65D 41/02; B65D
41/04; B65D 41/06; B65D 41/26; B65D
41/056; B65D 43/00; B65D 43/02; B65D
1/06
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D758,127 S * 6/2016 Zhao D7/392.1
D781,104 S * 3/2017 Cerasani D7/300.1
D807,110 S 1/2018 Lown
D878,853 S * 3/2020 Omdahl, II D9/449
D878,855 S * 3/2020 Nucci D7/392.1
D893,261 S 8/2020 Lown
D913,036 S 3/2021 Steenari
D942,209 S * 2/2022 Hao D7/392.1

OTHER PUBLICATIONS

Pour and Store Lid, available in masonjarlifestyle.com, customer review oldest date Oct. 26, 2020, site visited May 4, 2023, Internet URL: <https://masonjarlifestyle.com/product/pour-store-lid-with-carry-loop-for-regular-mouth-mason-jars/?attribute_pa_mouth-size=regular-mouth&attribute_pa=> (Year: 2020).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22