



US0D1046802S

(12)

United States Design Patent

Gumino et al.

(10)

Patent No.:

US D1,046,802 S

(45)

Date of Patent:

** Oct. 15, 2024

(54) RESISTOR

(71) Applicant: Richardson Electronics, Ltd., Lafox, IL (US)

(72) Inventors: Brian Christopher Gumino, Lafox, IL (US); Jeremy Winston Wilks, Lafox, IL (US); John Raymond Curran, Lafox, IL (US)

(73) Assignee: Richardson Electronics, Ltd., Lafox, IL (US)

(**) Term: 15 Years

(21) Appl. No.: 29/865,713

(22) Filed: Aug. 9, 2022

(51) LOC (14) Cl. 13-03

(52) U.S. Cl. USPC D13/125

(58) Field of Classification Search
USPC D13/123, 125, 160, 161, 168, 171, 184, D13/199; D10/46, 70, 74; D8/356, 360; D14/140, 140.6, 299, 301, 357-358, 433, D14/439; D15/199; D16/218; D23/411; D34/35

CPC G01B 5/12; H01C 10/38; H01C 10/40; H01C 10/44; H01H 13/08; H01H 13/6395
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

3,488,890	A *	1/1970	Owens	B24B 49/00
				451/28
4,870,472	A *	9/1989	Vyne	H01C 17/267
				338/92
5,945,905	A *	8/1999	Mazzochette	H01C 1/08
				338/313
5,953,811	A *	9/1999	Mazzochette	H01C 17/22
				29/874

6,709,944	B1 *	3/2004	Durocher	B29C 59/14
				438/384
D758,970	S *	6/2016	Featherstone	D13/125
9,396,849	B1 *	7/2016	Wyatt	H01C 7/001
D845,906	S *	4/2019	Marten	D13/147
D855,569	S *	8/2019	Featherstone	D13/125
D925,453	S *	7/2021	Kim	D13/154
D962,869	S *	9/2022	Ohtani	D13/125
D974,879	S *	1/2023	Wu	D8/382
2023/0081784	A1 *	3/2023	Noll	G01R 15/146
				338/322
2023/0170112	A1 *	6/2023	Kameko	G01R 15/146
				324/126

(Continued)

OTHER PUBLICATIONS

[Uxcell Shunt Resistor], date first available of Nov. 18, 2018 [online], [retrieved Jan. 26, 2024]. Retrieved from internet, <<https://www.amazon.com/uxcell-Resistor-Current-External-Resistance/dp/B07KNHKFD1>> (Year: 2018).*

(Continued)

Primary Examiner — Elizabeth J Oswecki
(74) Attorney, Agent, or Firm — Erise IP, P.A.


(57) CLAIM

The ornamental design for a resistor as shown and described.

DESCRIPTION

FIG. 1 is an upper perspective view of a resistor;
FIG. 2 is a lower perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a left side view thereof;
FIG. 7 is a top view thereof; and,
FIG. 8 is a bottom view thereof.
The broken lines in the drawings illustrate portions of the article that form no part of the claimed design.

1 Claim, 3 Drawing Sheets



References Cited

2023/0194572	A1 *	6/2023	Osawa	G01R 1/203 338/329
2023/0287540	A1 *	9/2023	Kanauchi	H01C 13/00
2023/0326633	A1 *	10/2023	Hu	G01R 1/203

S Series High Current Shunts, Ohmite Manufacturing Company, pp. 161-162, www.ohmite.com.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8