



US0D1047471S

(12)

United States Design Patent

Mo et al.

(10)

Patent No.:

US D1,047,471 S

(45)

Date of Patent:

** Oct. 22, 2024

(54) CHILD SAFETY SEAT

(71) Applicant: Wonderland Switzerland AG,
Steinhausen (CH)

(72) Inventors: Xiaolong Mo, Guangdong (CN);
Xiaoqing Chen, Guangdong (CN);
Yu-Ya Su, Taipei (TW); Laura Ashley
Gamble, Denver, PA (US); I-Ting Yeh,
Taipei (TW); Ling-Yi Lo, Taipei (TW)

(73) Assignee: Wonderland Switzerland AG,
Steinhausen (CH)

(**) Term: 15 Years

(21) Appl. No.: 29/852,553

(22) Filed: Sep. 8, 2022

(51) LOC (14) Cl. 06-01

(52) U.S. Cl.
USPC D6/333

(58) Field of Classification Search
USPC D6/333–336, 338–339, 491, 716,
D6/716.1–716.7; D12/129; D21/412,
D21/419
CPC A47D 13/02; A47D 13/10; A47D 1/00;
A47D 1/002; A47D 1/004; B60N 2/22;
B60N 2/24; A47C 7/021; A47C 7/022;
A47C 7/002; A47C 7/18; A47C 7/24;
A47C 3/00; A47C 3/02; A47C 3/025;
A47C 3/20; A47C 1/00; A47C 1/02;
A47C 1/04; A47C 1/06
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D746,072 S * 12/2015 Haley D6/333
D925,240 S * 7/2021 Imrich D6/333

D976,014 S * 1/2023 Duan D6/333
D992,911 S * 7/2023 Sowell D6/333
D1,007,922 S * 12/2023 Bowers D6/333
D1,010,328 S * 1/2024 Gelderen D6/333

FOREIGN PATENT DOCUMENTS

CN 305831865 S 6/2020
CN 306624499 S 6/2021
CN 307319640 S 5/2022
CN 307355302 S 5/2022
JP 1718754 7/2022
KR 30-0823282 11/2015

(Continued)

Primary Examiner — Abraham Bahta

(74) Attorney, Agent, or Firm — Winston Hsu


(57) CLAIM

The ornamental design for a child safety seat, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, right side perspective view of a child safety seat wherein the support anchor is in a retracted position showing our new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a left side elevation view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a top, front, right side perspective view of the child safety seat in FIG. 1 wherein the support anchor is in an extended position;
FIG. 8 is a front elevation view thereof;
FIG. 9 is a rear elevation view thereof;
FIG. 10 is a left side elevation view thereof;
FIG. 11 is a right side elevation view thereof; and,
FIG. 12 is a top plan view thereof.
The broken lines depict portions of child safety seat that form no part of the claimed design.

1 Claim, 12 Drawing Sheets



(56) **References Cited**

FOREIGN PATENT DOCUMENTS

KR	30-1088640	12/2020
KR	30-1176463-0001	8/2022
TW	D215336 S	11/2021
TW	D215979 S	12/2021
TW	D217178 S	2/2022
TW	202229052 A	8/2022

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12