



US0D1047668S

(12) **United States Design Patent**
Misener et al.

(10) Patent No.: **US D1,047,668 S**

(45) Date of Patent: **** Oct. 22, 2024**

(54) HOOK	D758,172 S * 6/2016 Hung D8/367
	D765,497 S * 9/2016 Petzl D8/367
(71) Applicant: SHURTECH BRANDS LLC , Avon, OH (US)	D801,156 S * 10/2017 Hung D8/367
	D819,429 S * 6/2018 Newing D8/356
	D837,635 S * 1/2019 Petzl D8/356
	D843,814 S * 3/2019 Cariano D8/356
(72) Inventors: Aaron Misener , Lakewood, OH (US); Heidi Carrion , Avon, OH (US); Menno Mulholland , Vancouver (CA); Matthew Hunsberger , Vancouver (CA)	D852,609 S * 7/2019 LeBeau D8/356
	D863,046 S * 10/2019 Cariano D8/356
	D893,122 S * 8/2020 Saeger D34/35
	D932,879 S * 10/2021 Austin D8/367
	D951,077 S * 5/2022 Lv D8/367
(73) Assignee: SHURTECH BRANDS LLC , Avon, OH (US)	D976,687 S * 1/2023 Betzler D8/367
	D1,008,005 S * 12/2023 Yang D8/367
	D1,024,736 S * 4/2024 Wang D8/367
(**) Term: 15 Years	2013/0219673 A1 * 8/2013 Perner F16B 45/028 24/375
(21) Appl. No.: 29/830,640	2014/0110956 A1 * 4/2014 Lin B66C 1/36 294/82.2
(22) Filed: Mar. 14, 2022	2014/0138191 A1 * 5/2014 Chabod A62B 1/14 188/65.1
	2014/0245576 A1 * 9/2014 Perner F16B 45/023 24/600.1

Related U.S. Application Data

(62) Division of application No. 29/713,019, filed on Nov. 13, 2019, now Pat. No. Des. 948,996.

(51) **LOC (14) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/367**; D8/356

(58) **Field of Classification Search**
USPC D8/356, 354, 105, 349, 367; D3/207
CPC B65H 57/16; B63B 21/045; A63B 29/08;
A63B 27/02; F16B 45/02
See application file for complete search history.

(Continued)

Primary Examiner — Cynthia R Underwood

(74) *Attorney, Agent, or Firm* — LIPPES MATHIAS LLP

(56) **References Cited**

U.S. PATENT DOCUMENTS

D417,386 S * 12/1999 Huston D8/367

7,845,467 B2 * 12/2010 Petzl A62B 1/14
182/71

D730,159 S * 5/2015 Grimm D8/356

D730,722 S * 6/2015 Grimm D8/356

D738,196 S * 9/2015 Petzl D8/356


(57) **CLAIM**

The ornamental design for a hook as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the hook having a fixed cord attachment mechanism;
FIG. 2 is a first side view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is a top view thereof;
FIG. 6 is a second side view thereof; and,
FIG. 7 is a front view thereof.
The broken lines depict an environment of use and form no part of the claim.

1 Claim, 3 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

2015/0231423	A1 *	8/2015	Perner	F16B 45/026 24/518
2016/0230804	A1 *	8/2016	Huang	F16B 45/023
2016/0361578	A1 *	12/2016	Casebolt	A45F 5/02
2016/0376129	A1 *	12/2016	Hendrix	F16B 45/021 294/82.2

* cited by examiner




FIG. 1




FIG. 5




FIG. 2




FIG. 4




FIG. 3




FIG. 6




FIG. 7