



US0D1047881S

(12)

United States Design Patent

De Rosa

(10)

Patent No.:

US D1,047,881 S

(45)

Date of Patent:

\*\* Oct. 22, 2024

(54) **TIRE**

(71) Applicant: **Bridgestone Europe NV/SA**, Zaventem (BE)

(72) Inventor: **Emiliano De Rosa**, Rome (IT)

(73) Assignee: **Bridgestone Europe NV/SA**, Zaventem (BE)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/877,531**

(22) Filed: **Jun. 8, 2023**

**Related U.S. Application Data**

(62) Division of application No. 29/784,614, filed on May 20, 2021, now Pat. No. Des. 992,494.

**Foreign Application Priority Data**

Dec. 3, 2020 (EM) ..... 008308357-0001  
Dec. 3, 2020 (EM) ..... 008308357-0002

(51) **LOC (14) Cl.** ..... **12-15**

(52) **U.S. Cl.**  
USPC ..... **D12/604**

(58) **Field of Classification Search**  
USPC ..... D12/568–605, 900, 901  
CPC ..... Y10T 152/10027; B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17  
See application file for complete search history.

**References Cited**

**U.S. PATENT DOCUMENTS**

D635,915 S \* 4/2011 Hamada ..... D12/588  
D719,907 S \* 12/2014 Ohara ..... D12/588  
D730,273 S \* 5/2015 Schimmoeller ..... D12/601

D815,024 S \* 4/2018 Flynn ..... D12/604  
D850,360 S \* 6/2019 Davenport ..... D12/600  
D956,676 S \* 7/2022 Wang ..... D12/588  
D963,554 S \* 9/2022 Proietti ..... D12/521  
D964,915 S \* 9/2022 Proietti ..... D12/521  
D976,195 S \* 1/2023 Wang ..... D12/588  
D980,157 S \* 3/2023 Reygrobellet ..... D12/588  
D984,361 S \* 4/2023 Jacobs ..... D12/521  
D984,362 S \* 4/2023 Jacobs ..... D12/521  
D986,155 S \* 5/2023 Bortolet ..... D12/588  
D992,494 S \* 7/2023 De Rosa ..... D12/521

(Continued)

Primary Examiner — John A Voytek  
(74) Attorney, Agent, or Firm — Shaun J. Fox


**CLAIM**

The ornamental design for a tire as shown and described.

**DESCRIPTION**

FIG. 1 is a side perspective view of a tire showing my new design, it being understood that the tread pattern is repeated throughout the circumference of the tire, the opposite side being the same as that shown;  
FIG. 2 is a front elevational view of the tire;  
FIG. 3 is a side elevational view of the left side of the tire;  
FIG. 4 is a side elevational view of the right side of the tire;  
FIG. 5 is an enlarged fragmentary view taken along line 5-5 of FIG. 2;  
FIG. 6 is a first transversal section view of the tire taken along line 6-6 of FIG. 9;  
FIG. 7 is a second transversal section view of the tire taken along line 7-7 of FIG. 9;  
FIG. 8 is a third transversal section view of the tire taken along line 8-8 of FIG. 9; and  
FIG. 9 is an enlarged fragmentary view of FIG. 5 with section lines related to FIG. 6, FIG. 7, and FIG. 8.  
In the drawings, the broken lines depict environmental subject matter that form no part of the claimed design.

**1 Claim, 9 Drawing Sheets**



(56)                   **References Cited**

U.S. PATENT DOCUMENTS

|            |   |   |         |          |       |         |
|------------|---|---|---------|----------|-------|---------|
| D993,155   | S | * | 7/2023  | Pingenat | ..... | D12/588 |
| D1,003,228 | S | * | 10/2023 | Guilford | ..... | D12/588 |

\* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9