



US0D1049025S

(12)

United States Design Patent

Wu

(10)

Patent No.:

US D1,049,025 S

(45)

Date of Patent:

** Oct. 29, 2024

(54) USB CHARGER SOCKET

(71) Applicant: Guangzhou Yiheng Technology Co., Ltd., Guangzhou (CN)

(72) Inventor: Xiaoying Wu, Guangzhou (CN)

(73) Assignee: Guangzhou Yiheng Technology Co., Ltd.

(**) Term: 15 Years

(21) Appl. No.: 29/842,640

(22) Filed: Jun. 15, 2022

(51) LOC (14) Cl. 13-02

(52) U.S. Cl. D13/108

(58) Field of Classification Search

USPC D13/103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 114, 118, 119, 122, 184, 199, 137.1, 137.2, 137.3, 137.4, 139.1, 139.7; D14/251, 253, 432, 434, 447

CPC .. H02J 50/00; H02J 50/10; H02J 50/12; H02J 50/80; H02J 7/025; H02J 7/005; H02J 7/02; H02J 7/0026; H02J 7/0044; H02J 7/0045; H02J 7/0003; H02J 7/0013

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D683,314 S * 5/2013 Andre D13/108

D693,306 S * 11/2013 Chuang D13/139.1

D702,631 S * 4/2014 Esses D13/108

D756,303 S * 5/2016 Kellenberger D13/137.1

D815,035 S * 4/2018 Xu D13/107

D841,582 S * 2/2019 Tian D13/108

D852,138 S * 6/2019 Wen D13/137.1

D894,837 S * 9/2020 Chen D13/139.7

D914,610 S * 3/2021 Lyu D13/139.1

D926,682 S * 8/2021 Liao D13/108

D928,706 S * 8/2021 Akana D13/110

D935,396 S * 11/2021 Liao D14/433

D937,216 S * 11/2021 Tao D13/139.1

D948,428 S * 4/2022 Li D13/108

(Continued)

FOREIGN PATENT DOCUMENTS

CN 307608748 * 10/2022

CN 308405606 * 1/2024

GB 6209832 * 5/2022

OTHER PUBLICATIONS

“USB Outlet Extender Surge Protector—with Rotating Plug, 6 AC Multi Plug and 3 USB Ports (1 C), 1800 Joules, 3-Sided Swivel Power Strip Spaced Splitter for Home, Office, Travel”, first available Mar. 4, 2021. Amazon.com [https://www.amazon.com/USB-Outlet-Extender-Surge-Protector/dp/B08XZNCHHD] (Year: 2021).*

Primary Examiner — Rosemary K Tarcza

Assistant Examiner — Seth David Kumpf

(74) Attorney, Agent, or Firm — Jose Cherson Weissbrot

(57)


CLAIM

The ornamental design for a USB charger socket, as shown and described.

DESCRIPTION

FIG. 1 is a first perspective view of a USB charger socket showing my new design;
FIG. 2 is a second perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a back view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof;
FIG. 7 is a top view thereof; and,
FIG. 8 is a bottom view thereof.
The broken lines shown in the drawings depict portions of the USB charger socket that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D958,742	S	*	7/2022	Akana	D13/110
D958,754	S	*	7/2022	Huang	D13/139.7
D983,134	S	*	4/2023	Tang	D13/107
D993,170	S	*	7/2023	Zhang	D13/107
D1,030,677	S	*	6/2024	Li	D13/137.2

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8