



US0D1050056S

(12)

United States Design Patent

Brockman et al.

(10)

Patent No.:

US D1,050,056 S

(45)

Date of Patent:

\*\* Nov. 5, 2024

(54) STATE OF CHARGE INDICATOR

(71) Applicant: CPS Technology Holdings LLC, New York, NY (US)

(72) Inventors: Daryl C. Brockman, Shorewood, WI (US); Gerald Jay Demirjian, Auburn, NH (US); Timothy Corcoran Repp, Barkhamsted, CT (US)

(73) Assignee: CPS Technology Holdings LLC, New York, NY (US)

(\*\*) Term: 15 Years

(21) Appl. No.: 29/858,386

(22) Filed: Oct. 31, 2022

(51) LOC (14) Cl. 13-03

(52) U.S. Cl. USPC D13/168; D13/107

(58) Field of Classification Search USPC D13/103, 107, 118, 119, 123, 124, 133, D13/162, 168; D10/65, 78, 104.1; D14/218  
CPC H02J 7/00; H02J 7/0042; H02J 7/0045; H02J 7/0047; H02J 7/0048; H02J 7/04; H02J 7/041  
See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D216,374 S \* 12/1969 Yran D28/50

D364,162 S \* 11/1995 Dagan D14/188

D364,825 S \* 12/1995 Brodeur D10/73

D467,911 S \* 12/2002 Lee D14/243

D506,982 S \* 7/2005 Murtaugh D13/168

D527,712 S \* 9/2006 Indio da Costa D13/168

|              |    |   |         |             |                        |
|--------------|----|---|---------|-------------|------------------------|
| D529,902     | S  | * | 10/2006 | Tan         | D14/225                |
| D550,654     | S  | * | 9/2007  | Miyawaki    | D14/218                |
| D688,232     | S  | * | 8/2013  | Zhang       | D14/218                |
| D725,032     | S  | * | 3/2015  | Demirjian   | D13/107                |
| D767,510     | S  | * | 9/2016  | Zheng       | D13/168                |
| D1,031,660   | S  | * | 6/2024  | Brockman    | D13/133                |
| 2008/0174269 | A1 | * | 7/2008  | DeRome      | H02J 7/0049<br>320/112 |
| 2011/0187322 | A1 | * | 8/2011  | Inskeep     | H02J 7/04<br>320/109   |
| 2013/0181657 | A1 | * | 7/2013  | Eidsvig     | H02J 7/0071<br>320/110 |
| 2015/0318725 | A1 | * | 11/2015 | Brockman    | H01M 10/486<br>320/162 |
| 2015/0349577 | A1 | * | 12/2015 | Breitenbach | H02J 50/90<br>320/108  |
| 2017/0331162 | A1 | * | 11/2017 | Clarke      | H02J 7/007192          |
| 2018/0299512 | A1 | * | 10/2018 | Yin         | H02J 7/0042            |

\* cited by examiner

Primary Examiner — Selina Sikder

(74) Attorney, Agent, or Firm — Weisberg I.P. Law, P.A.

(57) CLAIM


The ornamental design for a state of charge indicator as shown and described.


DESCRIPTION

FIG. 1 is top perspective view of a state of charge indicator; FIG. 2 is a top view thereof; FIG. 3 is a bottom view thereof; FIG. 4 is a right side view thereof; FIG. 5 is a left side view thereof; FIG. 6 is a front view thereof; and, FIG. 7 is a rear view thereof.


The broken lines in the drawings represent unclaimed environmental subject matter and form no part of the claimed design.

1 Claim, 6 Drawing Sheets







*FIG. 1*




**FIG. 2**




**FIG. 3**




**FIG. 4**



**FIG. 5**



***FIG. 6***



***FIG. 7***

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : D1,050,056 S  
APPLICATION NO. : 29/858386  
DATED : November 5, 2024  
INVENTOR(S) : Daryl C. Brockman, Gerald Jay Demirjian and Timothy Corcoran Repp

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

In Item (57), under “DESCRIPTION”, in Column 2, Line 1, delete “is top” and insert -- is a top --, therefor.

Signed and Sealed this  
Fourteenth Day of January, 2025

A handwritten signature in black ink, appearing to read "Derrick A. Brent", written in a cursive style.

Derrick Brent  
*Acting Director of the United States Patent and Trademark Office*