



US0D1050528S

(12)

United States Design Patent

Adami et al.

(10)

Patent No.:

US D1,050,528 S

(45)

Date of Patent:

** Nov. 5, 2024

(54) PATH LIGHT

(71) Applicant: Landscape Forms, Inc., Kalamazoo, MI (US)

(72) Inventors: Tobias Adami, Munich (DE); Kirt D. Martin, Ada, MI (US); Brian P. Revoir, Vicksburg, MI (US); Jacob M. Meyers, Mattawan, MI (US)

(73) Assignee: Landscape Forms, Inc., Kalamazoo, MI (US)

(**) Term: 15 Years

(21) Appl. No.: 29/792,013

(22) Filed: Feb. 25, 2022

(51) LOC (14) Cl. 26-05

(52) U.S. Cl. USPC D26/68

(58) Field of Classification Search USPC D26/24, 67, 68, 71, 72, 93, 104; D25/126

(Continued)

(56) References Cited

U.S. PATENT DOCUMENTS

D387,167 S 12/1997 Klein
D432,816 S 10/2000 Hellwig et al.
(Continued)

OTHER PUBLICATIONS

Tobias Adami et al., Design U.S. Appl. No. 29/910,455, filed Aug. 21, 2023, entitled "Bench".
(Continued)

Primary Examiner — Cary M Robinson
Assistant Examiner — Julie Marie Bailey
(74) Attorney, Agent, or Firm — Heslin Rothenberg Farley & Mesiti P.C.

(57) CLAIM


The ornamental design for a path light as shown and described.

DESCRIPTION

This application is related to commonly assigned, co-filed U.S. design patent application Ser. No. 29/792,009, filed on Feb. 25, 2022, by Adami et al., entitled "Lighting Fixture"; commonly assigned, co-filed U.S. design patent application Ser. No. 29/792,011, filed on Feb. 25, 2022, by Adami et al., entitled "Lighting Fixture"; commonly assigned, co-filed U.S. design patent application Ser. No. 29/792,012, filed on Feb. 25, 2022, by Adami et al., entitled "Bench"; and commonly assigned, co-filed U.S. design patent application Ser. No. 29/792,014, filed on Feb. 25, 2022, by Adami et al., entitled "Bench End", which applications are incorporated herein by reference in their entirety.

FIG. 1 is a front right perspective view of a path light, according to the new design;
FIG. 2 is a front right perspective view thereof;
FIG. 3 is a front left perspective view thereof;
FIG. 4 is a rear left perspective view thereof;
FIG. 5 is a rear left perspective view thereof;
FIG. 6 is a rear right perspective view thereof;
FIG. 7 is a front elevational view thereof;
FIG. 8 is a right side elevational view thereof;
FIG. 9 is a left side elevational view thereof;
FIG. 10 is a rear elevational view thereof;
FIG. 11 is a top view thereof;
FIG. 12 is a bottom view thereof;
FIG. 13 is a front right perspective view of an alternative embodiment of the path light, according to the new design;
FIG. 14 is a front right perspective view thereof;
FIG. 15 is a front left perspective view thereof;
FIG. 16 is a rear left perspective view thereof;
FIG. 17 is a rear left perspective view thereof;
FIG. 18 is a rear right perspective view thereof;
FIG. 19 is a front elevational view thereof;
FIG. 20 is a right side elevational view thereof;
FIG. 21 is a left side elevational view thereof;
FIG. 22 is a rear elevational view thereof;
FIG. 23 is a top view thereof; and,
FIG. 24 is a bottom view thereof.

(Continued)



The broken lines in the drawings illustrate portions of the path light which form no part of the claimed design.

1 Claim, 22 Drawing Sheets

(58) Field of Classification Search

CPC F21S 6/004; F21S 6/005; F21S 8/08; F21S 8/083; F21W 2131/10; F21W 2131/109; F21W 2111/023

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D440,416 S 4/2001 Olofson
D474,345 S 5/2003 Pessio
D485,093 S 1/2004 De Blois
D524,067 S 7/2006 Spear
D571,495 S * 6/2008 Berns D26/68
D624,328 S 9/2010 Grandin et al.
D627,523 S 11/2010 Bise
D653,371 S * 1/2012 Compton D26/68
D665,939 S * 8/2012 Compton D26/68
D670,848 S * 11/2012 Reo D26/68
D688,476 S 8/2013 Metcalf et al.
8,770,801 B1 * 7/2014 Berns F21S 8/083
362/310
D722,190 S * 2/2015 Rommens D26/68
D773,710 S * 12/2016 Ahrari D26/68
D774,677 S * 12/2016 Lehman D26/68
D812,798 S * 3/2018 Wu D26/68
D825,809 S * 8/2018 Sonneman D26/68
D831,253 S * 10/2018 Vyvey D26/68
D831,258 S * 10/2018 Wiedemer D26/85

D844,876 S * 4/2019 Eberts D26/68
D856,011 S 8/2019 Hawkins
D870,725 S * 12/2019 Yüksek D14/900
D883,723 S 5/2020 Grossinger et al.
D908,385 S 1/2021 Hahne et al.
D940,329 S 1/2022 Atkinson
D945,675 S * 3/2022 Flindt D26/69
D953,767 S 6/2022 Menchions et al.
D965,317 S 10/2022 Mechions et al.
2018/0313504 A1 * 11/2018 Eberts F21V 15/015

OTHER PUBLICATIONS

Press Release, “Landscape Forms Introduces Innovative Seating & Lighting Typology Collection in Partnership with Designworks, a BMW Group Company,” Landscape Forms, Inc., Kalamazoo, Michigan, 3 pages, Mar. 25, 2021.
Tobias Adami et al., Design U.S. Appl. No. 29/792,009, filed Feb. 25, 2022, entitled “Lighting Fixture”.
Tobias Adami et al., Design U.S. Appl. No. 29/792,011, filed Feb. 25, 2022, entitled “Lighting Fixture”.
Tobias Adami et al., Design U.S. Appl. No. 29/792,012, filed Feb. 25, 2022, entitled “Bench”.
Tobias Adami et al., Design U.S. Appl. No. 29/792,014, filed Feb. 25, 2022, entitled “Bench End”.
Piaffe table, available in ifcollection.com, earliest available date Oct. 23, 2010 [online], Retrieved on Apr. 27, 2023 from URL: <https://www.ifcollection.com/product/piaffe-table>, 6 pages, (Year: 2010).
Laura Rote, “Landscape Forms’ Collaborative Process Fuses Form with Function,” Sixtysix Magazine, printout retrieved on Sep. 13, 2023, from <https://sixtysixmag.com/landscape-forms/>, 14 pages, Apr. 30, 2020.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24