



US0D1050915S

(12) **United States Design Patent** (10) **Patent No.: US D1,050,915 S**
Makechnie et al. (45) **Date of Patent: ** Nov. 12, 2024**

(54) **DESK-MOUNTABLE OCCUPANCY SENSOR**

(71) Applicant: **Schneider Electric Buildings Americas, Inc.**, Carrollton, TX (US)

(72) Inventors: **Lauren Makechnie**, Hampton Falls, NH (US); **Tannan Whidden Winter**, Fitchburg, MA (US)

(73) Assignee: **Schneider Electric Buildings Americas, Inc.**, Carrollton, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/881,235**

(22) Filed: **Dec. 29, 2022**

(51) **LOC (14) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/70**

(58) **Field of Classification Search**

USPC D10/70, 106.6, 106.8
CPC G01V 8/20; G08B 13/1645; G08B 13/16;
G08B 13/1609; G08B 13/1627; G08B
13/1618; G08B 13/1636; G08B 13/1654;
G08B 13/1663; G08B 13/1672; G08B
13/1681; G08B 13/16169; G08B 13/181;
G08B 13/183; G08B 13/184; G08B
13/186; G08B 13/187; G08B 13/189;
G08B 13/1895; G08B 13/19; G08B
13/191; G08B 13/193; G08B 17/12;
H03K 17/941; H03K 2017/9455; H03K
17/9505; H03K 17/9622; H03K 17/9627;
H05B 37/0227; F24F 1/035; F24F 5/0042

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D328,436 S * 8/1992 Fuerst D10/70
5,499,504 A * 3/1996 Mill F24F 1/035
D10/49

D543,877 S * 6/2007 Bhavnani D10/70
D561,630 S 2/2008 Bandringa et al.
D569,745 S * 5/2008 Bhavnani D10/70
D588,484 S 3/2009 Bandringa et al.
D597,430 S 8/2009 Sloan et al.
D603,284 S 11/2009 Sloan et al.
D657,275 S 4/2012 Cowles et al.
D668,164 S 10/2012 Cowles et al.

(Continued)

FOREIGN PATENT DOCUMENTS

WO D221617-0001 7/2022

Primary Examiner — Antoine Duval Davis

(74) *Attorney, Agent, or Firm* — Locke Lord LLP

(57) **CLAIM**

The ornamental design for a desk-mountable occupancy sensor, as shown and described.

DESCRIPTION

FIG. 1 is a front-top perspective view of a desk-mountable occupancy sensor.

FIG. 2 is a back-bottom perspective view of a desk-mountable occupancy sensor.

FIG. 3 is a front-side view of a desk-mountable occupancy sensor.

FIG. 4 is a back-side view of a desk-mountable occupancy sensor.

FIG. 5 is a left-side view of a desk-mountable occupancy sensor.


FIG. 6 is a right-side view of a desk-mountable occupancy sensor.

FIG. 7 is a top-side view of a desk-mountable occupancy sensor; and,

FIG. 8 is a bottom-side view of a desk-mountable occupancy sensor.

The broken lines in the drawings illustrate portions of a desk-mountable occupancy sensor that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D692,332 S	10/2013	Ni et al.	
D796,975 S *	9/2017	Jou	D10/70
D813,061 S *	3/2018	Kikstra	D10/70
D833,897 S *	11/2018	Simpson	D10/104.1
D851,509 S *	6/2019	Du	D10/70
D891,277 S *	7/2020	Yang	D10/70
D910,469 S *	2/2021	Schaller	D10/70
D1,024,805 S *	4/2024	Han	D10/70
D1,030,521 S *	6/2024	Sidhu	D10/70

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8