

(12) **United States Design Patent**
Hayes

(10) **Patent No.:** **US D1,051,275 S**

(45) **Date of Patent:** **** Nov. 12, 2024**

(54) **ARCHERY BOW STABILIZER BAR**

(71) Applicant: **MCP IP, LLC**, Sparta, WI (US)

(72) Inventor: **Mark J. Hayes**, Onalaska, WI (US)

(73) Assignee: **MCP IP, LLC**, Sparta, WI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/882,290**

(22) Filed: **Jan. 12, 2023**

(51) **LOC (14) Cl.** **22-01**

(52) **U.S. Cl.**
USPC **D22/107**

(58) **Field of Classification Search**
USPC D22/107, 108; D21/753
CPC F41B 5/1426; F41B 5/10; F41B 5/1407
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,670,712	A	6/1972	Izuta	
5,273,022	A	12/1993	Leven	
D415,812	S *	10/1999	Andrews, Jr.	D22/100
6,634,348	B2 *	10/2003	Gallops, Jr.	F41B 5/1426 124/86
6,718,964	B1	4/2004	Graf	
6,802,307	B2	10/2004	Leven	
7,318,430	B2	1/2008	Leven	
7,832,109	B2	11/2010	Gibbs	
7,958,881	B2	6/2011	Silverson	
7,997,258	B2	8/2011	Shepley et al.	
8,166,963	B2	5/2012	Leven	
8,418,683	B2	4/2013	Leven	
D682,969	S	5/2013	Khoshnood et al.	
D682,970	S	5/2013	Khoshnood et al.	
D682,971	S	5/2013	Khoshnood et al.	
D685,874	S	7/2013	Andrews, Jr. et al.	
D691,232	S *	10/2013	Khoshnood	D22/107
8,573,193	B2 *	11/2013	Khoshnood	F41B 5/1426 124/88
8,590,522	B2	11/2013	Khoshnood et al.	

8,833,356 B2 * 9/2014 Khoshnood F41B 5/1426
124/88

8,839,525 B2 9/2014 Pulkrabek et al.

D718,404 S 11/2014 Barnett

D727,454 S * 4/2015 Robinson D22/108

9,016,268 B2 4/2015 Leven

(Continued)

OTHER PUBLICATIONS

Mathews_Bridge-Lock_Stabilizer posted on Dec. 30, 2022[online], [Retrieved May 28, 2024] Retrieved from internet: https://www.amazon.com/MATHEWS-Bridge-Lock-Stabilizer-10-Ambush/dp/B0BRDF3G17/ref=sr_1_7?crid=2V08GSR3KWL0Z&dib=eyJ2IjoMSJ9.-dKCOsI5unvsidSSpQ571tD90Wwcz8sTbsMbIDbKxg... (Year: 2022).*

Primary Examiner — Michael A. Pratt

(74) *Attorney, Agent, or Firm* — Laabs Intellectual Property

(57) **CLAIM**

The ornamental design for an archery bow stabilizer bar as shown and described.

DESCRIPTION

FIG. 1 is a front-right angled view of an archery bow stabilizer bar, showing the new design.

FIG. 2 is a right-side view thereof.

FIG. 3 is a left-side view thereof.

FIG. 4 is a front view thereof.


FIG. 5 is a back view thereof.

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

The dash-dot broken lines in the Figures depict boundaries of the claimed design. The dashed broken lines in the Figures depict environmental structure or unclaimed portions of the device and are for illustrative purposes only. The broken lines form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

9,038,617 B1 * 5/2015 Khoshnood F41B 5/1426
124/89
D735,830 S 8/2015 Khoshnood
9,097,491 B2 8/2015 Summers et al.
D741,391 S * 10/2015 Sui D16/208
9,383,158 B1 7/2016 Khoshnood
9,500,433 B2 11/2016 McPherson
D775,298 S 12/2016 Barnett
D775,705 S 1/2017 Khoshnood et al.
D779,617 S 2/2017 Barnett
D779,621 S 2/2017 Salvador
D780,277 S 2/2017 Barnett
9,612,087 B2 4/2017 Summers et al.
9,658,025 B2 5/2017 Trpkovski
D791,898 S 7/2017 Khoshnood et al.
9,829,269 B2 * 11/2017 McPherson F41B 5/10
D834,113 S 11/2018 Chu
D863,480 S 10/2019 Miao
D868,194 S * 11/2019 Ozanne D22/107
D868,195 S * 11/2019 Ozanne D22/107
D884,818 S * 5/2020 Hayes D22/107
10,655,927 B2 5/2020 Simonds et al.
10,816,304 B2 10/2020 McPherson et al.
D979,336 S * 2/2023 Convey D22/108
D1,010,051 S 1/2024 Hayes
2013/0118468 A1 5/2013 Kozlik et al.
2014/0069402 A1 3/2014 McPherson
2014/0069404 A1 3/2014 McPherson
2015/0233664 A1 8/2015 McPherson
2019/0323258 A1 10/2019 Ma

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7