



US0D1051819S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,051,819 S**
Ito (45) **Date of Patent:** **** Nov. 19, 2024**

(54) **TREAD PORTION OF AN AUTOMOBILE TIRE**

(71) Applicant: **BRIDGESTONE CORPORATION**,
Tokyo (JP)

(72) Inventor: **Junko Ito**, Tokyo (JP)

(73) Assignee: **BRIDGESTONE CORPORATION**,
Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/885,141**

(22) Filed: **Feb. 21, 2023**

(30) **Foreign Application Priority Data**

Aug. 24, 2022 (JP) 2022-018000 D

(51) **LOC (14) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/583**

(58) **Field of Classification Search**
USPC D12/568–605, 900, 901
CPC Y10T 152/10027; B60C 1/0016; B60C
11/0306; B60C 11/0302; B60C 3/06;
B60C 9/17

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D313,383 S *	1/1991	Enoki		D12/900
D615,027 S *	5/2010	Williamson		D12/583
D645,394 S *	9/2011	De Staercke		D12/583
D646,215 S *	10/2011	De Staercke		D12/583
D652,369 S *	1/2012	Lebreton		D12/583
D662,034 S *	6/2012	Vandaele		D12/583
D669,420 S *	10/2012	Barrett		D12/583

D727,249 S *	4/2015	Rolland		D12/583
D727,839 S *	4/2015	Rolland		D12/583
D727,840 S *	4/2015	Rolland		D12/583
D728,460 S *	5/2015	Sylvino		D12/583
D729,153 S *	5/2015	Rolland		D12/583
D739,814 S *	9/2015	Moore		D12/600
D744,937 S *	12/2015	Wang		D12/583
D791,688 S *	7/2017	Trowbridge		D12/548
D829,641 S *	10/2018	Youn		D12/584
D886,714 S *	6/2020	Ayglon		D12/583
D957,316 S *	7/2022	Chiusso		D12/583
D962,851 S *	9/2022	Ogawa		D12/583

* cited by examiner

Primary Examiner — John A Voytek

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC


(57) **CLAIM**

The ornamental design for a tread portion of an automobile tire as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of tread portion of an automobile tire showing my design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a Left side view thereof;
FIG. 6 is a fragmentary enlarged front view surrounded by line 6-6 and line 6'-6' in FIG. 2 thereof;
FIG. 7 is an end face view taken along line 7-7 in Fig. 6 thereof; and,
FIG. 8 is an end face view taken along line 8-8 in Fig. 6.
In the drawings, the broken lines are for defining the sidewall, inner bead and the boundary between the claimed tire tread and the unclaimed sidewall, and form no part of the claimed design.


1 Claim, 8 Drawing Sheets




F I G . 1




F I G . 2




F I G . 3




F I G . 4




F I G . 5



F I G . 6



F I G . 7



F I G . 8

