

(12) **United States Design Patent** (10) **Patent No.:** **US D1,052,561 S**
Puckett et al. (45) **Date of Patent:** **** Nov. 26, 2024**

(54) **WIRELESS TRANSMITTER**

(71) Applicant: **Bose Corporation**, Framingham, MA (US)

(72) Inventors: **Scott Puckett**, West Warwick, RI (US);
Caleb Drake, Framingham, MA (US)

(73) Assignee: **Bose Corporation**, Framingham, MA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/855,005**

(22) Filed: **Sep. 29, 2022**

(51) **LOC (14) Cl.** **14-01**

(52) **U.S. Cl.**
USPC **D14/225**

(58) **Field of Classification Search**
USPC D14/225, 155, 227–229, 240, 243, 358,
D14/496, 140.1; D13/103; 381/355, 122
CPC ... H04R 1/10; H04R 3/00; H04R 1/08; H04R
1/14; H04R 9/08; H04R 11/04
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D210,209 S *	2/1968	Fischer		D10/104.1
D245,776 S *	9/1977	Dellar		D14/225
4,396,800 A *	8/1983	McDonnell		H04R 3/005 379/167.01
4,600,077 A *	7/1986	Drever		H04R 1/086 181/158
4,910,795 A *	3/1990	McCowen		H04R 1/04 455/128
D362,441 S *	9/1995	Mark		D14/216
5,664,292 A *	9/1997	Chen		A45F 5/02 24/3.12
6,000,948 A *	12/1999	Peterson		H04R 1/08 439/22

D442,932 S *	5/2001	Koike		D14/155
D491,911 S *	6/2004	Jung		D14/203.3
D516,546 S *	3/2006	Sobol		D14/228
D549,209 S *	8/2007	Bauman		D14/155
D593,488 S *	6/2009	Harrison		D13/103
D596,167 S *	7/2009	Fleischer		D14/228
D599,786 S *	9/2009	Metlen		D14/225
D602,430 S *	10/2009	Green		D13/110
D615,556 S *	5/2010	Yeo		D14/203.3
7,769,408 B2 *	8/2010	Hansson		H04M 1/03 455/90.3
D708,170 S *	7/2014	Duek		D14/225
8,848,962 B2 *	9/2014	Akino		H04R 19/04 381/92
D735,661 S *	8/2015	Miller		F21L 4/085 D13/103
D813,207 S *	3/2018	Shultz		D14/225
D830,347 S *	10/2018	Puckett		D14/225

(Continued)

FOREIGN PATENT DOCUMENTS

JP D1751401 * 8/2023

Primary Examiner — Paula Allen Greene


(57) **CLAIM**

The ornamental design for a wireless transmitter, as shown and described.

DESCRIPTION

FIG. 1 is a front, top, and right perspective view of a wireless transmitter showing the new design;
FIG. 2 is a top view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a left side thereof; and,
FIG. 7 is a bottom view thereof.
The broken line portions of the drawings depict portions of the wireless transmitter that form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D917,433	S	*	4/2021	Wang		D14/228
D918,184	S	*	5/2021	Xiang		D14/228
D926,734	S	*	8/2021	Balac		D14/225
D951,921	S	*	5/2022	Li		D14/225
D954,685	S	*	6/2022	Mai		D14/227
D960,122	S	*	8/2022	Lu		D14/204
D976,240	S	*	1/2023	Xie		D14/225
D978,117	S	*	2/2023	Li		D14/225
D993,225	S	*	7/2023	Schillebeeckx		D14/225
D1,000,426	S	*	10/2023	Agranat		D14/228
D1,000,427	S	*	10/2023	Li		D14/225
D1,003,873	S	*	11/2023	Jia		D14/228
2005/0157892	A1	*	7/2005	Chiu		H04B 5/00 381/113
2008/0152174	A1	*	6/2008	Marshall		H04R 19/04 381/172
2010/0202929	A1	*	8/2010	Renslow		G01N 1/10 422/513
2012/0300962	A1	*	11/2012	Devoto		H04R 5/02 455/41.3

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7