



US0D1054519S

(12)

United States Design Patent

Yudys et al.

(10)

Patent No.:

US D1,054,519 S

(45)

Date of Patent:

** Dec. 17, 2024

(54) SAFETY SELECTOR FOR AR15 PATTERN FIREARMS

(71) Applicant: 22 Evolution LLC, Columbia, MO (US)

(72) Inventors: Joshua Thomas Yudys, Columbia, MO (US); Philip Robert DiMuzio, Columbia, MO (US); John L. Overstreet, Fayette, MO (US)

(73) Assignee: 22 Evolution LLC, Columbia, MO (US)

(**) Term: 15 Years

(21) Appl. No.: 29/810,091

(22) Filed: Oct. 1, 2021

(51) LOC (14) Cl. 22-01

(52) U.S. Cl. D22/108

(58) Field of Classification Search USPC D22/100, 101, 103, 108; D21/573 (Continued)

(56) References Cited

U.S. PATENT DOCUMENTS

D639,378 S * 6/2011 Burt D22/108

8,276,502 B1 10/2012 Wright

(Continued)

OTHER PUBLICATIONS

“CMMG Zeroed Ambidextrous safety selector. Review and first impressions” [online]. Skylar Schwartz. [Published Sep. 21, 2022]. Retrieved from the Internet: <https://www.youtube.com/watch?v=-XSY9Lvvo_I>.*

Primary Examiner — Mojtaba Tehrani

(74) Attorney, Agent, or Firm — Dinsmore & Shohl LLP

(57) CLAIM

The ornamental design for a safety selector for AR15 pattern firearms, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a safety selector for AR15 pattern firearms according to a first embodiment of the present design;

FIG. 2 is a 180 degree rotated perspective view of FIG. 1;

FIG. 3 is a rear plan view of the design shown in FIG. 1;

FIG. 4 is front plan view of the design shown in FIG. 1;

FIG. 5 is a right side view of the design shown in FIG. 1;

FIG. 6 is a left side view of the design shown in FIG. 1;

FIG. 7 is a top view of the design shown in FIG. 1;

FIG. 8 is a bottom view of the design shown in FIG. 1;

FIG. 9 is a perspective view of a safety selector for AR15 pattern firearms according to a second embodiment of the present design;

FIG. 10 is a 180 degree rotated perspective view of FIG. 9;

FIG. 11 is a rear plan view of the design shown in FIG. 9;

FIG. 12 is front plan view of the design shown in FIG. 9;

FIG. 13 is a right side view of the design shown in FIG. 9;

FIG. 14 is a left side view of the design shown in FIG. 9;

FIG. 15 is a top view of the design shown in FIG. 9;

FIG. 16 is a bottom view of the design shown in FIG. 9;

FIG. 17 is a perspective view of a safety selector for AR15 pattern firearms according to a third embodiment of the present design;

FIG. 18 is a 180 degree rotated perspective view of FIG. 17;

FIG. 19 is a rear plan view of the design shown in FIG. 17;

FIG. 20 is front plan view of the design shown in FIG. 17;

FIG. 21 is a right side view of the design shown in FIG. 17;

FIG. 22 is a left side view of the design shown in FIG. 17;

FIG. 23 is a top view of the design shown in FIG. 17;

FIG. 24 is a bottom view of the design shown in FIG. 17;

FIG. 25 is a perspective view of a safety selector for AR15 pattern firearms according to a fourth embodiment of the present design;

FIG. 26 is a 180 degree rotated perspective view of FIG. 25;

FIG. 27 is a rear plan view of the design shown in FIG. 25;

FIG. 28 is front plan view of the design shown in FIG. 25;

FIG. 29 is a right side view of the design shown in FIG. 25;

FIG. 30 is a left side view of the design shown in FIG. 25;

(Continued)




FIG. 31 is a top view of the design shown in FIG. 25; and, FIG. 32 is a bottom view of the design shown in FIG. 25. The broken lines in the drawings disclose unclaimed portions of the safety selector for AR15 pattern firearms only and form no part of the claimed design.

1 Claim, 24 Drawing Sheets

(58) Field of Classification Search

CPC . F41G 1/00; F41G 1/22; F41G 11/003; F41A 21/26; F41A 35/04; F41A 35/02; F41C 23/00; F41C 23/06; F41C 23/20; F41C 23/14; F41C 23/16

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

8,806,790 B1 * 8/2014 Huang F41A 17/74 42/70.08
D723,646 S * 3/2015 Keezer D22/108
9,557,128 B2 1/2017 Miller, III
9,562,733 B2 2/2017 Huther
9,587,897 B1 * 3/2017 Huang F41A 17/70
D786,649 S * 5/2017 Huang D8/308

10,126,086 B2 11/2018 Smith
D841,755 S 2/2019 Pavlick
D856,457 S * 8/2019 Montes D22/108
10,466,001 B1 11/2019 Huang et al.
D880,642 S * 4/2020 Geissele D22/108
D888,870 S * 6/2020 Gerlings D22/108
10,670,367 B1 6/2020 Boyer et al.
D896,610 S * 9/2020 Huang D8/308
10,767,949 B2 9/2020 Zung et al.
10,816,296 B2 10/2020 Karchon et al.
D904,854 S * 12/2020 Huang D8/308
10,866,049 B2 12/2020 Werner
D911,481 S * 2/2021 Troy F41A 19/46 D22/108
D943,048 S * 2/2022 Geissele D22/108
11,340,034 B1 * 5/2022 Yudys F41A 35/06
11,473,869 B1 * 10/2022 Brandt F41A 35/00
D982,536 S * 4/2023 Rosenbaum D22/108
11,668,538 B1 * 6/2023 DiMuzio F41A 3/66 42/16
D1,020,966 S * 4/2024 Underwood D21/573
2005/0241470 A1 11/2005 Hochstrate et al.
2007/0180984 A1 8/2007 Huther
2012/0325044 A1 * 12/2012 Brown F41A 19/33 74/548
2020/0033088 A1 1/2020 Nguyen
2022/0107150 A1 * 4/2022 Lipowski F41A 35/06
2023/0288159 A1 * 9/2023 Kastrun F41A 19/46

* cited by examiner





FIG. 1

FIG. 2






FIG. 3




FIG. 4




FIG. 5




FIG. 6

FIG. 7





FIG. 8







FIG. 9

FIG. 10






FIG. 11




FIG. 12




FIG. 13





FIG. 14

FIG. 15






FIG. 16





FIG. 17

FIG. 18






FIG. 19




FIG. 20




FIG. 21





FIG. 22

FIG. 23






FIG. 24





FIG. 25

FIG. 26






FIG. 27




FIG. 28




FIG. 29




FIG. 30

FIG. 31

