



US0D1061506S

(12)

United States Design Patent

Oles et al.

(10)

Patent No.:

US D1,061,506 S

(45)

Date of Patent:

** Feb. 11, 2025

(54) ELECTRONIC DEVICE

(71) Applicant: SpotOn Transact, LLC, San Francisco, CA (US)

(72) Inventors: Carol Marie Oles, Baldwin, MD (US);
Doron Friedman, Glencoe, IL (US);
Jeffrey Haller, Redwood City, CA (US); Zachary Alan Hyman, Belvedere, CA (US); Kenneth John North, San Carlos, CA (US)

(73) Assignee: SpotOn Transact, LLC, San Francisco, CA (US)

(**) Term: 15 Years

(21) Appl. No.: 29/960,986

(22) Filed: Sep. 3, 2024

Related U.S. Application Data

(60) Continuation of application No. 29/919,821, filed on Dec. 6, 2023, now Pat. No. Des. 1,046,861, which is a division of application No. 29/876,376, filed on May 19, 2023, now Pat. No. Des. 1,011,336.

(51) LOC (15) Cl. 14-02

(52) U.S. Cl. USPC D14/307; D18/4.1

(58) Field of Classification Search USPC D14/302–307, 900–902; D13/163; D20/10; D21/332, 325, 369, 370; D99/28; D6/397, 466; 194/206; 361/679.01, 679.02, 679.04, 679.21, 361/679.57, 725
CPC G06Q 20/18; G06Q 20/10; G06Q 20/123; G06Q 20/20; G06Q 30/02; G06Q 30/06; A47F 9/047
See application file for complete search history.

(56)References Cited

U.S. PATENT DOCUMENTS

D624,115	S	*	9/2010	Ausems	G06Q 20/3827
					D18/4.6
D626,550	S	*	11/2010	Julien	D14/341
D672,386	S	*	12/2012	Matunuma	D18/4.6
D762,766	S	*	8/2016	Bedier	D18/4.4
D844,047	S	*	3/2019	Yeruva	D18/4.6
D880,580	S	*	4/2020	Wang	D18/4.6
D881,269	S	*	4/2020	Blanc	D18/4.6
D883,278	S	*	5/2020	Yopez	D14/307
D886,190	S	*	6/2020	Huang	D18/4.6
10,672,236	B1	*	6/2020	Tseng	G07G 1/12
D921,509	S	*	6/2021	Wang	D10/108
D936,054	S	*	11/2021	Wang	D14/385
D940,232	S	*	1/2022	Kangasmaa	D18/4.1
D976,141	S	*	1/2023	Friedli	D10/108

(Continued)

Primary Examiner — Austin Murphy

(74) Attorney, Agent, or Firm — MORGAN, LEWIS & BOCKIUS LLP


(57)CLAIM

The ornamental design for an electronic device as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an embodiment of our new design of an electronic device;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a first side view thereof;
FIG. 5 is a second side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.
The oblique lines represent a transparent or translucent surface.
The broken lines showing elements in the Figures are for illustrative purposes only and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D1,011,336	S *	1/2024	Oles	D18/4.1
D1,030,740	S *	6/2024	Oles	D14/307
D1,032,713	S *	6/2024	Zhong	D18/4.6
2015/0161601	A1 *	6/2015	Matsumoto	G06Q 20/353
				705/17
2017/0061746	A1 *	3/2017	Tanaka	G06K 7/0004
2019/0012491	A1 *	1/2019	Su	G06F 21/60

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7