



US0D1063852S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,063,852 S**
Weigle et al. (45) **Date of Patent:** **** Feb. 25, 2025**

(54) **ELECTRICAL CONDUCTOR**

(71) Applicant: **EATON INTELLIGENT POWER LIMITED**, Dublin (IE)

(72) Inventors: **Logan D. Weigle**, McKees Rocks, PA (US); **Douglas M. Brandt**, Wampum, PA (US); **Tyler Holp**, Coraopolis, PA (US); **Brad R. Leccia**, Bethel Park, PA (US)

(73) Assignee: **EATON INTELLIGENT POWER LIMITED**, Dublin (IE)

(**) Term: **15 Years**

(21) Appl. No.: **29/861,774**

(22) Filed: **Dec. 2, 2022**

(51) **LOC (15) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/133**

(58) **Field of Classification Search**
USPC ... D13/133, 101, 123, 146, 147, 153, 137.1, D13/149, 154; D14/433, 435.1
CPC G02B 6/38; G02B 6/38875; G02B 6/4284; H01R 13/40; H01R 13/58; H01R 13/627; H01R 13/66; H01R 13/6335; H01R 13/6272; H01R 13/6397; H01R 13/639; H01R 13/6275; H01R 31/06; H01R 24/00; H01R 24/46; H01R 43/26
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D251,491 S * 4/1979 Snyder, Jr. D13/146
D419,525 S * 1/2000 Arai D13/147
D524,741 S * 7/2006 Bihrer D13/146
D525,202 S * 7/2006 Bihrer D13/146
D795,809 S * 8/2017 Brandt D13/133

9,767,978 B1 * 9/2017 Brandt H01H 71/08
D801,930 S * 11/2017 Brandt D13/133
D808,347 S * 1/2018 Benda D13/178
D827,577 S * 9/2018 Brandt D13/133
D827,578 S * 9/2018 Brandt D13/133
D829,659 S * 10/2018 Brandt D13/133
D829,660 S * 10/2018 Brandt D13/133
D843,567 S * 3/2019 Gloria Bello D24/129
D867,995 S * 11/2019 Brandt D13/133
D871,352 S * 12/2019 Morelli D13/158

(Continued)

Primary Examiner — Rosemary K Tarcza

Assistant Examiner — Leah E Hoeferkamp

(74) *Attorney, Agent, or Firm* — Eckert Seamans Cherin & Mellott, LLC


(57) **CLAIM**

The ornamental design for an electrical conductor as shown and described.

DESCRIPTION

FIG. 1 is a top, front perspective view of the electrical conductor;
FIG. 2 is a top, rear perspective view of the electrical conductor;
FIG. 3 is a bottom, front perspective view of the electrical conductor;
FIG. 4 is a bottom, rear perspective view of the electrical conductor;
FIG. 5 is a front elevational view of the electrical conductor;
FIG. 6 is a rear elevational view of the electrical conductor;
FIG. 7 is a left side elevational view of the electrical conductor;
FIG. 8 is a right side elevational view of the electrical conductor;
FIG. 9 is a top plan view of the electrical conductor; and,
FIG. 10 is a bottom plan view of the electrical conductor.
The broken lines in the drawings are for illustration of subject matter that forms no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D883,216 S	*	5/2020	Brandt	D13/133
D938,363 S	*	12/2021	Wellens	D13/155
2012/0098519 A1	*	4/2012	Juds	G01R 15/142
				324/76.11

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG.10