



US0D1064008S

(12) **United States Design Patent**
Park et al.

(10) **Patent No.: US D1,064,008 S**
(45) **Date of Patent: ** Feb. 25, 2025**

(54) **REAMER HEAD**

(71) Applicant: **TaeguTec Ltd.**, Daegu (KR)
(72) Inventors: **Jung Hoon Park**, Daegu (KR); **Keun Young Pakr**, Daegu (KR)

(73) Assignee: **TaeguTec Ltd.**, Daegu (KR)

(**) Term: **15 Years**

(21) Appl. No.: **29/850,776**

(22) Filed: **Aug. 23, 2022**

(51) **LOC (15) Cl.** **15-09**

(52) **U.S. Cl.**
USPC **D15/139**

(58) **Field of Classification Search**
USPC D15/138–140, 1–199
CPC B23B 51/0002; B23B 51/0003; B23B 51/0018; B23B 51/0045; B23B 51/0011; B23B 51/009; B23B 51/0007; B23B 51/0008; B23B 51/044; B23B 51/0461; B23B 51/0466; B23B 2240/00; B23B 2251/00; B23D 77/02; B23D 2277/26; B23D 2277/30; B23D 2277/32; B23D 2277/44; B23D 2277/205; Y10T 408/9095

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D360,641 S *	7/1995	Asano		D15/138
D361,579 S *	8/1995	Asano		D15/138
D363,728 S *	10/1995	Asano		D15/139
D487,900 S *	3/2004	Mikiya		D15/139
D541,320 S *	4/2007	Sjoo		D15/139
7,887,326 B2 *	2/2011	Danger		B23B 31/005 433/165
D647,546 S *	10/2011	Omi		D15/139
2002/0054797 A1 *	5/2002	Gascoyne		B23B 51/0054 408/81

(Continued)

FOREIGN PATENT DOCUMENTS

GB 2044154 * 4/1995
JP D969746 * 8/2000

(Continued)

OTHER PUBLICATIONS

Replaceable Head Reamer—Alvan® Reamers, posted Jun. 22, 2017 [online], [retrieved Aug. 6, 2024]. Retrieved from internet, <https://www.youtube.com/watch?v=jaFvDzJ M8No> (Year: 2017).*

(Continued)

Primary Examiner — Richard Edgar

Assistant Examiner — Alexander J David

(74) *Attorney, Agent, or Firm* — Womble Bond Dickinson (US) LLP

(57) **CLAIM**



The ornamental design for a reamer head as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of my design of a reamer head; FIG. 2 is a front view of the reamer head of FIG. 1; FIG. 3 is a back view of the reamer head of FIG. 1; FIG. 4 is a left view of the reamer head of FIG. 1; FIG. 5 is a right view of the reamer head of FIG. 1; FIG. 6 is a top view of the reamer head of FIG. 1; FIG. 7 is a bottom view of the reamer head of FIG. 1; FIG. 8 is a cross-sectional view taken along section line 8-8 of FIG. 2; and, FIG. 9 is a cross-sectional view taken along section line 9-9 of FIG. 7.

The dash-dash lines in the figures represent portions of the reamer head that form no part of the claimed design. The dash-dot lines of FIG. 9 illustrate a boundary which forms no part of the claimed design.

1 Claim, 9 Drawing Sheets



References Cited

2003/0103822	A1 *	6/2003	Wirth, Jr.	B23B 51/04 408/203.5
2009/0116920	A1 *	5/2009	Bae	B23B 51/02 408/227
2010/0303569	A1 *	12/2010	Gonen	B23B 51/00 408/229
2015/0266101	A1 *	9/2015	Rimet	B23D 77/006 407/56
2021/0196288	A1 *	7/2021	Hodorek	A61B 17/846

JP	D1082709	*	8/2000
JP	D1169271	*	3/2003
JP	D1421207	*	8/2011
JP	D1744096	*	5/2023
KR	300389435.0000	*	8/2005

Precision Excellence with TaeguTec's XM-Ream: Your Small Diameter Reaming Solution, posted Oct. 16, 2023 [online]. [retrieved Aug. 6, 2024}. Retrieved from internet, <https://www.mreport.co.th/en/products/cutting-tools/drills/106-taegutec-xm-ream-for-small-diameter-reaming> (Year: 2023).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9