



US0D1065897S

(12) **United States Design Patent** (10) **Patent No.:** **US D1,065,897 S**
Beach et al. (45) **Date of Patent:** **** Mar. 11, 2025**

(54) **RACK RAIL WITH MULTIPLE INTERFACES**

Primary Examiner — Kelley A Donnelly

(71) Applicant: **CORNING RESEARCH & DEVELOPMENT CORPORATION**,
Corning, NY (US)

(57) **CLAIM**

The ornamental design for a rack rail with multiple interfaces, as shown and described.

(72) Inventors: **Kevin Charles Beach**, Bowie, TX (US); **Mark Robert Dagley**, Fort Worth, TX (US); **Giovanna Monserrat Franco Romo**, Reynosa (MX); **Sergio Sanchez Garcia**, Reynosa (MX); **Raymond Glenn Jay**, Mansfield, TX (US); **Brian Duane Kingsbury**, Watauga, TX (US); **Robert Tomasz Klak**, Zdunska Wola (PL); **Wojciech Kreczmer**, Lodz (PL)

DESCRIPTION

FIG. 1 is a top, back, right-side perspective view of a first embodiment of a rack rail with multiple interfaces according to the present design;

FIG. 2 is a back view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a right-side view thereof;

FIG. 5 is a left-side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is an enlarged view of the portion marked “8” in FIG. 1;

FIG. 9 is an enlarged view of the portion marked “9” in FIG. 2;

FIG. 10 is an enlarged view of the portion marked “10” in FIG. 4;

FIG. 11 is an enlarged view of the portion marked “11” in FIG. 6;

FIG. 12 is a top, back, right-side perspective view of a second embodiment of a rack rail with multiple interfaces according to the present design. The separation shown in the second embodiment represents a rack rail with a disclaimed length. The top view and the bottom view of the second embodiment is identical to the top view and the bottom view of the first embodiment;

FIG. 13 is a back view thereof;

FIG. 14 is a front view thereof;

FIG. 15 is a right-side view thereof;

FIG. 16 is a left-side view thereof;

FIG. 17 is a top, back, right-side perspective view of a third embodiment of a rack rail with multiple interfaces according to the present design. The top view and the bottom view of the third embodiment is identical to the top view and the bottom view of the first embodiment;

FIG. 18 is a back view thereof;

FIG. 19 is a front view thereof;

(Continued)

(73) Assignee: **Corning Research & Development Corporation**, Corning, NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/806,549**

(22) Filed: **Sep. 3, 2021**

Related U.S. Application Data

(62) Division of application No. 29/692,887, filed on May 29, 2019, now Pat. No. Des. 950,993.

(51) **LOC (15) Cl.** **06-06**

(52) **U.S. Cl.**
USPC **D6/702**

(58) **Field of Classification Search**

USPC D6/396, 491–492, 509–511,




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6



FIG. 7




FIG. 11

